

CMPT 363: User Interface Design

Summer 2021

Week 6: Interface Types, Prototyping Tools & Techniques for UX

Instructor: Victor Cheung, PhD

School of Computing Science, Simon Fraser University

Fun Watch – The Mysterious Life of UX Designers



<https://www.youtube.com/watch?v=gfHcnig8Lo4>

Typical Activities of a UX Designer

- Poll – what did you learn from the video?
 - A - Designers use Macs
 - B - Pixel paranoia
 - C - Usability Test is a crucial moment
 - D - Workshops with lots of sticky notes
- But for real... watch this (a day in the life of a UX designer):
<https://www.youtube.com/watch?v=gEYq6GFAFCs>

Recap from Last Lecture

- Identifying Contexts & Users
 - Importance and how to describe them
- Task-Centered Design
 - What are tasks and how to describe them
- Gathering Requirements
 - What are requirements and how to capture them

Group Project Part I – Due 18 Jun 11:59p

- Overview
 - To design the interface for **an online calendar** that facilitates **different kinds of activities** for **university students**
- Part I
 - Heuristic Evaluation on existing application(s)
 - Evaluate interfaces of online discussion forums, give a total of 3 usability issues and 2 good usability examples
 - Summary can include what's missing in all applications, or a comparison between them
 - Design requirements gathering
 - Context & user identification, 3 functional requirements (+sketches), 3 non-functional requirements
 - Next Step (refer to the UCD process)

Feedback for Assignment I

- Some students referred “Consistency & Standards” as how an application look across devices, which is only partially true
 - Layouts and operations can vary depending on the device (e.g., small screen vs big screen, type of interaction)
 - Consistency & Standards focuses on maintaining the functionalities and features so wording/actions mean the same thing while adhering to platform & industry standards
- Some students provide little background knowledge of the interface (e.g., games)
 - Readers might not know the feature that is missing and how important it is without knowing the background first
- Some student missed providing details such as app version and end-user details

TAs' Favourites (I)

Bad UI: Brother DCP-L2540DW Compact Monochrome Laser Multifunction Model: L2540DW



- Function: for both printing and scanning documents.
- The interface is very minimalistic such that it becomes a hindrance because many functions are hidden and require only 'menu', '+' and '-' buttons to access them. Furthermore, with a very small display, some of the function names are shortened or replaced with words that are not understandable.

2. Bad UI




The picture gives a decent hint of what Information Overload refers to switches. This one is a highly overused utility and can be found in every house or building. It can be very confusing sometimes and people are accustomed with it only when they have been turning switches wrong for few times.

I believe it is an example for a bad UI, UX design since the problem with these switches is that they have no mapping and information. Therefore, you have to switch it on to tell what it is going to do for example turn on the light, turn on the fan, ... And every time you want to turn the switch, it requires you to think and remember the last time you did it wrong

TAs' Favourites (2)

The Bad: Ikea "Koppla" 6-way adapter plug, grounded white



https://www.ikea.com/ca/en/p/koppla-6-way-adaptor-plug-grounded-white-70085345/?utm_source=google&utm_medium=surfaces&utm_campaign=shopping_feed&utm_content=free_google_shopping_clicks_Lighting&gclid=Cj0KCQjwnueFBhChARIsAPu3YkQBIEU9hbWMSYOONpiimXpLECCtWTVGIHOGEqeXOUQlpW_k8UJ1i5YaAgJDEALw_wcB

This is a regular, adaptor plug marketed for 6 plugs/inputs.

The problem with this interface is that the space between the plugs is too small, so it is impossible to fit 6 plugs at once. At any given time I am only able to fit 4 out of the 6 spaces available, because there is a restriction for the middle spaces.

The interesting



What

Pictured above is a massage roller purchased from Miniso. (Exact model unknown)

Why

I believe this massage roller is an example of interesting design because it hides its true functionality so well. Initially, I thought the plant itself was what was used to massage with and felt really foolish when I learned that the roller was hidden inside. Because of this design, it can also serve as a decorative piece when you are not in need of a massage.

TAs' Favourites (3)

3. Interesting UI



AirPods are wireless headphones designed by Apple, first launched in 2016 and two years later they became Apple's most popular accessory (Wikipedia) [AirPods - Wikipedia](#). Back in the day, they have been widely mocked since they look like the old EarPods without the wires.

There are many reasons that I believe they are the interesting UI design. First, start with the case, it is small and it feels good in a pocket. The charging case is made of glossy white premium plastic. If you are an AirPods owner, when you close the lids that click is satisfying, smooth and comforting. Secondly, the minimalization of the design makes it easy for the owner to use. All you have to do is pop them into your ears to start listening. There are no buttons to push, touch the right airpod to pause and resume play, double tap an earphone to talk to Siri. That is why I think AirPods are the great design of the decade.

The Interesting:




I think this is an interesting interface as they decided to use a single button to represent two different numbers. I can understand why this would be a decision as it requires less components to manufacture, however I find it kind of silly, as it is not secure as it could be. Instead of 10! Combinations you have less than half of that at 5!. This item is an electronic programmable door lock made by Weiser. I believe you can program 8 user access codes and it comes with physical keys in the case that the lock runs out of battery power.

Today

- Different (computer) user interface types
 - History, characteristics, benefits/drawbacks
- Prototyping tools and techniques





(Computer) User Interfaces

- They control the way data and instructions are entered (input) from the user into the computer, and how the computer presents information from itself to the user



Computer User Interfaces (Cont'd)

- Screen-based (most common one these days)



Beyond Desktop Computers



>>



Interface Types by Decades

1980'S

- Command line
- WIMP/GUI

1990'S

- Advanced graphical (multimedia, VR, information visualization)
- Web
- Speech/voice
- Pen, gesture, & touch
- Appliance

2000'S

- Mobile
- Multimodal
- Shareable
- Tangible
- AR & MR
- Wearable
- Robotic
- Brain

A Brief Survey on Computer User Interfaces (& Interactions)

- We'll go over some of the significant ones, input & output mechanisms, cover benefits & drawbacks
 - Command line
 - WIMP/GUI
 - Speech/Voice
 - Mobile
 - Wearable
 - AR & VR


Command Line Interfaces (CLI)

- Text-based, available since 1960's
- Input via keyboard with “commands” (e.g., ls, dir, copy, move), short-cuts (e.g., Ctrl+Alt+Del), or function keys
- Output via screen display
- **Benefits:** fast, precise, require less resources
- **Drawbacks:** hard to learn, hard to recall, look intimidating
- Still in use these days (usually for system admin/maintenance)

```
[root@localhost ~]# ping -q fa.wikipedia.org
PING text.patpa.wikimedia.org (208.80.152.2) 56(84) bytes of data:
C
--- text.patpa.wikimedia.org ping statistics ---
1 packets transmitted, 1 received, 0% packet loss, time 0ms
rtt min/avg/max/mdev = 540.528/540.528/540.528/0.000 ms
[root@localhost ~]# pwd
/root
[root@localhost ~]# cd /var
[root@localhost var]# ls -la
total 72
drwxr-xr-x. 18 root root 4096 Jul 30 22:43 .
drwxr-xr-x. 23 root root 4096 Sep 14 20:42 ..
drwxr-xr-x. 2 root root 4096 May 14 00:15 account
drwxr-xr-x. 11 root root 4096 Jul 31 22:26 cache
drwxr-xr-x. 3 root root 4096 May 18 16:03 db
drwxr-xr-x. 3 root root 4096 May 18 16:03 empty
drwxr-xr-x. 2 root root 4096 May 18 16:03 games
drwxr-xr-x. 1. 2 root gdm 4096 Jun 2 18:39 gdm
drwxr-xr-x. 36 root root 4096 May 18 16:03 lib
drwxr-xr-x. 2 root root 4096 May 18 16:03 local
drwxr-xr-x. 1 root root 11 May 14 00:12 lock -> ../run/lock
drwxr-xr-x. 14 root root 4096 Sep 14 20:42 log
drwxr-xr-x. 1 root root 10 Jul 30 22:43 mail -> spool/mail
drwxr-xr-x. 2 root root 4096 May 18 16:03 nls
drwxr-xr-x. 2 root root 4096 May 18 16:03 opt
drwxr-xr-x. 2 root root 4096 May 18 16:03 preserve
drwxr-xr-x. 2 root root 4096 Jul 1 22:11 report
drwxr-xr-x. 1 root root 6 May 14 00:12 run -> ../run
drwxr-xr-x. 14 root root 4096 May 18 16:03 spool
drwxr-xr-x. 4 root root 4096 Sep 12 23:58 tmp
drwxr-xr-x. 2 root root 4096 May 18 16:03 yp
[root@localhost var]# yum search wiki
Loaded plugins: langpacks, presto, refresh-packagekit, remove-with-leaves
ipmfusion-free-updates                               | 2.7 kB   00:00
ipmfusion-free-updates/primary_db                     | 206 kB   00:04
ipmfusion-nonfree-updates                             | 2.7 kB   00:00
updates/metalink                                       | 5.9 kB   00:00
updates                                                | 4.7 kB   00:00
updates/primary_db                                   73% [#####] | 62 kB/s | 2.6 MB   00:15 ETA
```


WIMP/GUIs

- **W**indows, **I**cons, **M**enus, **P**ointing Device, available in 1980's
 - Windows hold content, can be scrolled, stretched, overlapped, opened, closed, move around
 - Icons represent applications, objects, commands, and tools
 - Menus list available options/commands
 - Pointing Device allows user to physically control a cursor as point of entry
- Input via the pointing device (in theory) and keyboard (in practice)
- Output via graphical displays using WIMs
- **Benefits:** easy to learn (recognition over recall), metaphorical
- **Drawbacks:** slower, content occupies more space, require pointing precision





Modern GUIs

- Same basic building blocks as WIMPs
 - Add more varieties to the components, for example
 - Colour, sound, animation, contextual menus, ...etc.
 - New graphical elements
 - Toolbars, docks, rollovers, tooltips, ...etc.
- Combined with touchscreens and other devices, allowing gestures



Notes on Windows



- Windows in WIMPs were invented to overcome physical constraints of a computer display
 - Enable more information to be viewed and tasks to be performed, for example
 - **Scrollbars** allow viewing of documents larger than the window viewport
 - **Resizable** windows accommodate content of different dimensions
 - **Movable** windows allow comparison between multiple content
- Having too many windows can make things difficult (some layout techniques could help)



Top: OSX's Exposé
Bottom: panorama view in browser


5min (think & share) + 5min (break)

- Look at your mobile phone/smartwatch
- Think about
 - What kind of input/output does it have?
 - What's the most fun/frustrating use of it?



Mobile

- Pervasive and come in many forms with multiple ways to interact
- Input via touch, movements, voice, proximity, gestures, ...etc.
- Output via screen displays, audio, haptics, ...etc.
- **Benefits:** opportunities for good and engaging interfaces (e.g., tilting for driving games)
- **Drawbacks:** typically small screens with limited control space (e.g., “fat-finger” problem)
- Fun read: Sensors in your smartphone
<https://gizmodo.com/all-the-sensors-in-your-smartphone-and-how-they-work-1797121002>



Touch Screens



- Poll – How old do you think touch screens are?
 - 10? 20? 30? 40? 50?
- Give more directness to the interaction
- Opportunities for improvement
 - Precision
 - Identity
 - States



<https://www.youtube.com/watch?v=ac0E6deG4AU>


Speech/Voice

- Conversation-based, for inquiry, simple tasks, speech-to-text
 - Input via voice (with a “trigger phrase”)
 - Output via voice and some visuals
-
- **Benefits:** hands-free, better accessibility, feels more natural
 - **Drawbacks:** susceptible to ambient noise & tone variation, realism debate




Wearable

- On-body, often screen-less (or with tiny screens)
- Input via motion, biometric sensing, touch/tap...etc.
- Output via screen displays, audio, haptics, ...etc.
- **Benefits:** always-on/available
- **Drawbacks:** limited interactivity, privacy concerns




AR & VR

- An overlay that either augments (AR) or replace (VR) the view of the world
 - Mostly for educational/instructional and entertainment purposes
- Input via movements/gestures, hand-held controllers
- Output via screen (view), sound, haptics (more recent)
- **Benefits:** Immersive experience
- **Drawbacks:** Prone to out of sync issues, VR motion sickness



<https://pokemongolive.com/en>






<https://www.oculus.com/>

What's in the Future?

Advancements in materials and sensing techniques

Flexible Displays



Flexible Displays – Foldable Devices




<https://www.samsung.com/ca/smartphones/galaxy-fold/>



<https://www.motorola.ca/smartphones-razr/p>

Wearables

- Electromyographic (EMG sensors)
- Photoplethysmography (PPG sensors)




<https://developerblog.myo.com/raw-uncut-drops-today/>



<https://www.allaboutcircuits.com/news/fitness-technology-heart-rate-monitors/>

Brain Activities

- Establishes a communication pathway between the user's brain waves and an external device



<https://choosemuse.com/muse-2/>




From ID-Book p251. Original source: Brown University

Future Visions

- How many of them are here now? Do they all make sense? What do they have in common?
 - Corning's Vision (in 2013): <https://www.youtube.com/watch?v=PfgmlVxLC9w>
 - Intel's Vision (in 2014): <https://www.youtube.com/watch?v=9Tw-f3i-08k>
 - Microsoft's Vision (2015): <https://www.youtube.com/watch?v=w-tFdreZB94>

The Cortical Homunculus



- A distorted representation of the human body based on a neurological “map” of the areas and proportions of the human brain dedicated to processing **motor functions**, or **sensory functions**, for different parts of the body – Wikipedia
- Shows opportunities on how we can design interfaces that best cater the capability of different parts of our body



Prototyping Tools



Balsamiq

- For Low-Fidelity Prototyping, Wireframing: <https://balsamiq.com/>
- You don't have to buy it! We'll get you a free licence key for the term. Stay tune to the Announcement.



Figma

- For Medium-Fidelity Prototyping, with some interactivity: <https://www.figma.com/>
 - There is a free version from their website. You can use that for the course project.



Summary

- Different (computer) user interface types
 - History, characteristics, benefits/drawbacks
 - Future
- Prototyping tools and techniques
 - Balsamiq & Figma

Post-Lecture Activity

- Read/watch these (and those in the slides)
 - Chapters 7 of ID-Book: Interfaces
 - Chapter 13: Fat Fingers in Brave NUI World book by Daniel Wigdor & Dennis Wixon
https://sfu-primo.hosted.exlibrisgroup.com/permalink/f/15tu09f/01SFUL_ALMA51189009040003611
 - Deshdeep, N. How to Use C.R.A.P. Design Principles for Better UX?
<https://vwo.com/blog/crap-design-principles/>
 - Gestalt Principles
<https://www.interaction-design.org/literature/topics/gestalt-principles>
- Exercise
 - Try out Balsamiq & Figma

In-Class Activity (20mins)

- Work with your team on Project Part I
 - Join this Zoom link (we'll close the BB-Ultra session)
<https://sfu.zoom.us/j/62539339303?pwd=L0thYkNwMXhOYnYxNIBlY0VqSThZQT09> (passcode: 571602)
 - Message instructor if you have questions
 - If you have already submitted it, try out Figma