```
OSTM
        ___
Transaction
 abort_

    canCommit

mutex
- uniqueID

    version

- ZERO
         _Unique_ID_Number
- global
+ copy()
+ Get_Unique_I
+ Get_Version()
                  ID()
+ getBaseCopy()
 increase_VersionNumber()
Is_Abort_Transaction()
Is_Can_Commit()
+ is_Locked()
        _Mutex()
+ lock
 OSTM()
+ OSTM()
+ Set_Abort_Transaction()
+ Set_Can_Commit()
+ Set_Unique_ID()
₊ Set
        Version()
+ toString()
 · unlock_Mutex()
· ~OSTM()
- Get_global
               Unique ID
 Number()
                Δ
             BANK
   + BANK()
    BANK()
   + BANK()
     GetAccountNumber()
   + GetAddress()
   + GetBalance()
   + GetFirstName()
    GetFullname()
    GetLastName()
    SetAccountNumber()
   + SetAddress()
   + SetBalance()
   + SetFirstName()
    SetFullname()
     SetLastName()
     ~BANK()
              BOA
    accountNumber
    address
   - balance
   - firstName
   - fullname
   - lastName
   + BOA()
   + BOA()
   + BOA()
+ BOA()
   + copy(̈)
+ GetAccountNumber()
     GetAddress()
   + GetBalance()
   + getBaseCopy()
   + GetFirstName()
+ GetFullname()
+ GetLastName()
   + operator=()
+ SetAccountNumber()
   + SetAddress()
     SetBalance()
SetFirstName()
     SetFullname()
   + SetLastName()
+ toString()
     ~BOA()
```