```
OSTM
        ___
_Transaction
 abort_

    canCommit

mutex
- uniqueID

    version

- ZERO
         _Unique_ID_Number
- global
+ copy()
+ Get_Unique_I
+ Get_Version()
                 ID()
+ getBaseCopy()
  increase_VersionNumber()
Is_Abort_Transaction()
  ls_
 Is_Can_Commit()
+ is_Locked()
        Mutex()
+ lock
 OSTM()
+ OSTM()
+ Set_Abort_Transaction()
+ Set_Can_Commit()
+ Set_Unique_ID()
+ Set
        Version()
+ toString()
+ unlock_Mutex()
+ ~OSTM()
- Get_global
               Unique ID
 Number()
               Δ
             BANK
   + BANK()
    BANK()
   + BANK()
     GetAccountNumber()
   + GetAddress()
   + GetBalance()
   + GetFirstName()
    GetFullname()
    GetLastName()
     SetAccountNumber()
   + SetAddress()
   + SetBalance()
   + SetFirstName()
    SetFullname()
     SetLastName()
     ~BANK()
           SWBPLC
    accountNumber
    address
   - balance
   - firstName
   - fullname
   - lastName
   + copy()
+ GetAccountNumber()
   + GetAddress()
   + GetBalance()
   + getBaseCopy()
+ GetFirstName()
     GetFullname()
   + GetLastName()
   + operator=()
     SetAccountNumber()
SetAddress()
     SetBalance()
     SetFirstName()
SetFullname()
    SetLastName()
SWBPLC()
SWBPLC()
SWBPLC()
   + SWBPLC()
+ toString()
+ ~SWBPLC()
```