```
OSTM
        ___
Transaction
 abort_

    canCommit

mutex
- uniqueID

    version

- ZERO
         _Unique_ID_Number
- global
+ copy()
+ Get_Unique_I
+ Get_Version()
                 ID()
+ getBaseCopy()
  increase_VersionNumber()
Is_Abort_Transaction()
 Is_Can_Commit()
+ is_Locked()
        _Mutex()
+ lock
 OSTM()
+ OSTM()
+ Set_Abort_Transaction()
+ Set_Can_Commit()
+ Set_Unique_ID()
₊ Set
        Version()
+ toString()
+ unlock_Mutex()
+ ~OSTM()
- Get_global
              Unique ID
 Number()
               Δ
             BANK
   + BANK()
    BANK()
   + BANK()
     GetAccountNumber()
   + GetAddress()
   + GetBalance()
   + GetFirstName()
    GetFullname()
    GetLastName()
     SetAccountNumber()
   + SetAddress()
   + SetBalance()
   + SetFirstName()
    SetFullname()
     SetLastName()
     ~BANK()
              AIB
    accountNumber
    address
   - balance
   - firstName
   - fullname
- lastName
   + AIB()
   + AIB()
   + AIB()
   + AIB()
    copy()
GetAccountNumber()
     GetAddress()
   + GetBalance()
   + getBaseCopy()
   + GetFirstName()
+ GetFullname()
+ GetLastName()
   + operator=()
+ SetAccountNumber()
   + SetAddress()
     SetBalance()
SetFirstName()
     SetFullname()
     SetLastName()
   + toString()
     ~AIB()
```