

THESIS TITLE

LAST, First

A Thesis Submitted in Partial Fulfilment
of the Requirements for the Degree of
Doctor of Philosophy
in
Mathematics

The Chinese University of Hong Kong
December 2022

Thesis Assessment Committee

Professor LAST First (Chair)

Professor ZHANG San (Thesis Supervisor)

Professor LI Si (Thesis Co-supervisor)

Professor WANG Wu (Committee Member)

Professor ZHAO Liu (External Examiner)

Abstract

In this thesis, we prove that ... (English abstract)

摘要

在本论文中，我们证明了 (中文摘要)

Acknowledgement

I am grateful to my supervisor Professor *X*.

Contents

Abstract	I
摘要	II
Acknowledgement	III
List of Figures	VI
List of Tables	VII
1 Introduction	1
1.1 Background	1
1.2 Main results	1
1.3 Structure of the thesis	1
2 Preliminaries	2
2.1 Notation	2
2.2 Definitions	2
2.3 Previous results	3
3 Proof of main theorems	4
3.1 Lemmas	4
3.2 Propositions	4

4 Applications	5
4.1 Examples	5
A Index of glossary terms	6
Bibliography	7

List of Figures

4.1 A self-affine set	5
---------------------------------	---

List of Tables

2.1	Table of notation	2
-----	-----------------------------	---

Chapter 1

Introduction

1.1 Background

The study of A is motivated by B . It is important to study A .

1.2 Main results

Theorem 1.2.1. *In this thesis, we prove that*

$$e^{i\pi} + 1 = 0.$$

1.3 Structure of the thesis

In [Chapter 2](#), we will make some necessary preparations. The proof of [Theorem 1.2.1](#) will be given in [Chapter 3](#).

Chapter 2

Preliminaries

2.1 Notation

Here is table of basic notations.

X	a compact metric space
\mathcal{B}	Borel σ -algebra
T	a continuous map from X to X
μ	a T -invariant Borel probability measure

Table 2.1: Table of notation

2.2 Definitions

Definition 2.2.1. Let X be a set. A *function* from X to Y is a mapping $f: X \rightarrow Y$.

2.3 Previous results

We include the following theorem, see e.g. [\[1\]](#).

Theorem 2.3.1. *There are infinitely many primes.*

Chapter 3

Proof of main theorems

3.1 Lemmas

Lemma 3.1.1. *If $a \leq b$ and $b \leq a$, then $a = b$.*

3.2 Propositions

Proposition 3.2.1. *The relation \leq is a partial order on \mathbb{R} .*

Proof. It is readily checked that \leq is a preorder. Then the proof is completed by

[Lemma 3.1.1](#).

□

Chapter 4

Applications

4.1 Examples

Example 4.1.1. Let $A \subset \mathbb{R}^2$ be an self-affine set.



Figure 4.1: The Barnsley fern is a self-affine set¹.

¹This figure is generated using a notebook from [zfengg/PlotIFS.jl](https://github.com/zfengg/PlotIFS.jl).

Appendix A

Index of glossary terms

Bibliography

- [1] G. H. Hardy and E. M. Wright. *An introduction to the theory of numbers*. Oxford University Press, Oxford, sixth edition, 2008. Revised by D. R. Heath-Brown and J. H. Silverman, With a foreword by Andrew Wiles. [3](#)