1: What is cyber security?

A. It is the collection of technologies, standards, policies and management practices that are applied to digital information to keep it secure

B. It is only using technology to keep digital information secure

C. It is just using the best policy to keep digital information secure

D. None of the above

2: Why is cyber security important?

A. In today's high technology environment, organisations are becoming more and more dependent on their information systems

B. Due to hype in the media about cyber security

C. The threats from traditional brick and motor criminals are on the rise

D. Many organisations who are still using offline payment system are depending on cyber security

3: What are the three basic cyber security concepts?

A. Confidentiality, Integrity and Access

B. Consideration, Integrity, and Availability

C. Confidentiality, Integrity, Availability

D. None of the above

保密性、完整性、可用性
加密、密码学主要考虑前两者;
黑客可能会影响后者

4: You visit an organization's website and you realized that you are able to view sensitive files on their web server. Even though it is not your fault, it is still considered a cyber security breach?

Breach:泄露、漏洞

A. True
B. False

5: Verifying that users are who they say they are and that each input arriving at the system came from a trusted source.

验证用户是否确实是其所声称的身份，并确保系统接收到的每个输入都来自可信来源。
A. 真实性

A. Authenticity
B. Integrity
C. Confidentiality
D. None of the above

6: List the three stages in the plan-protect-respond cycle.

没有找到对应的可见材料

A. Planning, protection, and response
B. Planning, Checking and protecting
C. Plan, do and check
D. None of the above

7: In plan, protect and response cycle, which stage consumes the most time?

A. Protection
B. Planning
C. Response
D. All three take the same time

如何定义保护?

- A. 保护被定义为基于计划的操作和对策的创建
- B. 使用技术进行防御以抵御攻击
- C. 使用基于策略的保护措施来防御攻击
- **D. 以上皆是**

8: How is protection defined?

A. Protection is defined as the plan-based creation of operation and countermeasures
B. To use technologies to protect against attacks
C. To use policy-based protection to protect against attacks
D. All of the above

响应被定义为根据计划的恢复

9: How is the response defined?

A. Response is defined as recovery according to plan
B. Punish the attackers so that they don't attack again
C. Attack the attackers and destroy their abilities to attack again
D. None of the above

10: Why there is need to understand cyber security Threat landscape? 为什么需要了解网络安全威胁环境？

A. We will not be able to defend as we will not know how are the attackers and how are they going to attack us 知己知彼

B. Business requirements make it essential to understand it

C. It is requirement of information cyber security policy, so we have no choice

D. None of the above

11: Automation, speed and action at distance are adding online attack?

A. True

B. False

自动化、速度和远程操作是否增加了网络攻击的风险？

12: Most obvious reason (s) for cyber security attacks is (are):

A. Privacy violations

B. Criminal attacks

C. Publicity attacks

D. Legal attacks

E. All of the above

A. 隐私侵犯
B. 犯罪攻击
C. 宣传攻击
D. 法律攻击

13: The fabrication of information that is purported to be from someone who is not actually the author is called

A. Masquerading

B. Eavesdropping

C. Spoofing

D. None of the above

fabrication：伪装
purported to：声称
masquerading：伪装
Eaversdropping：窃听
Spoofing：欺骗

14: Malware is a generic term for “evil/malicious software”

A. True

B. False

generic term：通用术语
malicious：恶意的

15: Distinguish between viruses and worms

A. Virus needs a host program while worms are full program and don’t need a host program

B. Both are same

C. Worm cannot be detected by antivirus program, while virus can be detected

D. None of the above

区分病毒和蠕虫：
A. 病毒需要宿主程序，而蠕虫是完整的程序，不需要宿主程序

16: The interruption or degradation of a data service or information access is called

A. Denial of service
B. Non-repudiation
C. Masquerading
D. None of the above

数据服务或信息访问的中断或降级称为：
服务拒绝（Dos）
---
degradation：降级；
repudiation：否认；

17: How do most viruses spread between computers today?

A. Mostly via email messages, but also through thumb drives, file sharing programs, downloading infected programs from a malicious website, social networking sites.
B. By installing mobile applications
C. Hackers cracking your password
D. None of the above

主要通过电子邮件传播，还通过**U**盘、文件共享程序、从恶意网站下载受感染程序、社交网站等传播。
---
thumb drives：U盘；

18: What is a Logic Bomb?

A. It gives the impression that it is useful program however in reality it is harmful
B. Malicious codes that execute when a certain predefined events occurs.
C. A Virus which bypasses the antivirus program
D. None of the above

predefined：预设的；
bypasses：绕过；
antivirus program：杀毒程序；

19: What are the likely motivations for hackers

A. Financial gain, publicity and espionage

B. They are too smart and want people to know about it

C. They do it for a challenge

D. They do it as they are bored

E. All of the above

A. 财务收益、宣传和间谍活动
B. 他们太聪明了，想让人们知道这一点（gain Respect）
C. 他们把这当作一种挑战
D. 他们这样做是因为无聊

20: What is a virus or worm payload?

A. It is a virus or worm designed for mobile devices

B. Payloads are pieces of code that do damage

C. Payload is just a computer jargon for virus

D. None of the above

什么是病毒或蠕虫的有效载荷？
A. 针对移动设备设计的病毒或蠕虫
B. 有效载荷是会造成损害的代码片段
C. 有效载荷只是病毒的计算机术语
---
payload:载荷

21: What is the definition of hacking.

A. When you share your password with someone

B. Hacking is intentionally accessing a computer resource without authorization or in excess of authorization.

C. When you reset your password and don't encrypt it

D. None of the above

in excess of：超出；
encrypt：加密

黑客行为的定义是什么？
A. 当你与他人分享密码时
B. 黑客行为是指在未经授权或超出授权的情况下有意访问计算机资源
C. 当你重设密码却不加密时

22: What is spyware?

A. Spyware refers to a broad spectrum of Trojan horse programs that gather information about you and make it available to an attacker.

B. When you visit a suspicious website and are infected

C. When you browse a website, and you are infected with adware

D. None of the above

Spyware：间谍软件；
a broad spectrum：一类、一系列

cookies can be dangerous

23: Why can cookies be dangerous?

A. Cookies can record too much sensitive information about you and could become spyware

B. Cookies can never be dangerous as it is now legally allowed on any web sites

C. Cookies were only dangerous in the past

D. None of the above

社会工程攻击利用人类判断中的缺陷，通过说服受害者采取违反安全策略的行为。

24: What is social engineering?

A. Social Engineering means using social networks

B. Social engineering attacks take advantage of flawed human judgment by convincing the victim to take actions that are counter to security policies.

C. Social Engineering is technical term for reverse engineering in IT field

D. None of the above

reverse engineering：逆向工程

25: What is spam?

spam：垃圾邮件
unsolicited：未经请求的；
ransomware：勒索软件

A. Spam is unsolicited commercial e-mail.
B. When your computer is infected with a ransomware
C. When your mailbox is full
D. None of the above

26: What is phishing?

A. Phishing means when your computer has a virus
B. Phishing attack victims receive an email message that appears to come from a bank or another firm with which the victim does business
C. It is a technical term for Ransomware
D. A and C

27: How can social engineering be used to get access to a sensitive file?

A. Simply by asking someone to send the file or to give access to the file by tricking the user
B. Using brute force attack to find password
C. Cracking password using social networks
D. None of the above

1. The term industry 4 or i4.0 originated in _____ .
   a. USA
   b. China and Singapore
   c. Both a and b
   d. None of the above
2. i4.0 encompasses a wide range of advanced technologies, such as:
   a. Digital twins and artificial intelligence
   b. High-speed wireless/wired networks
   c. Cloud computing and virtualization
   d. All of the above

encompasses：包含；

driving force：推动力
vulnerable：易受到的；

3. IoT are driving force for industry 4.0, however _____ .
   a. Currently they are only being used in smart homes
   b. They are vulnerable to cyber security attacks
   c. They will only be popular in 2030, which might be too late
   d. None of the above

IoT物联网容易受到网络安全攻击

4. Choose the correct statement about Digital Twins.

a. It is a virtual representation or digital replica (copy) of assets, people, processes, systems, devices, and places

b. Companies utilize digital twin technology to develop virtual prototypes of new products and get insights

utilize：利用

c. Both a and b

d. None of the above

5. The concept of Industry 4.0 depends upon connectivity, however, this interconnectivity creates cyber security holes.

connectivity：连接性
cyber security holes：网络安全漏洞

a. True

b. False

6. Cloud computing is one of the driving forces for industry 4.0 however using DDoS attack, its availability can be compromised. The other attacks can result in _____ of the stored data.

a. Confidentiality

compromised：妥协、背离、损害，此处我认为理解为“被中和”了比较好

b. Integrity

c. Both a and b

d. None of the above

7. The main reason for cyber security compromises is employee behavior which can be_____.

网络安全受损的主要原因是员工行为

a. Malicious
b. Unintentional
c. Both a and b

恶意的or无意的

d. None of the above

8. The principal problems associated with employee behavior in cyber security includes _____.

a. Errors and omissions
b. Fraud
c. Actions by disgruntled employees
d. All of the above

omissions：疏漏
disgruntled：不满的

9. Choose the correct statement about cyber security awareness, training and education.

a. Can serve as a deterrent to fraud and actions by disgruntled employees, by increasing employee's knowledge of their accountability and of potential penalties
b. Employees cannot be asked to attend cyber security awareness program as this will make them liable
c. Both a and b
d. None of the above

deterrent：威慑
accontability：认识
liable：承担责任的；

10. Cyber security awareness policy should include.

a. Participation is required for every employee

b. Everyone will be given sufficient time to participate

c. Both a and b

d. None of the above

11. Cyber security training teaches what people should do and how they should do it.

a. True

b. False

12. Choose the correct social engineering examples.

a. Phone Call: This is John, the System Administrator. What is your password?

b. Email: ABC Bank has noticed a problem with your account, click on the link below and provide the password to resolve it

c. Both a and b

d. None of the above

13. Spear phishing scam is when they target you specifically. They have researched you, they know your family members, where you work, and who is your boss. The chances of fooling you are higher.

a. True.

b. False

14. Some of the top search results in Google are phishing links.

a. True

b. False

15. Social media is full of fake accounts and scammers make it look like it is your real friend.

a. True

b. False

scam：诈骗
scanmmer：诈骗犯

16. In vishing attack, which is made over the telephone, scammers can spoof a phone number that looks identical to a known number, like your bank.

a. True

b. False

vishing attack：语音钓鱼

17. Choose the correct statement about cyber security compliance.

a. It means following standards and regulatory requirements set by some agency, law or authority group.

b. It means make cyber security challenging both for attackers and users

c. Both a and b

d. None of the above

compliance：合规
regulatory：

18. Some benefits of Cybersecurity Compliance include:

a. Helps identify, interpret and prepare for potential data breaches

b. Improves an organization's security position

c. Builds customer confidence and loyalty

d. All of the above

a. 帮助识别、解释并准备应对潜在的数据泄露
b. 提升组织的安全地位
c. 增强客户信任和忠诚度

19. Forming a compliance team is necessary when implementing a thorough compliance program.

a. True

b. False

20. Cyber security controls can be technical controls (passwords), or physical (camera and fences).

a. True

b. False

1. In developing a cyber security plan, what should a company/organization do first (particularly when they are in the initial planning stages)?
   a. It should buy state of the art technology
   b. It must first assess the current state of its security
   c. Both a and b
   d. None of the above

state of the art：最先进的

2. Is top management support important in the success of cyber security project, when the project is being planned, implemented and executed?
   a. Yes, only at the initial stage
   b. Yes, throughout the project stages
   c. No
   d. None of the above

Top management suppott：高层管理支持
throughout：贯穿

以身作则+提供预算支持？

3. What must top management do to demonstrate support for cyber security project?
   a. Must ensure an adequate budget and follows security procedures themselves
   b. Send email to all staff and inform them that they are supporting the project
   c. Management cannot do anything as it is managed by technical staff
   d. None of the above

4. What are policies?

政策是关于在特定情况下应做什么的声明

a. Policies are statements about what should be done under specific circumstances

b. Policies describe the actions that *are* taken to place the policy guidance into operation

政策描述了将政策指导付诸实施所采取的行动

c. Both a and b

d. None of the above

sensible：合理的

5. Why policies need to be acceptable to users?

a. If policies are not acceptable (sensible) then users will bypass it, which is a dangerous trend

b. So that users can modify it according to his/her needs

c. Both a and b

d. None of the above

mandatory：强制性的；
discretionary：可选择的；

6. Distinguish between standards and guidelines.

a. Standards are mandatory while guidelines are discretionary

b. Standards must be followed, while guidelines can be completely ignored

c. Standard can be optional while guidelines are fixed

d. None of the above

7. For guidelines, what is mandatory?

a. It is mandatory for decision makers to carefully consider guidelines

b. Nothing is mandatory for guidelines

c. Since guidelines are must, everything is mandatory in guidelines

d. None of the above

8. Which of the following is not an authentication factor? 认证因素

a. Something you have

b. Something you know

c. Something you see

d. Something you are

9. _____ is the process of assessing the identity of each individual claiming to have permission to use a resource.

a. Authorizations

b. Authentication 认证：是评估每个声称拥有资源使用权限的个体身份的过程。

c. Availability

d. None of the above

10. Short and simple reusable passwords are always easy for hackers to crack?

a. Yes: As it can be cracked or guessed easily

b. No: Regardless whether it is simple or complex, no password can be easily cracked

c. It will still take very long time as no password is easy to crack

d. None of the above

11. Using biometric technology can enhance customer trust?

combat：打击

a. Yes: In fact, it does enhance customer trust and combat fraud

b. No: Trust is not related to biometric based technology

c. Trust can only be enhanced using complex system

d. None of the above

12. What is the most common type of biometrics device in use today?

a. Lie detectors that measure pulse rate

b. Long and complex passwords

b. Fingerprint scanners and readers

c. Retinal scanners

d. None of the above

目前使用最广泛的生物识别设备类型是什么？
c.指纹扫描仪和读取器

13. A false acceptance occurs when a person is improperly matched to a template?

a. Yes

当一个人被错误地匹配到模板时，会发生误接受吗？？？？？？？？？？

b. No

14. When an attacker deliberately attempts to fool the system, this is called _____.

deception：欺骗；

a. deception

b. false acceptance

c. false rejection

d. None of the above

15. Which of the following statements accurately describes fingerprint recognition?

a. Fingerprint recognition scanners are very expensive

b. Fingerprint recognition is easily deceived

指纹识别容易被欺骗

c. Fingerprint recognition is rarely used

d. None of the above

1. The process of converting from plaintext to cipher text is known as deciphering or decryption.
   a. Yes
   b. No 应该是加密encryption

decipher：解密；
decryption：译码；

2. If both sender and receiver use the same key to encrypt and decrypt, the system is referred to as:
   a. Public-key crypto system
   b. Asymmetric key crypto system 非对称密钥加密系统
   c. Symmetric key crypto system 对称密钥加密系统
   d. None of the above
3. When message is divided into blocks (e.g., sets of 8- or 16-bit blocks) and each is transformed into encrypted block of cipher using algorithm and key it is called
   a. Block Cipher 分组加密
   b. Bit Stream Cipher 位流加密
   c. Both a and b
   d. None of the above

4. Which of the following is a symmetric crypto system using 64-bit blocks?

   a. RSA
   b. DES 64 位块的对称加密系统
   c. PGP P255
   d. None of the above

5. What size key does a DES system use?

   a. 64 bit
   b. 128 bit
   c. 56 bit
   d. 256 bit

6. What is data encryption standard (DES)?

   a. Block cipher
   b. Stream cipher 分组加密
   c. Bit cipher
   d. None of the above

7. Which is the largest disadvantage of the symmetric Encryption?
   a. More complex and therefore more time-consuming calculations
   b. Problem of the secure transmission of the Secret Key 秘密密钥的安全传输问题（说白了就是公钥传输担心出问题）
   c. Less secure encryption function
   d. Isn't used any more

8. What you should be most careful of when looking for an encryption method to use?
   a. Complexity of the algorithm
   b. Veracity of the vendor’s claims
   c. Speed of the algorithm
   d. How long the algorithm has been around 该算法已经存在多久了？？？

9. Which of the following is most likely to be true of an encryption method that is advertised as unbreakable? 无法破解的
   a. It is probably suitable for military use.
   b. It may be too expensive for your organization.
   c. It is likely to be exaggerated. **exaggerated**：夸大的
   d. It is probably one you want to use.

10. Which of the following is most true regarding certified encryption methods?

a. These are the only methods you should use.

b. It depends on the level of certification.

c. It depends on the source of the certification.

d. There is no such thing as certified encryption. .并不存在所谓的认证加密。

11. Which of the following is most true regarding new encryption methods?

a. Never use them until they have been proven.

b. You can use them, but you must be cautious.

c. Only use them if they are certified.

d. Only use them if they are rated unbreakable.

12. Asymmetric encryption utilizes only a public key for encryption and decryption.

a. True

私钥加密、公钥解密

b. False

13. Asymmetric encryption can be used for confidentiality but not for authentication.

a. True

b. False

confidentiality：保密性
authentication：身份验证
错误：因为数字签名就利用了非堆成加密，也是在验证身份

14. Public-key encryption is more secure than symmetric encryption as it uses two keys.

a. True

b. False

15. The most widely used public-key cryptosystem is _____ .

a. RSA

RSA是最广泛使用的公钥加密系统

b. DES

c. 3DES

d. None of the above

16. The Diffie-Hellman algorithm depends on the difficulty of computing discrete logarithms for its effectiveness.

Diffie-Hellman算法的有效性依赖于计算离散对数的难度（√）

a. True

b. False

17. Most of the products and standards that use public-key cryptography for encryption and digital signatures use RSA.

大多数使用公钥加密进行加密和数字签名的产品和标准都使用RSA。（√）

a. True

b. False

18. Suppose that you are using the RSA algorithm and have chosen two prime numbers, p = 5 and q = 11. What will be value of Phi

a. 55

b. 13

c. 14

d. None of the above

基于给定p、q计算Phi值

phi=(p-1)*(q-1)

19. In RSA algorithm, if the two prime numbers are, 5 and 11 then what will be value of Modulus, N

a. 55

b. 44

c. 20

d. None of the above

在**RSA**算法中，如果两个素数是**5**和**11**，那么模数**N**的值是多少

N=p×q=5×11=55

20. Given two very large prime numbers p and q, a composite number N (Modulus) can be calculated as N = p* q. However, given just N, it is not feasible for hackers to find p and q.

a. Yes, that is true

b. No, that is not true at all

c. It may be possible in some cases

d. None of the above

给定两个非常大的素数**p**和**q**，复合数**N**（模数）可以通过**N = p * q**计算。然而，仅给定**N**，黑客几乎无法找到**p**和**q**。（√）

21. In public key cryptosystem when Carol sends a message to Bob for confidentiality, what key will she use to encrypt the message?

a. Public Key

b. Bob's Public Key

c. Carols' Private Key

d. None of the above.

在公钥加密系统中，当**Carol**向**Bob**发送消息以确保机密性时，她会使用哪个密钥来加密消息？
B.Bob的公钥；

22. In public key cryptosystem when Carol sends an encrypted message to Bob for confidentiality, what key will Bob use to decrypt the message?

a. Bob's Private Key

b. Bob's Public Key

c. Carols' Private Key

d. Carol's Public Key

在公钥加密系统中，当**Carol**向**Bob**发送加密消息以确保机密性时，**Bob**会使用哪个密钥来解密消息？
a. Bob的私钥

23. In a classroom with 30 students and a professor, how many public and private keys will be used if all students want to submit the encrypted assignment to the professor?

看采用什么方法了

a. 30 public and 30 private

b. 1 public and 30 private

c. 1 public and 1 private

d. Variable keys depending on the application

根据应用场景使用不同的密钥

24. In asymmetric cryptography system for confidential communication, the private key is used by ---------- to decrypt ciphertext

非对称加密系统中，和22题的公钥加密系统的bob一样

a. Sender
b. Receiver
c. Sender and receiver
d. All the connected devices on the network

25. A _____ is a digital document issued and digitally signed by Certification Authority that binds the name of a subscriber to a public key.

a. Digital certificate

Digital certificate：数字证书

b. Digital signature
c. Both a and b
d. None of the above

数字证书是一份由认证机构签发并以数字方式签名的文件，将订阅者的名称绑定到一个公钥上。

26. The principal object of a hash function is _____ .

a. Data integrity
b. Authentication
c. Both a and b
d. None of the above

数据完整性：因为稍有改动数据，Hash值得变化都会很大

27. The most important and widely used family of cryptographic hash functions is the _____ family

a. Secure Hash Algorithm (SHA) P358

b. Digest

c. Hash Value

d. All of the above

28. The hash value of a message in _____ application is encrypted with a sender's private key.

a. Digital signature 消息中的哈希值在 ___数字签名__ 应用中用发送方的私钥加密。

b. Digital certificate

c. Secure Hash Algorithm (SHA)

d. None of the above

29. A digital signature can guarantee

数字签名可以保证
a. 消息的完整性
b. 消息的来源

a. The integrity of the message

b. The source of the message

c. Both a and b

d. None of the above

30. When a message and a digital signature (signed hash) are received, a new hash is created from the received message and compared to the original hash in the digital signature. The message has not been altered when the hash values are:

当消息和数字签名（签名的哈希值）被接收时，会根据接收到的消息创建一个新的哈希值，并将其与数字签名中的原始哈希值进行比较。当哈希值相等时，表示消息未被篡改。

a. Not equal
b. Equal
c. It doesn't matter
d. None of the above

31. Digital signatures are created using a public key crypto system. Which key does a sender use when they wish to digitally sign a hash before it is sent?

a. Senders public key
b. Senders private key
c. Both a and b
d. None of the above

32. The purpose of a digital certificate is to -------

数字证书的目的是:
a. 认证公钥

a. Authenticate the public key
b. Authenticate the private key
c. Both a and b
d. None of the above

33. A special mathematical function that performs one-way encryption is called

a. Asymmetric encryption
b. Transposition cipher
c. Hashing
d. Multiple encryption

一个执行单向加密的特殊数学函数被称为：哈希

34. Hybrid system uses public key cryptography for

a. Encryption
b. Key exchange
c. Both a and b
d. None of the above

混合系统使用公钥加密进行：
b. 密钥交换

hybrid system：混合系统

35. In hybrid system ------- crypto system is used to encryp

a. Symmetric
b. Asymmetric
c. Both a and B
d. None of the above

在混合系统中，用于加密会话数据的加密系统是：
a. 对称加密

混合系统：P343

公钥＋对称密钥
问题：公钥系统功能强大但速度慢，而对称加密系统不灵活但速度快。

解决方案：一个混合系统！
发送方生成随机的对称会话密钥。
发送方使用公钥加密技术加密会话密钥。
发送方使用会话密钥（和对称加密算法）加密消息。
结果：一个快速、灵活的系统。

混合方案
结合对称加密和非对称加密的优势：
对称加密的高吞吐量。（私钥）
非对称加密的密钥管理。（公钥）
采用两阶段方法：

在第一步中，使用公钥加密技术共享会话密钥。
接着，使用会话密钥加密实际消息。

1. The most complex part of TLS is the _____.
   a. signature
   b. message header
   c. payload
   d. handshake protocol

TLS 中最复杂的部分是握手协议

2. _____ is a list that contains the combinations of cryptographic algorithms supported by the client
   a. Compression method
   b. Session ID
   c. Cipher Suite
   d. All of the above

密码套件是包含客户端支持的加密算法组合的列表。

3. The SSL record protocol provides two services for SSL/TLS connection: message integrity and _____
   a. Confidentiality
   b. Availability
   c. Authentication
   d. None of the above

SSL 记录协议为 SSL/TLS 连接提供了两项服务：消息完整性和机密性

4. The _____ is used to convey SSL-related alerts to the peer entity

   a. alert protocol
   b. digital signature
   c. Digital certificate
   d. None of the above

_____用于向对等实体传达 SSL 相关的警报。
a. 警报协议

5. Most browsers come equipped with TLS/SSL and most Web servers have implemented the protocol

   a. TRUE
   b. FALSE

大多数浏览器都配备了 **TLS/SSL**，并且大多数 **Web** 服务器都实现了该协议。
a. 正确

6. The firewall may be a single computer system or a set of two or more systems that cooperate to perform the firewall function.

   a. TRUE
   b. FALSE

防火墙可以是一个单一的计算机系统，也可以是一组两个或多个系统合作执行防火墙功能。
a. 正确

7. A traditional packet filter makes filtering decisions on an individual packet basis and does not take into consideration any higher layer context

   a. TRUE
   b. FALSE

传统的数据包过滤器在每个数据包的基础上做出过滤决策，而不考虑任何更高层的上下文。
a. 正确

8. The _____ is inserted between the premises network and the Internet to establish a controlled link and to erect an outer security wall or perimeter to protect the premises network from Internet-based attacks.

a. Firewall
b. Session ID
c. IP protocol field
d. All of the above

premises network：内网
perimeter：边界

9. A _____ applies a set of rules to each incoming and outgoing IP packet and then forwards or discards the packet.

a. packet filtering firewall 数据包过滤防火墙
b. IP protocol field
c. Both of the above
d. None of the above

froward and discard：转发和抛弃

10. An intruder transmitting packets from the outside with a source IP address field containing an address of an internal host is known as IP address _____.

a. spoofing
b. authentication
c. generation
d. None of the above

从外部传输数据包并在源 IP 地址字段中包含一个内部主机地址的入侵行为被称为 IP 地址【欺骗/伪装】

11. A _____ firewall controls the traffic between a personal computer or workstation on one side and the Internet or enterprise network on the other side

a. personnel

b. poxy server

c. application-level gateway

d. None of the above

控制个人电脑或工作站和互联网或企业网络之间流量的防火墙是：
a. 人员防火墙

12. The firewall can protect against attacks that bypass the firewall

a. TRUE

b. FALSE

防火墙可以防护绕过防火墙的攻击（×）

13. Intrusion detection is based on the assumption that the behavior of the intruder differs from that of a legitimate user in ways that can be quantified.

a. TRUE

b. FALSE

入侵检测基于这样一个假设，即入侵者的行为与合法用户在某些可量化的方面存在差异。（√）

异常检测视图定义的攻击规则、模式，刚好和signature-based approaches相反

14. Signature-based approaches attempt to define normal, or expected behavior, whereas anomaly approaches attempt to define proper behavior

a. TRUE

b. FALSE

基于签名/特征的方法尝试定义正常或预期行为，而异常检测方法尝试定义适当行为（×）

---

whereas：而

基于正常基线、定义的是异常行为

15. A _____ monitors the characteristics of a single host and the events occurring within that host for suspicious activity

a. host-based IDS

b. security intrusion

c. network-based IDS

d. None of the above

_____ 监视单个主机的特性及该主机内发生的事件，以检测可疑活动。

a. 主机型入侵检测系统（IDS）

16. A _____ monitors network traffic for particular network segments or devices and analyzes network, transport, and application protocols to identify suspicious activity

a. host-based IDS

b. security intrusion

c. network-based IDS 网络型 IDS

d. None of the above

17. _____ involves an attempt to define a set of rules or attack patterns that can be used to decide if a given behaviour is that of an intruder.

a. Profile based detection

b. Signature detection

c. Threshold detection

d. Anomaly detection

异常检测：尝试定义一组规则或攻击模式，以便判断某一行为是否属于入侵行为。

18. _____ involves the collection of data relating to the behavior of legitimate users over a period.

a. Profile based detection

b. Signature detection

c. Threshold detection

d. Anomaly detection

异常检测:

18. _____ 涉及对一段时间内合法用户行为相关数据的收集。

a. 基于配置的检测

b. 基于签名的检测

c. 阈值检测

d. 异常检测