# 14.metabase使用

## 下载说明

官网:

Metabase Open Source Editions

下载地址:

https://downloads.metabase.com/v0.44.1/metabase.jar

## 下载启动

下载目录:

D:\software\

文件

metabase.jar

#### cmd命令行启动

D:\software>java -jar metabase.jar


```
2022-08-29 11:19:21, 231 INFO sync.util :: FINISHED: Analyze data for h2 Database 1 'Sample Database' (2.3 s)
2022-08-29 11:19:21, 232 INFO sync.util :: STARTING: Cache field values in h2 Database 1 'Sample Database'
2022-08-29 11:19:21, 235 INFO sync.util :: STARTING: step 'delete-expired-advanced-field-values' for h2 Database 1 'Sample Database'
2022-08-29 11:19:21, 298 INFO sync.util :: FINISHED: step 'delete-expired-advanced-field-values' for h2 Database 1 'Sample Database'
2022-08-29 11:19:21, 299 INFO sync.util :: STARTING: step 'update-field-values' for h2 Database 1 'Sample Database'
2022-08-29 11:19:21, 908 INFO sync.util :: FINISHED: step 'update-field-values' for h2 Database 1 'Sample Database' (608.
8 ms)
2022-08-29 11:19:21, 909 INFO sync.util :: FINISHED: Cache field values in h2 Database 1 'Sample Database' (686.6 ms)
2022-08-29 11:19:21, 920 INFO sync.util :: FINISHED: Sync h2 Database 1 'Sample Database' (3.9 s)
2022-08-29 11:19:21, 922 INFO core. QuartzScheduler :: Scheduler MetabaseScheduler, DESKTOP-O9TST711661743157738 started.
```

#### 访问地址

#### http://localhost:3000/setup/



### 查看目录,生成了几个h2本地文件库



metabase提供了示例数据库,是附带元数据库的小型数据库,因此您可以在连接到数据库之前开始提问并创建仪表板。示例数据库包含四个表: Orders``People``Products``Reviews。这是一个 **H2** 数据库。

## Sample Database (metabase.com)

进入主页数据库列表,列表已经默认链连接了示例数据库sample datebase


在matebase运行时,这块选择连接库的时候,因为h2文件被占用,所以也没法创建示例库连接(其他工具也不行)

## 开始使用

选语言




## 填信息



添加数据源

## 3 添加你的数据

你准备好开始探索你的数据了吗?在下面添加吧。还没有准备好?跳过并玩一玩我们的样本数据库。



### 跳过配置数据源,下一步




点击完成




## 继续点击, 进入主页




### 查看示例库及数据模型





sample\_database按月统计订单数,2018-2019年;相关配置及页面如图



# 简单查看spm日志行为分析

