# IDENTIFICATION IN DIFFERENCE-IN-DIFFERENCES MODELS WITH ROY-LIKE SELF-SELECTION

Julian Leiser

21.06.2024

#### INTRODUCTION

- Difference-in-differences: Quasi-experimental variation to estimate causal effects
- Identifying assumption: Parallel trends
- Justification: "Quasi-random" treatment assignment
- Plausibility with rational agents: reforms, physical mobility etc.
- How does self-selection interact with the parallel trends assumption?

• Ghanem et al. (2024)

Marx et al. (2024)

- Ghanem et al. (2024)
  - Necessary and sufficient conditions for classes of selection mechansisms

Marx et al. (2024)

- Ghanem et al. (2024)
  - Necessary and sufficient conditions for classes of selection mechansisms
  - "Worst case" scenario
- Marx et al. (2024)

- Ghanem et al. (2024)
  - Necessary and sufficient conditions for classes of selection mechansisms
  - "Worst case" scenario
- Marx et al. (2024)
  - Dynamic utility maximization

- Ghanem et al. (2024)
  - Necessary and sufficient conditions for classes of selection mechansisms
  - "Worst case" scenario
- Marx et al. (2024)
  - Dynamic utility maximization
  - Fuzzy Design

- Ghanem et al. (2024)
  - Necessary and sufficient conditions for classes of selection mechansisms
  - "Worst case" scenario
- Marx et al. (2024)
  - Dynamic utility maximization
  - Fuzzy Design
  - Necessary and sufficient conditions

- Ghanem et al. (2024)
  - Necessary and sufficient conditions for classes of selection mechansisms
  - "Worst case" scenario
- Marx et al. (2024)
  - Dynamic utility maximization
  - Fuzzy Design
  - Necessary and sufficient conditions
  - Roy models, dynamic choices and learning

# WHAT I DO

- Extend results of Marx et al. (2024)
- Roy-like selection mechanisms
- Repeated static designs
- Goals

# WHAT I DO

- Extend results of Marx et al. (2024)
- Roy-like selection mechanisms
- Repeated static designs
- Goals
  - Gain better understanding of when selfselection is (not) a problem

# WHAT I DO

- Extend results of Marx et al. (2024)
- Roy-like selection mechanisms
- Repeated static designs
- Goals
  - Gain better understanding of when selfselection is (not) a problem
  - Theoretical conditions and justifications for parallel trends

# **SETUP I**

- Two periods: 0,1
- ullet Potential outcomes  $(Y_t(0),Y_t(1))$
- Fuzzy design
- 4 Groups
  - Always-treated
  - Never-treated
  - Switchers-in
  - Switchers out

# **SETUP II**

ATE on the Switchers into treatment

$$ATS = \mathbb{E}[Y_1(1) - Y_1(0)|D_0 = 0, D_1 = 1]$$

= ATT in design with pre-treatment period

# **SETUP II**

ATE on the Switchers into treatment


$$ATS = \mathbb{E}[Y_1(1) - Y_1(0)|D_0 = 0, D_1 = 1]$$

- = ATT in design with pre-treatment period
- ullet Parallel trends (PT)  $\mathbb{E}[Y_1(0)-Y_1(0)|D_0=d_0,D_1=d_1]= au$
- ullet for constant au and all  $(d_0,d_1)$

- ullet Agent: Information  $U_t$
- Outcomes  $Y_t(.)$  unkown
- ullet  $D_t = f_t(U_t)$

- ullet Agent: Information  $U_t$
- Outcomes  $Y_t(.)$  unkown
- ullet  $D_t = f_t(U_t)$
- ullet Example:  $D_t=\mathbb{1}\{\mathbb{E}[Y_t(1)-Y_t(0)|U_t]\geq 0\}$

- ullet Agent: Information  $U_t$
- Outcomes  $Y_t(.)$  unkown
- ullet  $D_t = f_t(U_t)$
- ullet Example:  $D_t=\mathbb{1}\{\mathbb{E}[Y_t(1)-Y_t(0)|U_t]\geq 0\}$
- ullet  $(U_0,Y_0(0),Y_0(1))\perp (U_1,Y_1(0),Y_1(1))$



Result:


$$ext{PT} \Leftrightarrow \mathbb{E}[Y_t(d)|D_0=d_0,D_1=d_1]=\mu_t$$

For some constant  $\mu_t$ 

- $Y_t(.)$  still unknown
- Roy-style selection:

$$D_t = \mathbb{1}\{\mathbb{E}[Y_t(1) - Y_t(0)|U_t] \geq 0\}$$

- ullet Suppose information  $U_t$  is a binary signal
- Suppose signal is informative
- Rational agent acts according to information



#### Result:


$$ext{PT} \Leftrightarrow \mathbb{E}[Y_t(d)|D_0=d_0,D_1=d_1]=\mu_t$$

For some constant  $\mu_t$ 

- Now suppose agent knows the potential outcomes
- Model the treated potential outcomes
- $ullet Y_t(1) = g_t(Y_t(0), E_t)$
- $E_t$  "treatment effect"-variable

- Now suppose agent knows the potential outcomes
- Model the treated potential outcomes
- $ullet Y_t(1) = g_t(Y_t(0), E_t)$
- ullet  $E_t$  "treatment effect"-variable
- ullet  $D_t = f_t(E_t)$

- Now suppose agent knows the potential outcomes
- Model the treated potential outcomes
- $Y_t(1) = g_t(Y_t(0), E_t)$
- $E_t$  "treatment effect"-variable
- ullet  $D_t = f_t(E_t)$
- ullet  $(Y_0(0),Y_1(0))\perp (E_0,E_1)$



$$ext{PT} \Leftrightarrow \mathbb{E}[Y_t(d)|D_0=d_0,D_1=d_1]=\mu_t$$

For some constant  $\mu_t$ 

# A SIMPLE EXAMPLE, TWFE

- $ullet Y_t(d_t) = lpha_i + \lambda_t + E_{it}d_{it} + arepsilon_{it}$
- Roy-selection
  - $lacksquare D_{it} = \mathbb{1}\{Y_{it}(1) Y_{it}(0) \geq 0\}$
  - ullet  $\Leftrightarrow D_{it} = \mathbb{1}\{E_{it} \geq 0\}$

# EXTENSIONS AND OTHER RESULTS

- Binary potential outcomes
- Link to ignorability and lagged-dependent variable adjustment
- Covariates

# A MAJOR LIMITATION

All results imply

$$\mathbb{E}[Y_1(0)|D_0=d_0,D_1=d_1]=\mu_1$$

- But then we do not need to do DiD!
- Consider ATS:

$$\mathbb{E}[Y_1(1) - Y_1(0)|D_0 = 0, D_1 = 1]$$

# A MAJOR LIMITATION

All results imply

$$\mathbb{E}[Y_1(0)|D_0=d_0,D_1=d_1]=\mu_1$$

- But then we do not need to do DiD!
- Consider ATS:

$$egin{aligned} \mathbb{E}[Y_1(1)-Y_1(0)|D_0=0,D_1=1] \ =\mathbb{E}[Y_1|D_0=0,D_1=1]-\mu_1 \end{aligned}$$

# A MAJOR LIMITATION

All results imply

$$\mathbb{E}[Y_1(0)|D_0=d_0,D_1=d_1]=\mu_1$$

- But then we do not need to do DiD!
- Consider ATS:

$$egin{aligned} \mathbb{E}[Y_1(1)-Y_1(0)|D_0=0,D_1=1] \ &= \mathbb{E}[Y_1|D_0=0,D_1=1]-\mu_1 \ &= \mathbb{E}[Y_1|D_0=0,D_1=1]-\mathbb{E}[Y_1|D_1=0] \end{aligned}$$

# SUMMARY, DISCUSSION AND OPEN QUESTIONS

- Relationship of self-selection in Roy-style model and parallel trends
- Different setups lead to identical necessary and sufficient conditions
  - Restrict dependence over time
  - Strong assumptions on info structure
  - Model potential outcomes and treatment effect
- Mean independence likely too restrictive in most applied settings