

Gornerbeads, Trims& Framing Accessories





Bare Metal Trims

Cornerbeads

1 1/4" x 1 1/4" Cornerbead

This all-metal drywall cornerbead provides lasting protection to exposed edges of wallboard and smooth, straightcorners.






Prod#	Lgth	Pcs/Ctn	Ft/Ctn	Ctns/Pallet
37015	7 ft	72	504	50
37020	8 ft	63	504	50
37025	9 ft	56	504	50
37030	10 ft	50	500	50
37035	12 ft	50	600	50

Open Angle 135 Degree Cornerbead

135 Degree Cornerbead provides a straight smooth finish for open angles greater than 120 degrees.






Prod#	Lgth	Pcs/Ctn	Ft/Ctn	Ctns/Pallet
37040	8 ft	63	504	50
37045	9 ft	56	504	50
37050	10 ft	50	500	50

L Metal

L Metal

L Metal trim is used as a finishing edge for wallboard stops around door and window openings. Installation is made easier because the back flange is eliminated.





Prod#	Lgth	Wth	Pcs/Ctn	Ft/Ctn	Ctns/Pallet
37060	8 ft	1/2"	63	504	50
37065	10 ft	1/2″	50	500	50
37070	8 ft	5/8"	63	504	50
37075	10 ft	5/8"	50	500	50

L Metal Dimensions

Width	Α	В
1/2"	1/2″	1-1/4"
5/8"	5/8"	1-1/8"





Bare Metal Trims

J Metal

J Metal

Provides a finished edge at door and window openings, and can be used where wallboard intersects or abuts dissimilar surfaces.





Prod#	Lgth	Wth	Pcs/Ctn	Ft/Ctn	Ctns/Pallet
37100	10 ft	1/2"	50	500	50
37105	10 ft	5/8"	50	500	50

J Metal Dimensions


Prod#	Α	В	С
37100	1/2″	1/2″	1″
37105	5/8″	1/2″	7/8"

U Metal

U Metal

Provides a finished edge at door and window openings, and can be used where wallboard intersects or abuts dissimilar surfaces.





Prod#	Lgth	Wth	Pcs/Ctn	Ft/Ctn	Ctns/Pallet
37110	10 ft	1/2"	50	500	40
37115	10 ft	5/8"	50	500	40

U Metal Dimensions


Prod#	Α	В	С
37110	1/2"	1/2″	1"
37115	5/8"	1/2"	7/8"


3/4" Radius Bullnose

Standard Bullnose

3/4" Radius

Bullnose cornerbead is used to create smooth, rounded corners. The knurled flange surface and distinctive hole pattern produce superior joint compound adhesion. 7/8" nailing flange.





Prod#	Lgth	Pcs/Ctn	Ft/Ctn	Ctns/Pallet
37120	8 ft	50	400	50
37125	9 ft	50	450	50
37130	10 ft	50	500	50
37135	12 ft	42	504	50




PaperFaceTrims

Cornerbead Paper Faced Tape-On

Cornerbead Tape-On

- Extra Wide 1" Flange
- Scuff Resistant Paper
- Excellent Adhesion




Prod#	Lgth	Pcs/Ctn	Ft/Ctn	Ctns/Plt
37150	8 ft	50	400	40
37155	9 ft	50	450	40
37160	10 ft	50	500	40
37165	12 ft	50	600	40

Cornerbead Paper Faced Open Angle Tape-On

Cornerbead 135° Open Angle Tape-On

- Extra Wide 1" Flange
- Scuff Resistant Paper
- Excellent Adhesion





Prod#	Lgth	Pcs/Ctn	Ft/Ctn	Ctns/Plt
37170	8 ft	50	400	40
37175	9 ft	50	450	40
37180	10 ft	50	500	40

L Metal Tape-On

L METAL Tape-On

- Scuff Resistant Paper
- Excellent Adhesion





Beaded Tape-On

Prod#	Lgth	Width	Pcs/Ctn	Ft/Ctn	Ctns/Plt
37200	8 ft	1/2″	50	400	40
37205	10 ft	1/2"	50	500	40
37210	8 ft	5/8"	50	400	40
37215	10 ft	5/8"	50	500	40

No Bead Tape-On

Prod#	Lgth	Width	Pcs/Ctn	Ft/Ctn	Ctns/Plt
37220	8 ft	1/2"	50	400	40
37225	10 ft	1/2"	50	500	40
37230	8 ft	5/8"	50	400	40
37235	10 ft	5/8"	50	500	40

Beaded & No Beaded Tape On Dimensions


Width	Α	В	С	D
1/2″	1/2"	1″	1-1/8"	2-1/8"
5/8"	5/8"	7/8"	1-1/4"	2-1/8"

Bullnose Paper Face Tape-On

Bullnose Tape-On

3/4" Radius

- Standard Steel Thickness
- Scuff Resistant Paper
- Excellent Adhesion



Prod#	Lgth	Pcs/Ctn	Ft/Ctn	Ctns/Plt
37240	8 ft	50	400	40
37245	9 ft	50	450	40
37250	10 ft	50	500	40
37255	12 ft	50	600	40



Angle



Angle is for miscellaneous attachments of intersecting framing components and right angle corner enclosures at lapped framing conditions of non-load bearing framing.

	Packaging for 25, 20,18, 16 & 14 Gauge						
Prod#	Lgth	Size	Gauge	Pcs/BdI	Bdl/Pal	Ft/Bdl	
44170	10 ft	1-1/2"x 1-1/2"	25 Gauge	10	25	100	
44175	10 ft	2" x 2"	25 Gauge	10	25	100	
44180	10 ft	3" x 3"	25 Gauge	10	25	100	
44185	10 ft	1-1/2"x 1-1/2"	20 Gauge	10	25	100	
44190	10 ft	2" x 2"	20 Gauge	10	25	100	
44195	10 ft	3" x 3"	20 Gauge	10	25	100	
44200	10 ft	1-1/2"x 1-1/2"	18 Gauge	10	25	100	
44205	10 ft	2 " x 2"	18 Gauge	10	25	100	
44210	10 ft	3" x 3"	18 Gauge	10	25	100	
44215	10 ft	1-1/2"x 1-1/2"	16 Gauge	10	25	100	
44220	10 ft	2 " x 2"	16 Gauge	10	25	100	
44225	10 ft	3" x 3"	16 Gauge	10	25	100	
44230	10 ft	1-1/2"x 1-1/2"	14 Gauge	10	25	100	
44235	10 ft	2 " x 2"	14 Gauge	10	25	100	
44240	10 ft	3" x 3"	14 Gauge	10	25	100	

Furring Channel



Furring channel, a galvanized hat-shaped framing component that is used on masonry walls and ceiling assemblies.

	Packaging for 25, 20 & 18 Gauge						
Prod#	Lgth	Size	Gauge	Pcs/BdI	Bdl/Pal	Ft/Bdl	
44020	10 ft	7/8″	25 Gauge	10	25	100	
44025	12 ft	7/8"	25 Gauge	10	25	120	
44030	10 ft	7/8″	20 Gauge	10	25	100	
44035	12 ft	7/8"	20 Gauge	10	25	120	
44420	10 ft	7/8″	18 Gauge	10	25	100	
44425	12 ft	7/8"	18 Gauge	10	25	120	
44000	10 ft	1-1/2"	25 Gauge	10	25	100	
44005	12 ft	1-1/2"	25 Gauge	10	25	120	
44010	10 ft	1-1/2″	20 Gauge	10	25	100	
44015	12 ft	1-1/2"	20 Gauge	10	25	120	



Furring Channel (Continued)



Furring channel, a galvanized hat-shaped framing component that is used on masonry walls and ceiling assemblies.

	Packaging for 25, 20 & 18 Gauge					
Prod#	Lgth	Size	Gauge	Pcs/BdI	Bdl/Pal	Ft/Bdl
44335	10 ft	1-1/2"	18 Gauge	10	25	100
44355	12 ft	1-1/2"	18 Gauge	10	25	120

Flat Strap



Flat strapping is used for lateral bracing, joist bridging and diagonal bracing to prevent racking. Backing plates for wall mounted fixtures, etc.

	Packaging for 20, 18, 16 & 14 Gauge					
Prod#	Lgth	Size	Gauge	Pcs/BdI	Bdl/Pal	Ft/Bdl
44050	10 ft	2"	20	10	25	100
44055	10 ft	4"	20	10	25	100
44060	10 ft	6"	20	10	25	100
44065	10 ft	8"	20	10	25	100
44070	10 ft	10"	20	10	25	100
44075	10 ft	12"	20	10	25	100
44080	10 ft	2"	18	10	25	100
44085	10 ft	4"	18	10	25	100
44090	10 ft	6"	18	10	25	100
44095	10 ft	8"	18	10	25	100
44100	10 ft	10"	18	10	25	100
44105	10 ft	12"	18	10	25	100
44110	10 ft	2"	16	10	25	100
44115	10 ft	4"	16	10	25	100
44120	10 ft	6"	16	10	25	100
44125	10 ft	8"	16	10	25	100
44130	10 ft	10"	16	10	25	100
44135	10 ft	12"	16	10	25	100
44140	10 ft	2″	14	10	25	100
44145	10 ft	4"	14	10	25	100
44150	10 ft	6"	14	10	25	100
44155	10 ft	8"	14	10	25	100
44160	10 ft	10"	14	10	25	100
44165	10 ft	12"	14	10	25	100



Z Furring Channel



For attachment of rigid insulation and wallboard to masonry walls.

		Packaging f	or 25, 20, 18 &	16 Gauge		
Prod#	Lgth	Size	Gauge	Pcs/BdI	BdI/PaI	Ft/Bdl
44250	10 ft	1"	25	10	25	100
44255	10 ft	1-1/2"	25	10	25	100
44260	10 ft	2"	25	10	25	100
44265	10 ft	3"	25	10	25	100
44270	12 ft	1"	25	10	25	120
44275	12 ft	1-1/2"	25	10	25	120
44280	12 ft	2"	25	10	25	120
44285	12 ft	3"	25	10	25	120
44290	10 ft	1"	20	10	25	100
44295	10 ft	1-1/2"	20	10	25	100
44300	10 ft	2"	20	10	25	100
44305	10 ft	3"	20	10	25	100
44310	12 ft	1"	20	10	25	120
44315	12 ft	1-1/2"	20	10	25	120
44320	12 ft	2"	20	10	25	120
44325	12 ft	3"	20	10	25	120
44330	10 ft	1"	18	10	25	100
44335	10 ft	1-1/2"	18	10	25	100
44340	10 ft	2"	18	10	25	100
44345	10 ft	3"	18	10	25	100
44350	12 ft	1"	18	10	25	120
44355	12 ft	1-1/2"	18	10	25	120
44360	12 ft	2"	18	10	25	120
44365	12 ft	3"	18	10	25	120
44370	10 ft	1"	16	10	25	100
44375	10 ft	1-1/2"	16	10	25	100
44380	10 ft	2"	16	10	25	100
44385	10 ft	3"	16	10	25	100
44390	12 ft	1"	16	10	25	120
44395	12 ft	1-1/2"	16	10	25	120
44400	12 ft	2"	16	10	25	120
44405	12 ft	3"	16	10	25	120



Zinc Control Joint



093 Zinc Control Joints for large expanses of ceiling and wall areas, both drywall and veneer. Excellent for large partitions and from door headers to ceilings. Tape protects 1/4" openings, 7/16" deep; 3/32" grounds.

	Packaging for 093					
Prod# Lgth Description Pcs/Ctn Ctn/Pal Ft/Ct					Ft/Ctn	
44045	10 ft	093	25	20	250	

Note: A sure seal behind joints must be placed where fire ratings are observed and sound transmissions are a factor.

Resilient Channel



Resilient channel is a highly effective and low cost method of reducing the transmission of airborne sound through walls and ceilings. By separating the drywall from the studs, the channel minimizes the direct path by which sound travels through the framing.

	Packaging for RC1 & RC2					
Prod#	Lgth	Description	Gauge	Pcs/BdI	BdI/PaI	Ft/Plt
44040	12 ft	RC1	25	20	50	12,000
44042	12 ft	RC2	25	20	50	12,000

Special Order Custom Fabricated Shapes

Custom fabricate nearly every shape, bend, angle or length to your exact specification. Drawing will be required.

Wallboard Joint Tape





Wallboard Joint Tape features perforation to reduce blistering, center creasing for easier angle application, and it is buffed to promote increased adhesion.

Prod#	Desc	Size	Lgth	RI/Ctn	Unit	Ship Wt.	Units/Plt
36030	Premium Red Tape*	2-1/16"	500	10	CTN	28.5	85
36260	Blue Tape	2-1/16"	500	10	CTN	27	85

^{*} Specially designed to meet ASTM Standard C-475. Made from heavier paper to decrease stretching, wrinkling, and cracking problems.



Hamilton Trim Application Tools

Roller Tools, Convertible Hopper and Hopper Accessories

Tape-On Corner Bead Roller Tool Standard 90°

Makes it easy to apply tapeon corner bead quickly and with outstanding results. Nothing works better to prevent wrinkling and blistering.



Product #	Wt
44770	2

Tape-On Inside Roller Tool Inside 90°

Specialized roller tool for applying tape-on inner corners. Easily and quickly aligns inside angle for superior results.



Product #	Wt
44775	2

Tape-On "Bullnose" Off Angle Roller Tool

This tool is indispensible for applying tape-on bullnose beads smoothly and securely. Saves time and effort and helps ensure a superior finish.



Product #	Wt
44780	2

Convertible Hopper

Now there's no need to buy separate hoppers for corner beads and bullnose trim - this hopper does it all!
Comes pre-assembled, ready-to-use.
Makes all tape-on corner bead jobs go faster and easier!



Product #	Wt
44702 - Outside	6
44703 - Inside	6

Universal Trowel

Use this quality tool to easily finish 3/4" archway bullnose. Great for filling slots with mud while cleaning off excess compound.



Prod#	Stock#	Pcs/Ctn	Unit	Wt/Ctn
44705	Trowel	12	Ctn	12

Convertible Hopper Accessories

- 1-1/2" Radius Conversion Kit converts your hopper for use with 1-1/2" Radius bullnose in three quick and simple steps. Each kit includes a 1-1/2" Radius feeder insert and a complete set of plastic and rubber gates.
- · Replacement Gate Sets include one 90 degree gate and one bullnose gate.

Product #	Description	
44706	1-1/2" Radius Conversion Kit	
44708	708 Rubber Replacement Gates (Set of 2)	
44709	Plastic Replacement Gates (Set of 2)	1