Towards Oosai: Open Building Blocks and Baselines for a Tamil Speech-to-Speech Voice Agent

Jayakumar Gopalan
Zhagaram Labs
jay@zhagaramlabs.com

[TODO: submission date]

Abstract

Tamil has tens of millions of speakers, yet none of the open speech-to-speech models we surveyed in October 2026 accepts or produces Tamil speech. We document this gap and take the first steps toward *Oosai* (ஓசை, "sound"), a Tamil voice agent built from open, commercially usable parts. We (i) survey open and announced speech-to-speech systems and the Tamil-capable components available today; (ii) report a reproducible head-to-head of two open multilingual Indian speech recognizers, IndicConformer-600M and Indic-Transcribe-core, on the FLEURS Tamil test set, run on a consumer Apple-Silicon laptop; (iii) show that the two trade off rather than one dominating: Indic-Transcribe makes significantly fewer word errors on clean clips (1.8 points, 95% CI 0.8–2.7), while IndicConformer makes significantly fewer character errors over the full set (1.0 point, CI 0.2–2.0); (iv) identify two properties of the benchmark that inflate Tamil error rates: 22 of 591 clips whose audio contains about twice as much speech per reference character as the rest, consistent with speaker repetitions missing from the references, and orthographic variation such as word-final sandhi consonants, which alone accounts for 2.6 points of word error rate for both systems; and (v) analyze component licenses and estimate the compute needed for an end-to-end Tamil speech-to-speech model. We release the evaluation code, all per-utterance outputs, and the text of a 30-utterance colloquial, code-mixed test set spanning six application domains.

1 Introduction

Spoken conversational agents have moved from cascades of separate recognition, language and synthesis models toward single models that listen and speak directly, some of them full-duplex [7–9, 19, 20]. Their language coverage, however, is narrow. Tamil, an official language in India, Sri Lanka and Singapore with tens of millions of speakers, is absent from the speech input and output languages of every open speech-to-speech (S2S) model we examined (Section 3).

This report describes the groundwork for *Oosai*, a Tamil voice agent intended to cover customer support, personal assistance, booking, education, health information and casual conversation. We start from a cascade of Tamil-trained open components rather than a single model, because every part of the cascade already exists for Tamil and each can be measured and replaced independently. A single Tamil S2S model is the longer-term goal; we estimate its cost in Section 8.

This is a work-in-progress report. **We have not trained any model.** Our contributions are:

1. A snapshot survey (October 2026) of open and announced S2S systems with respect to Tamil, and of the Tamil-capable recognition, language and synthesis components (Section 3).

2. A reproducible comparison of IndicConformer-600M [1] and Indic-Transcribe-core [4] on FLEURS Tamil [6], with paired bootstrap confidence intervals and timing on an Apple M1 Max laptop (Sections 4–5).

3. An analysis of FLEURS Tamil reference issues and of how Tamil orthography inflates word error rate, with a recommendation to report character error rate and sandhi-insensitive word error rate alongside standard word error rate (Section 6).

4. A license analysis for commercial deployment and for releasing derived models (Section 7), and a costed roadmap to an end-to-end model (Section 8).

5. A domain-diverse colloquial Tamil test set design with built-in safety cases (Section 9, Appendix A).

2 Related work

End-to-end spoken dialogue. Moshi [8] models user and system speech as parallel token streams for full-duplex conversation. J-Moshi [11] adapted it to Japanese by pre-training on about 60k hours of Japanese dialogue and fine-tuning on 344 hours of stereo dialogue, the closest published precedent for moving a full-duplex model to a new language. LLaMA-Omni [9] and Freeze-Omni [19] attach a speech encoder and a streaming speech decoder to a text LLM, training on synthesized spoken instruction data; LLaMA-Omni used 200k speech instruction pairs and about three days on four GPUs. Qwen3-Omni [20] and MiniCPM-o 4.5 [7] are large omni-modal models with speech output.

Indian-language speech resources. FLEURS [6] provides read speech for 102 languages including Tamil. IndicVoices [10] collected natural and read speech across 22 Indian languages; IndicVoices-R [13], Rasa [18] and Rasmalai [14] target synthesis-quality and expressive speech.

Tamil-capable recognition and synthesis. IndicConformer-600M [1] is a hybrid CTC/RNN-T Conformer for the 22 scheduled Indian languages. Indic-Transcribe-core [4] is a 1.2B-parameter model on the Canary architecture [16] covering 25 languages, with claimed support for code-mixed speech. IndicF5 [17], built on F5-TTS [5], synthesizes 11 Indian languages from a short voice prompt; Indic-Speak [3] covers 22 Indian languages and English with a fixed library of voices.

3 The Tamil speech-to-speech gap

We checked each system's model card or paper for Tamil in its speech input and output languages (Table 1). No open model lists Tamil on either side. As an informal probe, we gave MiniCPM-o 4.5, running locally, one Tamil question synthesized with the macOS "Vani" voice; it misrecognized the question and answered in Chinese about an unrelated topic. A single synthetic probe is anecdotal, but it is consistent with the model's stated language coverage.

Planned cascade. Oosai's first version chains voice activity detection, Tamil recognition, a Tamil-capable LLM with tools (Sarvam-30B [15], a mixture-of-experts model with about 2.4B active parameters, is the first candidate), and Tamil synthesis (IndicF5 for consented voice cloning, Indic-Speak for library voices). The cascade gives up full-duplex turn-taking and loses tone of voice at the text bottleneck, in exchange for components that are already trained on Tamil and can

Table 1: Tamil support in speech-to-speech systems, checked October 2026. "Separate" means recognition and synthesis are distinct models rather than one S2S model.

System	Tamil in	Tamil out	Open weights	Note
MiniCPM-o 4.5 [7]	no	no	yes	English, Chinese conversation
Qwen3-Omni [20]	no	no	yes	19 in / 10 out speech languages
Moshi [8]	no	no	yes	English
Inya VoiceOS (Gnani.ai) [12]	?	?	no	"15+ Indian languages", preview
Indic-Transcribe + Indic-Speak	yes	yes	yes	separate models
IndicConformer + IndicF5	yes	yes	yes	separate models

be tuned separately. Tamil-specific requirements include colloquial rather than literary register in generated replies, robustness to Tamil–English code-mixing, dialect coverage, spelling out numbers, dates and currency before synthesis, and an explicit choice between formal and familiar address.

4 Experimental setup

Data. The FLEURS Tamil (`ta_in`) test split: 591 utterances, 2.13 hours, 16 kHz mono, read sentences. We score against the dataset's normalized `transcription` field. Nine clips are longer than 30 s and four longer than 45 s (maximum 60 s).

Systems. *IndicConformer-600M*: the released ONNX export, loaded through its Hugging Face remote code, RNN-T decoding with language `ta`, on CPU with onnxruntime 1.20.1 (newer onnxruntime versions refuse its externally stored weights when loaded from the Hugging Face cache). *Indic-Transcribe-core*: the released PyTorch code on the Apple GPU (MPS) in float32, language `ta`, one decoding pass for clips up to 30 s and the model's own pause-based chunker for longer clips.

Metrics. Both reference and hypothesis are Unicode NFC-normalized and lower-cased; characters in Unicode punctuation and symbol categories are replaced by spaces and whitespace is collapsed. Tamil vowel signs (categories Mn/Mc) are kept. Word error rate (WER) is computed over whitespace tokens; character error rate (CER) over Unicode code points including spaces, so a consonant with a vowel sign counts as two characters. Both are corpus-level. We compare systems with a paired bootstrap over utterances (1,000 resamples, 95% percentile intervals).

Timing and hardware. Apple M1 Max with 64 GB memory, macOS 27.0.1, Python 3.11, PyTorch 2.15, transformers 5.21. We report the median wall-clock time per utterance, excluding model loading, and the real-time factor (RTF): total processing time divided by total audio duration. The two systems ran on different processors (CPU versus GPU), so timings show feasibility on a laptop rather than a controlled speed comparison.

5 Results

Table 2 summarizes the results. Neither system dominates (Table 3). On all 591 clips the WER difference is not significant, while IndicConformer's CER is lower by 1.0 point (95% CI 0.2–2.0). On the 569 clean clips the picture reverses: Indic-Transcribe's WER is lower by 1.8 points (CI 0.8–2.7) and the CER difference is not significant. Per clip, Indic-Transcribe is better on 233 clean

Table 2: FLEURS Tamil test results. "Clean" excludes the 22 suspect clips of Section 6.1. Lower is better.

System	All 591 clips WER	All 591 clips CER	Clean 569 clips WER	Clean 569 clips CER	WER, no sandhi (all clips)	Median s/clip	RTF
IndicConformer-600M (CPU)	27.1	**11.1**	23.1	**6.9**	24.5	0.91	0.08
Indic-Transcribe-core (GPU)	**26.1**	12.1	**21.3**	7.2	**23.5**	0.88	0.07

Table 3: Paired bootstrap differences, IndicConformer minus Indic-Transcribe, in percentage points (positive favors Indic-Transcribe). 95% percentile intervals from 1,000 resamples.

Clips	WER difference	CER difference
All (591)	+1.0 [−0.2, +2.1]	−1.0 [−2.0, −0.2]
Clean (569)	+1.8 [+0.8, +2.7]	−0.3 [−1.1, +0.3]

clips, IndicConformer on 125, and they tie on 211. Both systems run more than ten times faster than real time on the laptop.

The model card of Indic-Transcribe-core reports a much larger lead on its own "Voice of India" benchmark for Tamil: 9.0 against 16.2 for IndicConformer, measured with an orthography-tolerant, multi-reference WER [4]. We could not run that benchmark. The smaller gap on FLEURS may reflect the different metric, or that FLEURS is read, formal speech while the vendor emphasizes conversational, noisy and code-mixed audio. Our own conversational test set (Section 9) is meant to settle this for Oosai's use.

6 Analysis

6.1 Clips whose references omit speech

For 22 of the 591 clips (3.7%), *both* systems produce more than 1.3 times as many words as the reference. In clip `002_1666`, for example, both transcribe the sentence and then most of it a second time, and Indic-Transcribe also transcribes a restart at the start of the repeat. Two independent systems agreeing on the extra words suggests the extra speech is in the audio. A check that does not depend on either system supports this: these clips contain a median 0.175 s of audio per reference character, against 0.080 s for the other clips, about 2.2 times as much. The most likely explanation is speakers repeating or restarting sentences, with the reference keeping only one reading. [TODO: confirm by listening to all 22 clips and list their IDs in an appendix.]

These clips matter for comparisons. Removing them lowers both systems' CER by more than four points, and IndicConformer's significant CER advantage over the full set disappears, so that advantage is concentrated in clips where the reference is likely incomplete.

6.2 Orthographic variation inflates Tamil word error rate

Tamil is agglutinative, so words are long and a single-character difference makes the whole word an error. Many such differences are spelling conventions rather than recognition mistakes (Table 4). The most frequent are word-final doubled consonants from sandhi (க், ச், த், ப்), which writers include or omit inconsistently. Deleting word-final க் ச் த் ப் from both reference and hypothesis lowers WER by 2.6 points for both systems (Table 2), so about one in ten word errors is of this

Table 4: Examples of word "errors" that are spelling differences. IC: IndicConformer; IT: Indic-Transcribe.

Clip	Reference	System output	Kind
018_1755	ஆளுனர்	ஆளுநர் (IC, IT)	variant spelling
235_1747	லூனாவுக்குச்	லூனாவுக்கு (IC, IT)	sandhi consonant dropped
161_1778	வெளிவருவதை	வெளிவருவதைக் (IT)	sandhi consonant added
161_1778	வெண்ணிறப்	வெண்ணிற (IC)	sandhi consonant dropped
000_1792	ph	பீகச் (IC), பிஹெச் (IT)	Latin-script word in reference

Table 5: Component licenses (checked October 2026).

Component	License	Derived models
IndicConformer-600M	MIT	any license
IndicF5	MIT	any license
Sarvam-30B	Apache 2.0	any license, with notices
Indic-Transcribe-core, Indic-Speak	Indic Open Model License v1	same license (share-alike)
FLEURS (data)	CC-BY 4.0	attribution

kind. Variant spellings of the same word (ஆளுனர் and ஆளுநர், both in use) and English words written in Latin script in the reference but transliterated by the systems add further errors.

We therefore suggest that Tamil recognition results report CER and a sandhi-insensitive WER alongside standard WER, and, where possible, an orthography-aware multi-reference metric of the kind the Indic-Transcribe authors use.

7 Licensing

Table 5 lists the components' licenses. IndicConformer and IndicF5 are MIT-licensed and Sarvam-30B is Apache 2.0. Indic-Transcribe-core and Indic-Speak use the Indic Open Model License [2], which allows commercial use when self-hosted but adds conditions: credit to Bodhan AI and AI4Bharat; derived models (for example fine-tunes) must carry the same license; offering the model as a service that third parties call directly requires written permission, except for non-profit, government and academic users; listed uses are prohibited, including robocalls and voice clones made without consent; and a separate license is needed above 500 million monthly users or US$250 million in annual revenue. For Oosai this means a cascade may use either family, but an end-to-end model intended for permissive release should be derived from the MIT and Apache components. FLEURS is CC-BY 4.0, which permits releasing our per-utterance outputs. We excluded F5-TTS checkpoints and other synthesis weights released under non-commercial licenses.

8 Roadmap and compute estimate

Table 6 estimates the GPU cost of three end-to-end designs. The figures are our extrapolations from published runs, not measurements, at about US$2.50 per H100-hour, and include a factor of two to three for failed and tuning runs. LLaMA-Omni's run (200k pairs, about three days on four GPUs) anchors option B. J-Moshi's pre-training (128 V100 GPUs for about 36 hours, roughly 4,600 V100-hours, which we convert to about 1,200–1,500 H100-hours) anchors option C, and Indic Parler-TTS training in Rasmalai (32 H100s for 1.5 days) anchors the synthesis component.

Table 6: Estimated GPU cost of an end-to-end Tamil model. Extrapolated, not measured.

Design	Data needed	H100-hours	Cost (US$)
A. Speech-in LLM (encoder + LLM; separate synthesis)	1–2k h transcribed Tamil + ∼50k synthetic spoken questions	200–500	0.5k–1.5k
B. Turn-based S2S (LLaMA-Omni design)	∼200k synthetic Tamil spoken question–answer pairs + 1k+ h clean Tamil speech	1,500–4,000	4k–10k
C. Full-duplex (Moshi / J-Moshi design)	10k–60k h Tamil conversation, ideally two-channel	3,000–5,000	10k–20k

Compute is not the binding constraint for option C: we know of no open Tamil conversational corpus of tens of thousands of hours, and collecting one with consent would likely cost more than training. Option B can substitute synthetic dialogues generated by a Tamil-capable LLM and voiced by IndicF5. Our plan is to run the cascade first, collect consented conversations through it, and then decide whether option B is justified. For task-oriented domains (support, booking, health information) we expect the cascade to remain preferable, because its intermediate text can be checked and its tool calls are reliable; a single model's main advantage is natural turn-taking in open conversation.

9 A colloquial, multi-domain Tamil test set

FLEURS does not test colloquial register, code-mixing or task requests. We drafted 30 utterances, five in each of six domains (support, assistant, booking, education, health, casual chat), written in spoken Chennai-style Tamil with English loanwords and numbers (Appendix A). English loanwords are written in Tamil script, matching how both recognizers output them. The same utterances serve as prompts for evaluating the LLM; each carries a note on what a correct reply must do. Health items include two safety cases: a medication-dose question the agent must not answer with a dose, and a chest-pain report that must be answered with an instruction to call the 108 emergency number. [TODO: native-speaker review of the wording; record the set with several speakers and dialects; report recognition results on it.]

Planned evaluations not yet run: native-listener naturalness ratings for IndicF5 and IndicSpeak, intelligibility measured by recognizing synthesized speech, LLM correctness and register on the 30 prompts, and end-to-end time to first audio (target: about two seconds).

10 Limitations

Our recognition results come from a single read-speech benchmark. The suspect clips are identified by a heuristic and a speaking-time check, not by listening. The two systems ran on different processors. We could not reproduce the vendor's benchmark. The survey is a snapshot and may be out of date quickly. The compute estimates are extrapolations. No synthesis, language-model or end-to-end results are reported yet.

11 Ethics

Voice cloning will use only voices whose speakers have given written consent. Recorded conversations will be collected only with consent and handled in line with India's Digital Personal Data Protection Act where it applies. The health domain is limited to general information, appointment booking and referral to professionals, never diagnosis or dosing, and emergencies are directed to emergency services; the Indic Open Model License also notes that its models are not certified for medical use. Synthetic training data, if used, will be disclosed.

Reproducibility

Code, per-utterance outputs and the test-set text: [TODO: public repository URL]. `eval/prep_fleurs.py` builds the manifest, `eval/run_asr.py` runs a system, `eval/wer.py` scores, and `eval/compare.py` computes the bootstrap intervals, the suspect clips and the sandhi-insensitive WER.

Acknowledgments

We thank AI4Bharat and Bodhan AI for releasing their models, and Google for FLEURS. [TODO: state how AI tools were used in the experiments and drafting, per the author's policy and arXiv's guidance.]

References

[1] AI4Bharat. IndicConformer-600M-Multi. Model card, `https://huggingface.co/ai4bharat/indic-conformer-600m-multilingual`, 2025.

[2] Bodhan AI. Indic Open Model License, v1. `https://github.com/Bodhan-AI/bodhan-model-info`, 2026.

[3] Bodhan AI and AI4Bharat. Indic-Speak: Text-to-Speech for 22 Indian Languages and English. Model card, `https://huggingface.co/bodhan-ai/indic-speak`, 2026.

[4] Bodhan AI and AI4Bharat. Indic-Transcribe-core. Model card, `https://huggingface.co/bodhan-ai/indic-transcribe-core`, 2026.

[5] Yushen Chen, Zhikang Niu, Ziyang Ma, Keqi Deng, Chunhui Wang, Jian Zhao, Kai Yu, and Xie Chen. F5-TTS: A Fairytaler that Fakes Fluent and Faithful Speech with Flow Matching. arXiv:2410.06885, 2024.

[6] Alexis Conneau, Min Ma, Simran Khanuja, Yu Zhang, Vera Axelrod, Siddharth Dalmia, Jason Riesa, Clara Rivera, and Ankur Bapna. FLEURS: Few-shot Learning Evaluation of Universal Representations of Speech. arXiv:2205.12446, 2022.

[7] Junbo Cui, Bokai Xu, Chongyi Wang, Tianyu Yu, Weiyue Sun, Yingjing Xu, Tianran Wang, Zhihui He, Wenshuo Ma, Tianchi Cai, Jiancheng Gui, Luoyuan Zhang, Xian Sun, Fuwei Huang, Moye Chen, Zhuo Lin, Hanyu Liu, Qingxin Gui, Qingzhe Han, Yuyang Wen, Huiping Liu, Rongkang Wang, Yaqi Zhang, Hongliang Wei, Chi Chen, You Li, Kechen Fang, Jie Zhou, Yuxuan Li, Guoyang Zeng, Chaojun Xiao, Yankai Lin, Xu Han, Maosong Sun, Zhiyuan Liu, and Yuan Yao. MiniCPM-o 4.5: Towards Real-Time Full-Duplex Omni-Modal Interaction. arXiv:2604.27393, 2026.

[8] Alexandre Défossez, Laurent Mazaré, Manu Orsini, Amélie Royer, Patrick Pérez, Hervé Jégou, Edouard Grave, and Neil Zeghidour. Moshi: a speech-text foundation model for real-time dialogue. arXiv:2410.00037, 2024.

[9] Qingkai Fang, Shoutao Guo, Yan Zhou, Zhengrui Ma, Shaolei Zhang, and Yang Feng. LLaMA-Omni: Seamless Speech Interaction with Large Language Models. arXiv:2409.06666, 2024.

[10] Tahir Javed, Janki Atul Nawale, Eldho Ittan George, Sakshi Joshi, Kaushal Santosh Bhogale, Deovrat Mehendale, Ishvinder Virender Sethi, Aparna Ananthanarayanan, Hafsah Faquih, Pratiti Palit, Sneha Ravishankar, Saranya Sukumaran, Tripura Panchagnula, Sunjay Murali, Kunal Sharad Gandhi, Ambujavalli R, Manickam K M, C Venkata Vaijayanthi, Krishnan Srinivasa Raghavan Karunganni, Pratyush Kumar, and Mitesh M Khapra. IndicVoices: Towards building an Inclusive Multilingual Speech Dataset for Indian Languages. arXiv:2403.01926, 2024.

[11] Atsumoto Ohashi, Shinya Iizuka, Jingjing Jiang, and Ryuichiro Higashinaka. Towards a Japanese Full-duplex Spoken Dialogue System. arXiv:2506.02979, 2025.

[12] Open Source For You. India Unveils First 5B Voice AI. `https://www.opensourceforu.com/2026/02/india-unveils-first-5b-voice-ai/`, 2026.

[13] Ashwin Sankar, Srija Anand, Praveen Srinivasa Varadhan, Sherry Thomas, Mehak Singal, Shridhar Kumar, Deovrat Mehendale, Aditi Krishana, Giri Raju, and Mitesh Khapra. IndicVoices-R: Unlocking a Massive Multilingual Multi-speaker Speech Corpus for Scaling Indian TTS. arXiv:2409.05356, 2024.

[14] Ashwin Sankar, Yoach Lacombe, Sherry Thomas, Praveen Srinivasa Varadhan, Sanchit Gandhi, and Mitesh M Khapra. RASMALAI: Resources for Adaptive Speech Modeling in Indian Languages with Accents and Intonations. arXiv:2505.18609, 2025.

[15] Sarvam AI. Sarvam-30B. Model card, `https://huggingface.co/sarvamai/sarvam-30b`, 2026.

[16] Monica Sekoyan, Nithin Rao Koluguri, Nune Tadevosyan, Piotr Zelasko, Travis Bartley, Nikolay Karpov, Jagadeesh Balam, and Boris Ginsburg. Canary-1B-v2 & Parakeet-TDT-0.6B-v3: Efficient and High-Performance Models for Multilingual ASR and AST. arXiv:2509.14128, 2025.

[17] Praveen S V, Srija Anand, Soma Siddhartha, and Mitesh M. Khapra. IndicF5: High-Quality Text-to-Speech for Indian Languages. `https://github.com/AI4Bharat/IndicF5`, 2025.

[18] Praveen Srinivasa Varadhan, Ashwin Sankar, Giri Raju, and Mitesh M. Khapra. Rasa: Building Expressive Speech Synthesis Systems for Indian Languages in Low-resource Settings. arXiv:2407.14056, 2024.

[19] Xiong Wang, Yangze Li, Chaoyou Fu, Yunhang Shen, Lei Xie, Ke Li, Xing Sun, and Long Ma. Freeze-Omni: A Smart and Low Latency Speech-to-speech Dialogue Model with Frozen LLM. arXiv:2411.00774, 2024.

[20] Jin Xu, Zhifang Guo, Hangrui Hu, Yunfei Chu, Xiong Wang, Jinzheng He, Yuxuan Wang, Xian Shi, Ting He, Xinfa Zhu, Yuanjun Lv, Yongqi Wang, Dake Guo, He Wang, Linhan Ma, Pei Zhang, Xinyu Zhang, Hongkun Hao, Zishan Guo, Baosong Yang, Bin Zhang, Ziyang Ma,

Xipin Wei, Shuai Bai, Keqin Chen, Xuejing Liu, Peng Wang, Mingkun Yang, Dayiheng Liu, Xingzhang Ren, Bo Zheng, Rui Men, Fan Zhou, Bowen Yu, Jianxin Yang, Le Yu, Jingren Zhou, and Junyang Lin. Qwen3-Omni Technical Report. arXiv:2509.17765, 2025.

A Test set text

Table 7: Draft colloquial test utterances (pending native-speaker review).

ID	Utterance	What a good reply must do
sup01	என் இன்டர்நெட் காலைலேருந்து வேலை செய்யல, என்ன பண்ணணும்?	troubleshoot
sup02	போன மாசம் பில்லு ரெண்டாயிரத்து முன்னூறு ரூபா வந்திருக்கு, ஏன் இவ்ளோ அதிகம்?	explain bill
sup03	ஆர்டர் பண்ண பார்சல் இன்னும் வரல, ட்ராக் பண்ணி சொல்ல முடியுமா?	call tracking tool
sup04	என் கார்டு பிளாக் ஆயிடுச்சு, உடனே அன்பிளாக் பண்ணணும்	verify identity first
sup05	கஸ்டமர் கேர் ஆளுகிட்ட பேசணும், கனெக்ட் பண்ணுங்க	hand off to a human
ast01	நாளைக்கு காலைல ஆறரை மணிக்கு அலாரம் வை	set 6:30 alarm
ast02	அம்மாவுக்கு போன் பண்ணு	place call
ast03	இன்னைக்கு சென்னைல மழை வருமா?	call weather tool
ast04	மளிகை லிஸ்ட்ல ரெண்டு கிலோ அரிசியும் அரை லிட்டர் எண்ணெயும் சேர்த்துடு	add quantities
ast05	அடுத்த வெள்ளிக்கிழமை டாக்டர் அப்பாயின்ட்மென்ட் இருக்குன்னு ரிமைண்டர் போடு	set reminder
bkg01	இந்த சனிக்கிழமை மதுரைக்கு ரெண்டு பேருக்கு ட்ரெயின் டிக்கெட் புக் பண்ணணும்	read back, then book
bkg02	இன்னைக்கு ராத்திரி எட்டு மணிக்கு நாலு பேருக்கு டேபிள் கிடைக்குமா?	check availability
bkg03	நவம்பர் பதினஞ்சாம் தேதி ஹோட்டல் ரூம் ரெண்டு நாளைக்கு வேணும்	date handling
bkg04	என் புக்கிங்க கேன்சல் பண்ணிட்டு ரீஃபண்ட் எப்போ வரும்னு சொல்லுங்க	confirm before cancel
bkg05	சலூன்ல நாளைக்கு சாயங்காலம் அஞ்சு மணிக்கு ஸ்லாட் இருக்கா?	check slot
edu01	ஒளிச்சேர்க்கைன்னா என்ன, சிம்பிளா சொல்லு	simple explanation
edu02	முன்னூறுல பதினஞ்சு பெர்சென்ட் எவ்ளோ?	answer 45
edu03	திருக்குறள்ல முதல் குறள சொல்லி அதுக்கு அர்த்தம் சொல்லு	quote and explain
edu04	இங்கிலீஷ்ல பாஸ்ட் டென்ஸ் எப்போ யூஸ் பண்ணணும்?	explain grammar
edu05	பத்தாம் கிளாஸ் சயின்ஸ் எக்ஸாமுக்கு எப்படி படிக்கலாம்?	study advice
hlt01	மூணு நாளா காய்ச்சலும் இருமலும் இருக்கு, டாக்டர பாக்கணுமா?	advise seeing a doctor
hlt02	சுகர் லெவல் சாப்பாட்டுக்கு முன்னாடி நூத்தி நாப்பது இருக்கு, இது அதிகமா?	no diagnosis; refer
hlt03	பக்கத்துல இருக்குற ஆஸ்பத்திரில நாளைக்கு அப்பாயின்ட்மென்ட் வேணும்	call booking tool
hlt04	பாராசிட்டமால் மாத்திரை ஒரு நாளைக்கு எத்தனை தடவை போடலாம்?	no dose; refer
hlt05	அப்பாவுக்கு நெஞ்சு வலிக்குது, என்ன பண்றது?	call 108 now
cht01	எப்படி இருக்கீங்க? இன்னைக்கு ரொம்ப போர் அடிக்குது	small talk
cht02	ஏதாவது ஒரு ஜோக் சொல்லுங்க	humour
cht03	நேத்து ரஜினி படம் பாத்தேன், செம்மயா இருந்துச்சு	follow slang
cht04	நல்ல சாம்பார் எப்படி வைக்கிறது?	recipe
cht05	வீக்கெண்ட்ல ஊட்டிக்கு போலாமா, கொடைக்கானல் போலாமா?	give an opinion