



Nama : Zhaira Rahmadini
Nim : 2501083014
Kelas : Teknik Komputer 1A

1.



```
1 // Nama : Zhaira Rahmadini
2 // Kelas : Teknik Komputer 1A
3 // Soal 1
4
5 - import java.util.Scanner;
6
7 - public class Soal1 {
8 -     public static void main(String[]
9         args) {
10         Scanner input = new Scanner
11             (System.in);
12
13         int totalHalaman = 50;
14         int hargaPerHalaman = 15000;
15
16         System.out.println("Masukkan
17             halaman yang sudah
18             diketik: ");
19         int x = input.nextInt();
20
21         int uangDiterima = x *
22             hargaPerHalaman;
23         int sisa = totalHalaman - x;
24         int uangSisa = sisa *
25             hargaPerHalaman;
26
27         System.out.println("Uang
28             yang sudah diterima: Rp
29             " + uangDiterima);
30         System.out.println("Uang
31             yang masih bisa didapat:
32             Rp " + uangSisa);
33     }
34 }
```



```
main.py Output
pandas : 2.3.3
numpy : 2.3.5
siap untuk analisis data

=== Code Execution Successful ===
```

2.


```
17.59 17:59 37%
Programiz Online Java Compiler
Soal2.j... Output
1 // Nama : Zhaira Rahmadini
2 //Kelas : Teknik Koputer 1A
3 // Soal 2
4
5 import java.util.Scanner;
6
7 public class Soal2 {
8     public static void main(String[]
9         args) {
10         Scanner input = new Scanner
11             (System.in);
12         System.out.print("Masukkan
13             merek (X/Y/Z): ");
14         char merek = input.next
15             ().charAt(0);
16
17         System.out.print("Jumlah
18             beli: ");
19         int jumlah = input.nextInt
20             ();
21
22         int harga = 0;
23         double diskon = 0;
24
25         if (merek == 'X') {
26             harga = 40000;
27             if (jumlah >= 3) diskon
28                 = 0.10;
29         } else if (merek == 'Y') {
30             harga = 50000;
31             if (jumlah > 3) diskon =
32                 0.12;
33         } else if (merek == 'Z') {
34             harga = 60000;
35             if (jumlah >= 2) diskon
36                 = ((jumlah - 1) *
37                     harga * 0.15) /
38                     (jumlah * harga);
39         }
40
41         int total = harga * jumlah;
42         double potongan = total *
43             diskon;
44         double bayar = total -
45             potongan;
46
47         System.out.println("Total: "
48             + total);
49         System.out.println("Diskon:
50             " + potongan);
51         System.out.println("Bayar: "
52             + bayar);
53     }
54 }
```

Run

```
17.59 17:59 37%
Programiz Online Java Compiler
Soal2.j... Output
Masukkan merek (X/Y/Z): Y
Jumlah beli: 4
Total: 200000
Diskon: 24000.0
Bayar: 176000.0


=== Code Execution Successful ===
```

3.



The screenshot shows the Programiz Online Java Compiler interface. The browser address bar displays 'www.programiz.com'. The page header includes the Programiz logo and 'Online Java Compiler' text, along with a 'Programiz PRO' button. Below the header, there are tabs for 'Soal3.j...' and 'Output', and a 'Run' button. The main area contains the following Java code:

```
1 // Nama : Zhaira Rahmadini
2 //Kelas : Teknik Koputer 1A
3 // Soal 3
4
5 import java.util.Scanner;
6
7 public class Soal3 {
8     public static void main(String[]
9         args) {
10         Scanner input = new Scanner
11             (System.in);
12
13         System.out.print("Batas awal
14             : ");
15         int awal = input.nextInt();
16         System.out.print("Batas
17             akhir: ");
18         int akhir = input.nextInt();
19
20         int jumlah = 0, count = 0;
21
22         for (int i = awal; i <=
23             akhir; i++) {
24             if (i % 11 == 0 && i % 2
25                 != 0) {
26                 System.out.print(i +
27                     " ");
28                 jumlah += i;
29                 count++;
30             }
31         }
32
33         double rata = (count > 0) ?
34             (double) jumlah / count
35             : 0;
36
37         System.out.println("\nJumlah
38             : " + jumlah);
39         System.out.println("Rata
40             -rata: " + rata);
```




The screenshot shows the Programiz Online Java Compiler interface with the 'Output' tab selected. The browser address bar displays 'www.programiz.com'. The page header includes the Programiz logo and 'Online Java Compiler' text, along with a 'Programiz PRO' button. Below the header, there are tabs for 'Soal3.j...' and 'Output', and a 'Run' button. The main area displays the output of the code:

```
Batas awal: 10
Batas akhir: 100
11 33 55 77 99
Jumlah: 275
Rata-rata: 55.0

=== Code Execution Successful ===
```

4.



18.11 100% 4G 35%

www.programiz.com

Programiz
Online Java Compiler

Programiz PRO

Soal4.j... Output

```
1 // Nama : Zhaira Rahmadini
2 //Kelas : Teknik Koputer 1A
3 // Soal 3
4
5 import java.util.Scanner;
6
7 public class Soal4 {
8     public static void main(String[]
9         args) {
10         Scanner input = new Scanner
11             (System.in);
12         int angka;
13         do {
14             System.out.print
15                 ("Masukkan bilangan
16                 genap: ");
17             angka = input.nextInt();
18             } while (angka % 2 != 0);
19             System.out.println("Hasil: "
20                 + (angka + 1));
21         }
22     }
```

Run



18.11 100% 4G 35%

www.programiz.com

Programiz
Online Java Compiler


Programiz PRO

Soal4.j... Output

Masukkan bilangan genap: 50
Hasil: 51

=== Code Execution Successful ===


5.



The screenshot shows the Programiz Online Java Compiler interface. The code editor contains the following Java code:

```
1 // Nama : Zhaira Rahmadini
2 //Kelas : Teknik Koputer 1A
3 // Soal 5
4
5 import java.util.Scanner;
6
7 public class Soal5 {
8     public static void main(String[]
9         args) {
10         Scanner input = new Scanner
11             (System.in);
12
13         System.out.print("Awal: ");
14         int awal = input.nextInt();
15         System.out.print("Akhir: ");
16         int akhir = input.nextInt();
17
18         for (int i = awal; i <=
19             akhir; i++) {
20             if (i % 3 == 0 && i % 4
21                 == 0) {
22                 System.out.print(i +
23                     " ");
24             }
25         }
26     }
27 }
```

The code is intended to print numbers from 25 to 100 in increments of 4, but only those numbers that are divisible by both 3 and 4. The output field is currently empty.




The screenshot shows the Programiz Online Java Compiler interface with the output of the Java program. The output is as follows:

```
Awal: 25
Akhir: 100
36 48 60 72 84 96
=== Code Execution Successful ===
```

The output shows that the program successfully executed and printed the numbers 36, 48, 60, 72, 84, and 96, which are the numbers between 25 and 100 that are divisible by both 3 and 4.


6.



The screenshot shows the Programiz Online Java Compiler interface. The code editor contains the following Java code:

```
1 // Nama : Zhaira Rahmadini
2 // Nim : 2501083014
3 // Kelas : Teknik Komputer 1A
4
5 import java.util.Scanner;
6
7 public class Soal6 {
8     public static void main(String[]
9         args) {
10         Scanner input = new Scanner
11             (System.in);
12
13         System.out.print("Masukkan
14             umur PNP: ");
15         int umur = input.nextInt();
16
17         if (umur % 10 == 0) {
18             System.out.println
19                 ("Dekade PNP ke " +
20                     (umur / 10));
21         } else {
22             System.out.println("Dies
23                 Natalis PNP ke " +
24                     umur);
25         }
26     }
27 }
```

The code is a Java program that takes an age (umur) as input and prints the decade (Dekade) or day (Dies Natalis) of birth (PNP) based on the input. The code is written in a Java class named `Soal6`. The `main` method uses a `Scanner` to read the input and then uses a conditional statement to print the result.



The screenshot shows the Programiz Online Java Compiler interface with the output of the Java program. The output is as follows:

```
Masukkan umur PNP: 50
Dekade PNP ke 5
=== Code Execution Successful ===
```

The output shows that the user entered 50 as the age, and the program correctly calculated that it is the 5th decade (Dekade) of birth (PNP). The code execution was successful.

7.

20.53

Programiz

Online Java Compiler

Programiz PRO

Soal7.j...

Output

🌙

🔗

▶

```
1 // Nama : Zhaira Rahmadini
2 // Nim : 2501083014
3 // Kelas : Teknik Komputer1A
4 // Soal 7
5
6 import java.util.Scanner;
7
8 public class Soal7 {
9     public static void main(String[]
        args) {
10         Scanner input = new Scanner
            (System.in);
11
12         System.out.print("Jam lembur
            : ");
13         int jam = input.nextInt();
14
15         if (jam > 50) jam = 50;
16
17         int upah;
18
19         if (jam <= 20) {
20             upah = jam * 2000;
21         } else {
22             upah = (20 * 2000) +
                ((jam - 20) * 3000);
23         }
24
25         System.out.println("Total
```

Run

20.53

Programiz

Online Java Compiler

Programiz PRO

Soal7.j...

Output

🌙


🔗

▶

Jam lembur: 7
Total upah: Rp 14000

=== Code Execution Successful ===

8.



The screenshot shows the Programiz Online Java Compiler interface. The top bar includes the time 20:55, status icons, and the URL www.programiz.com. Below the header, there are tabs for 'Soal8.j...' and 'Output', and a 'Run' button. The main area contains the following Java code:

```
1 // Nama : Zhaira Rahmadini
2 // Nim : 2501083014
3 // Kelas : Teknik Komputer1A
4 // Soal 8
5
6 public class Soal8 {
7     public static void main(String[]
8         args) {
9         int n = 5;
10
11         for (int i = 0; i < n; i++)
12         {
13             for (int j = 0; j < n; j
14                 ++){
15                 if (i == 0 || i == n
16                     - 1 || i == j) {
17                     System.out.print
18                         ("0 ");
19                 } else {
20                     System.out.print
21                         ("x ");
22                 }
23             }
24         }
25         System.out.println();
26     }
27 }
```

A 'Run' button is located at the bottom right of the code editor.



The screenshot shows the Programiz Online Java Compiler interface with the 'Output' tab selected. The output displays the result of the Java code execution:

```
0 0 0 0 0
x 0 x x x
x x 0 x x
x x x 0 x
0 0 0 0 0

=== Code Execution Successful ===
```


9.

The left screenshot shows the source code for 'Soal9.j...':

```

1 // Nama : Zhaira Rahmadini
2 // Nim : 2501083014
3 // Kelas : Teknik Komputer1A
4 // Soal 9
5
6 import java.util.Scanner;
7
8 public class Soal9 {
9     public static void main(String[]
10         args) {
11         Scanner input = new Scanner
12             (System.in);
13
14         System.out.print("Masukkan
15             ukuran: ");
16         int n = input.nextInt();
17
18         for (int i = n; i >= 1; i--)
19         {
20             for (int j = 1; j <= n;
21                 j++) {
22                 if (j >= i) {
23                     System.out.print
24                         (j + " ");
25                 } else {
26                     System.out.print
27                         (" ");
28                 }
29             }
30             System.out.println();
31         }
32     }
33 }

```

The right screenshot shows the output of the code:

```

Masukkan ukuran: 7
7
6 7
5 6 7
4 5 6 7
3 4 5 6 7
2 3 4 5 6 7
1 2 3 4 5 6 7

=== Code Execution Successful ===

```

10 // Nama :Zhaira Rahmadini
 // Nim : 2501083014
 // Kelas : Teknik Komputer 1A
 // Soal 10

```

import java.util.Scanner;

public class Soal10 {
    public static void main(String[]
    args) {
        Scanner input = new
        Scanner(System.in);

        System.out.print("Tujuan
        (Surabaya/Yogya): ");
        String tujuan = input.nextLine();

```

Output
 Tujuan (Surabaya/Yogya):Surabaya
 Kelas
 (Eksekutif/Ekonomi):Ekonomi
 Jumlah Tiket : 5
 Harga Tiket :150000
 Total :750000
 Diskon :0.0
 Bayar:750000.0

```

        System.out.print("Kelas
(Eksekutif/Ekonomi): ");
        String kelas = input.nextLine();

        System.out.print("Jumlah tiket:
");
        int jumlah = input.nextInt();

        int harga = 0;

        if
(tujuan.equalsIgnoreCase("Surabaya")
) {
            if
(kelas.equalsIgnoreCase("Eksekutif"))
harga = 200000;
            else harga = 150000;
        } else if
(tujuan.equalsIgnoreCase("Yogya")) {
            if
(kelas.equalsIgnoreCase("Eksekutif"))
harga = 180000;
            else harga = 120000;
        }

        int total = harga * jumlah;
        double diskon = 0;

        if
((tujuan.equalsIgnoreCase("Surabaya"
) &&
kelas.equalsIgnoreCase("Eksekutif") ||
tujuan.equalsIgnoreCase("Yogya")
&&
kelas.equalsIgnoreCase("Ekonomi"))
&& jumlah >= 4) {
            diskon = total * 0.10;
        }

        double bayar = total - diskon;

        System.out.println("Harga tiket:
" + harga);
        System.out.println("Total: " +
total);
        System.out.println("Diskon: " +
diskon);

```

```
        System.out.println("Bayar: " +  
bayar);  
    }  
}
```