

PeopleCRM — full implementation spec

Every module, screen and workflow · July 5, 2026 · Source of truth: `PeopleCRM North Star.dc.html` — when this document and the prototype disagree, the prototype wins. Lift copy strings verbatim from it.

0 · Scope, sources & module map

This is the master spec for the whole app. Deep-dive companion documents exist for a few modules; where one exists, this spec gives the binding summary and defers detail to it:

- `handoff/UX-GUIDELINES.md` — the rules (idioms, tokens, copy grammar, motion). Applies to every section below.
- `handoff/IMPLEMENTATION.md` — shell, dashboard, People grid, person view/edit, Inbox, settings (full behavior + copy).
- `handoff/DIRECTION-FOR-OPUS.md` + `handoff-sweep/IMPLEMENTATION.md` — repo deltas, navbar/palette/polish sweep.
- `handoff/FORMS-PLAN-FOR-OPUS.md` — Forms, end to end.
- `handoff-newsletter/NEWSLETTER.md` — New-newsletter wizard.
- `Deliveries Spec.dc.html` — Deliveries (yard signs → routes → volunteer links).

Figures: every screenshot is captured pixel-perfect from the North Star prototype and lives in `assets/spec-final/`, named by screen. Prototype-only chrome (the "Design notes" pill, numbered pins, "mobile design →" buttons) is annotation UI — hidden in these captures and never implemented.

Sidebar IA & module map

SECTION	ITEM · BADGE	ROUTE	SPEC
—	Dashboard	<code>/dashboard</code>	§2
WORK	Inbox · open count / Tasks · SLA-breach count / People	<code>/inbox</code> · <code>/tasks</code> · <code>/people</code>	§3 §4 §5
OUTREACH	Newsletters / Lists / Forms / Donations	<code>/newsletters</code> · <code>/lists</code> · <code>/forms</code> · <code>/donations</code>	§11 §8 §10 §12
FIELD	Canvassing / Deliveries · ready count / Teams	<code>/canvassing</code> · <code>/deliveries</code> · <code>/teams</code>	§13 §14 §15
DATA	Import / export / Duplicates · queue count / Tags / Issues / Automations	<code>/imports</code> · <code>/duplicates</code> · <code>/tags</code> · <code>/issues</code> · <code>/automations</code>	§17 §9 §16
ADMIN	Users / Activity / Workspace	<code>/users</code> · <code>/activity</code> · <code>/workspace</code>	§18 §19 §21
avatar menu	Profile · Settings (popup) · Sign out	<code>/profile</code>	§20 §21

Households and Companies are grains of the People grid (§6, §7) plus their own detail/edit routes. A PINS section appears above WORK when the user pins pages from the navbar bookmark.

1 · Global foundations (apply to every screen)

- **Type & tokens.** Inter, body 400 (never 300); weight is hierarchy. DaisyUI semantic tokens only, tints via `color-mix`; hairlines use `--color-line`. Zero hardcoded hues; test dark theme on every change. Counts always `tabular-nums`.
- **Navbar.** Breadcrumbs live in the navbar (real names, no fake Home, record slug rides along, ellipsis overflow rules). Then: search icon (⌕ opens inline field), fullscreen, bookmark-pin, theme, notifications, avatar. Command palette on ⌘⇧K (actions + people + "Filter People by "q""); grid search lands as a removable *Search: "q"* chip).
- **Sidebar.** Section headings 10.5px/500/.09em uppercase at 45%; items 13px, active = 600 + primary (stays lit on child routes); count badges are primary-tint pills. «» collapse to a 60px icon rail (tooltips carry "Inbox · 12"); no hover-peek expansion.
- **Idioms.** One idiom per job, verbatim from UX-GUIDELINES §4: status chips (99px pill, 600, semantic tint) · explained-disabled (tooltip on desktop, inline sub-text on touch) · name-is-the-door underlines (22% underline, offset 3px) · toasts (max 3, coalesce ×N, 520px, one clause "Did X — consequence") · danger confirms style the SAFE action primary · empty state = icon + cause + one action · bulk confirms repeat the number · destructive verbs demoted to / end of bulk bar in error color · Save never disables (coach inline, focus first problem) · leave guards name the subject.
- **Feedback.** :focus-visible primary ring everywhere; skeletons over spinners (spin only behind the ~300ms loading gate); saved-flash on inline commits; tab title "{Screen} — PeopleCRM" with live counts; motion only from the house vocabulary (up/down/drop 0.3s, flash, savedFlash) with prefers-reduced-motion guard.
- **Security surface.** Routes use record slugs, never tenant/internal IDs; raw backend errors never reach the UI.
- **Declined:** the Density preference is cut (owner decision) — light + dark only.

1.1 Mobile — the same app at small widths

Responsive web app, not a companion app — state, records and IA are shared with desktop. The slim top bar is ≡ · logo · avatar; the ≡ drawer carries the **full sidebar IA** (pins, sections, count badges). Pickers become bottom sheets, targets are 44px+, and disabled controls put their reason inline — there is no hover on touch.




Fig. 1 — Mobile: People grid with segmented views; Inbox list with counted folder chips; thread detail with back button and full-width triage verbs.

- **People grid:** the toolbar folds into one burger menu — every action keeps its label and disabled actions keep their reasons. All / Donors / Volunteers survive the collapse as a one-tap segmented control with counts. Rows clear 44px and keep the name-as-door underline; selecting rows raises the bulk bar, and **Add tag opens a bottom sheet** ("Applies to 3 selected people") whose confirm repeats the scale — "Add 2 tags to 3 people".
- **Inbox:** the three desktop panes become a stack, one pane at a time — folders become counted chips (Open · Mine · Unassigned · Closed · Trash), the list runs full-width, and detail slides in with a back button. Reply and Close conversation are full-width 44px buttons; the SLA pill and status chip travel with the thread; Sync stays one tap beside its evidence line.
- **Prototype scope:** People and Inbox are built at mobile width in the North Star; other drawer destinations narrate that they navigate in the real responsive app.

2 · Dashboard




Fig. 2 — Dashboard: briefing sentence with door links, getting-started card, next-action cards.

- **Briefing paragraph** under the greeting: one sentence-flow where the numbers are inline primary links ("6 unassigned conversations" → Inbox, "3 tasks" → SLA detail, "212 new contacts" → People, newsletter draft → Newsletters). Right: quiet "Reload stats" (spins behind the gate; toast "Stats reloaded — all figures current as of now"; tiles show skeletons while loading).
- **Getting-started card** ("GETTING STARTED · 2 of 3 done"): completed steps show success checks with evidence ("5,012 imported", "hello@riverton.vote verified"); next step is a primary link. Dismissible with a toast noting where it lives afterwards.
- **3 next-action cards** (warning / error / neutral tints, kicker + 26px number + underlined CTA) · **5 quiet stat cards** (no rainbow colors) · growth chart (primary line, 14% area) beside "Coming up" list · representative performance table (no zebra, tinted resolution/breach pills). Donut, insights card and bottom bar chart are cut.

3 · Inbox

Full behavior + copy: handoff/IMPLEMENTATION.md §5. Binding summary:




Fig. 3 — Inbox: folder icon rail, list, detail with SLA pill, person context rail.

- **Layout:** folders panel (collapsible to a 54px icon rail) | list 280–320px | detail (min-width 340px) | person context rail 236px. With the rail on, folders default to the icon rail and the list narrows to 280px.
- **Folders panel:** triage views with counts (Open · Mine · Unassigned · Closed) + collapsible FOLDERS (Sent, Drafts, Spam, Trash). Primary **New email**; quiet **Sync now** beside evidence "Synced 2 min ago"; result toast counts ("Inbox synced — 2 new emails in Open, 1 thread updated").
- **Detail header:** subject + status chip; Assigned-to select; ONE Reply menu (Reply / Reply all / Forward); Close/Reopen toggle; Delete → Trash (Trash adds Restore + "Delete forever"); menu: Create task..., —, Star/Unstar, Mark as unread, Mark as spam, —, Print. **SLA pill** on every thread ("First response due in 5h · 8h SLA" / "...sent in 1.2h · within SLA" / "Closed within SLA").
- **Create task dialog:** title prefilled "Follow up: {subject}", assignee, due date; "The email thread stays linked to the task"; toast repeats all three facts.
- **Below the body:** quiet tab row — Comments {n} · Activity {n} (active = primary + 600 + 2px underline; "Hide" link only while open). Comments footer: "Comments are internal — the sender never sees them." Activity = icon timeline received → synced → matched → assigned → commented → closed.
- **Person context rail:** avatar, name-as-door, "Donor · Ward 5", email + "Last inbound 2h ago", TAGS/ISSUES chips, Open record. Collapses to a 48px strip that keeps the avatar.
- **Optimistic + undo:** assign/close/tag apply instantly with saved-flash; undo-stack idiom extends here; list scroll position is restored on back.

4 · Tasks




Fig. 4 — One dataset, two views: board with take-buttons and < > moves; list grouped by due bucket.

- **Two views, one dataset:** Tasks list (sidebar default, /tasks) and Task board (/tasks/board); each header carries a swap button ("Open board" / "Open list"). Count sentences: list "12 open tasks · 2 breaching SLA · 4 assigned to you"; board "... 3 waiting for an owner". The sidebar Tasks badge is the live SLA-breach count.
- **Board:** four columns — To do · In progress · Waiting · Done — with count pills. Card: title · optional meta line · optional waiting reason with clock icon · SLA pill · assignee initial (title tooltip) or a dashed **Unassigned** pill that is a one-click take button (tooltip "Take this task — one click assigns it to you"). < > buttons move a card one column; at either end the button dims with the reason in its tooltip. Moves flash the card.
- **List:** tabs with counts — All · Mine · Unassigned · Done. Rows grouped under colored due-bucket headings with count pills; each row: check-circle (completes; done rows strike through and dim), title, person door link, waiting line, SLA pill, due date, assignee initial or the same Unassigned take pill. Per-tab guided empty states with a New task exit.
- **New task dialog:** Title (required — error border + focus on miss, button never disables), Assignee select (default Unassigned), Due (Today / Tomorrow / Next week). Toast: *Task created — "{title}" assigned to {name} / waiting for an owner, due today*. New card lands in To do with a flash.
- **Sources:** tasks are created here, from Inbox threads (§3, stays linked), and by automations. SLA breaches can trigger the "Task breaches SLA" automation (§16).

5 · People — grid, person view, person edit

Full behavior + copy: handoff/IMPLEMENTATION.md §2–4. Binding summary + additions:




Fig. 5 — People grid: grain tabs, system views, filter chips, toolbar.

- **Grain tabs** under the header switch the grid between **People** · **Households** · **Companies** (counts in labels). Sentences: "43 match your filters · 5,012 people total" · "1,890 households across 8 wards" · "611 people in 214 companies".
- **Filter truth is chips:** system views (All / Donors / Volunteers with counts) + Tags and Issues checkbox pickers (OR, land as ONE chip: "Tags: any of donor, host") + dashed Add-filter pills + filter panel + query builder — mutually exclusive with explained-disabled copy verbatim. Empty state = count sentence + primary "Clear all filters".
- **Toolbar:** Refresh | Undo · Redo (tooltips name the change) | Import CSV · Export CSV | Filters · Query builder | Columns. **Bulk bar:** "{n} selected" | Add tag | Export | Merge (exactly 2) | Clone (exactly 1) | error **Delete {n} people**; page/all-matching selection banners narrate scale.
- **Rows:** the name cell is the door ("Unnamed person" fallback stays clickable); Address column wraps; inline edit commits with savedFlash + undo push + toast "Saved — email updated for {name}". Honest pagination.
- **Person view:** real name title, PERSON eyebrow, status chip; pager "4 of 43 filtered" walks the filtered set; Edit person + (Export vCard, Merge into another person..., —, Delete person... with "Keep person" primary). Tabs with counts: Activity · Donations · Emails · Volunteer · Household. Contact card: copy buttons always visible; ADDRESS value links to the household; TAGS (secondary) + ISSUES (info) chips; guided Household empty state → Assign household.
- **Person edit:** dirty chip "Unsaved changes · {n} fields"; Save never disables (email coaches inline; Save focuses first invalid); save toast names the fields; leave guard ("Discard changes" plain / "Keep editing" primary). **Address is not an input:** read-only surface + "Addresses belong to households, so everyone at the same address stays in sync." + "Edit on household" (§6). Tags/Issues chip editors with dashed suggestion chips.




Fig. 6 — Person view with pager and counted tabs; person edit — Address is a read-only surface with the "Edit on household" exit.

6 • Households




Fig. 7 — Household detail with map card and member exits; edit with Places autocomplete, manual-fields disclosure and geocoding facts in the rail.

- **Model:** households group people *by address* — "edit a member's address and the household follows". The household owns the address, geocode, ward/district/precinct, household tags/issues and door notes. A "people without an address" door applies an *Address is empty* chip on the People grain.
- **Households grain:** rows door into household detail; filter chips for ward, tags, issues and lists; sentence flips to "N of 1,890 households match the filters" when filtered.
- **Detail** — /households/:id: header card (HOUSEHOLD eyebrow, address as title, "Ward 5 · 3 people · last touch"), **Edit household**, primary **Log an interaction** ▾ menu. Left: map card (opens the maps app; ward chip + address chip overlays) · DETAILS (City, First seen, Grouping: "By address — edit a member's address and the household follows") · DOOR NOTES. Right: MEMBERS (avatar, name door, email, tags; members known only from canvass data get a dashed **Create record** button) · ACTIVITY AT THIS DOOR (icon timeline — knocks, deliveries, form fills, edits).
- **Edit — address via Google Places:** "Search address" autocomplete (suggestions dropdown, "powered by Google" footer). Helper: "Picking a suggestion fills every field below and geocodes the household — ward, district and precinct update automatically." A disclosure reveals manual fields (Unit, Street number, Street name, City, State, ZIP, Country, Home phone) with: "Manual edits are saved as typed — they geocode in the background, and the map pin appears once the address verifies."

- **Edit — rest:** SEGMENTATION (household tags + issues chip editors, Enter to add) · DOOR NOTES textarea · right OVERVIEW rail (First seen, Members, Geocoding status chip, Ward, District, Precinct + "Electoral boundaries come from the geocoder — they refresh in the background after save."). Save household / Cancel; standard dirty machinery.
- **Consumers:** geocoded households power Deliveries readiness, canvass turfs and the coverage map. Geocode states surface as chips (Located / Locating... / Address problem) — never hidden rows.

7 · Companies




Fig. 8 — Company detail with enrichment card; edit with enrichment-aware helpers and the danger zone.

- **Model:** companies are grouped from the person *employer* field — "edit a person's employer and they move companies". Deleting a company clears only the grouping: "Employees keep their person records — only the employer grouping clears."
- **Detail** — /companies/:id: header (COMPANY eyebrow, initials tile, name, industry chip, sub with people count + giving) · **Enrich** button (tooltip: "Queue a Google Places lookup — fills website, phone, industry and description where blank"; icon spins while the job runs) · primary Edit company. Body: CONTACT (website/email/phone) · GOOGLE ENRICHMENT card (status chip + "Runs as a background job — a Places text search finds the business, then place details fill website, phone, industry and description *where they are blank*. Fields you typed are never overwritten.") · ABOUT · PEOPLE — N (name doors; employer-only entries show "Employer field only — no person record yet") · ACTIVITY · INTERNAL NOTES.
- **Edit:** Company name (required — "Name the company — the grid and person profiles use it"), Website, Industry, Email, Phone, Description ("Google enrichment fills this if left blank."), Internal notes. Right rail: OVERVIEW (People, Giving, Enrichment chip) + DANGER ZONE delete behind a danger confirm.

8 · Lists




Fig. 9 — Lists table with type chips and consumers; New-list dialog doing its math in public.

- Sentence:** "9 lists · 5 smart (refresh themselves), 4 static (fixed snapshots)". Footer explainer verbatim: "Smart lists refresh themselves — membership updates automatically as people and households change. Static lists run their rules once at creation and save a fixed snapshot; membership only changes when you edit it by hand. Opening a list shows it applied on the grid."
- Table:** LIST (name door — opens the grid with the list applied as a chip) · TYPE chip (Smart/Static) · OF (People / Households) · DEFINITION (human sentence of the rules) · MEMBERS (right, tabular) · LAST USED IN (the consuming newsletter/turf/form) · UPDATED.
- New list dialog:** Name (required, coach inline) → Smart vs Static selectable cards → Of: People vs Households cards → rule builder (Match **all** / **any** segmented conjunction; rows of field + operator + value; nested groups via "Add group"). **Live preview does its math in public:** "Matches 1,284 people right now" + mode note — Smart: "this count keeps changing on its own — the rules re-run automatically as records change." / Static: "the rules run once when you create the list. Today's matches are saved as fixed members — new matching people are NOT added later." Create button carries the scale: "**Create smart list — 1,284 now**" / "**Create static list — snapshot 1,284**".
- Related workflows:** newsletters include/exclude lists (§11); forms join responders to lists (§10); turf cutting takes a *smart* list as its universe (§13); CSV import can add everyone to a *static* list (§17); grid bulk selection can be saved as a list. Deleting a list in use must name its consumers in the confirm body.

9 · Tags, Issues & Duplicates

9.1 Tags admin




Fig. 10 — Tags admin: unused-tags callout, application counts as doors.

- Sentence: "24 tags · 3,412 applications · 3 unused in 90 days". An **unused-tags callout** (with an "Unused 90d" chip per row and a Show/Hide toggle button) drives hygiene.
- Table: TAG chip (secondary tint) · PEOPLE (count is a door to the grid pre-filtered) · LAST APPLIED · CREATED BY · menu: Rename tag / Merge into another tag ("Move everyone to" select) / — / Delete tag (danger confirm names the application count). Name input placeholder: "lowercase, short, reusable"; dupes and blanks coach inline.
- Footer contract: *"Renames and merges apply everywhere a tag is referenced — people, lists, automations and forms — in one pass."*

9.2 Issues admin




Fig. 11 — Issues admin: ranked interest with proportional bars and trends.

- Ranked table: # · ISSUE chip (info tint) · PEOPLE INTERESTED (proportional bar + count door) · TREND (signed, colored) · TOP WARD · (Rename / Merge / Delete — same idiom as tags). Sentence: "12 issues · 2,148 people shared what they care about — from forms, surveys and profile edits."
- Issues flow in from survey forms and profile edits; the ranking exists for the policy team. Issues stay a separate field from tags everywhere (info tint vs secondary tint) because they power issue filtering/targeting.

9.3 Duplicates




Fig. 12 — Duplicates: pair card, highlighted why-flagged rows, safe/primary verbs.

- Sentence: "2 possible duplicates waiting · found by the nightly sweep — email, phone, then name + ward · last sweep 3:04 AM". Sidebar badge = queue size. Empty state (success check): "No duplicates waiting" + "The sweep runs nightly at 3:00 AM. Imports catch most duplicates on the way in — this queue is for what slips through."
- **Pair card:** confidence chip + why-flagged sentence · side-by-side field comparison grid (both records with source lines; the left record's name is a door; **highlighted rows are why the pair was flagged**) · result preview line · buttons: quiet "Not duplicates" and primary "Merge into one".
- **Rules:** merges fill blanks and never overwrite; reversible for 30 days from Activity; "Not duplicates" is remembered so the pair isn't re-flagged. The grid's Merge (exactly 2 selected) and person-view "Merge into another person..." reuse this comparison UI.

10 • Forms

Full plan incl. schema, endpoints and phases: handoff/FORMS-PLAN-FOR-OPUS.md. Binding rules:




Fig. 13 — Forms: browse cards with lifecycle chips; edit mode mutating the live form beside its preview.

- A form is a **living funnel with a lifecycle**: draft → published → archived. Five contextual verbs (Publish / Unpublish / Archive / Restore / Delete), never a status dropdown. Restore lands in *draft*. Delete exists only for zero-response drafts; everything else archives (public link shows a friendly "closed" page).
- **Email is the identity key** — always on, always required; submissions upsert a person by email, apply the form's tags + a Source: <form name> system tag, join its lists, send the confirmation email. Responses are windows onto People, not a parallel store.
- **Two modes, no builder page**: browse (form cards + preview) and edit (settings column live-mutating beside the public preview — "Changes apply to the live form instantly — nothing to save."). Types (Signup / Pledge / RSVP / Request / Survey) are creation templates + a display chip, not navigation. Public page at /f/:slug; embed dialog emits iframe or raw-HTML snippets regenerated from current fields.
- Donation forms (§12) are forms of type *pledge/donation* wired to Stripe checkout; every paid submission records a donation.

11 · Newsletters




Fig. 14 — Newsletters: campaign table with contextual row actions; wizard audience step with the math box.

- **List page**: 5 stat cards; campaigns table — CAMPAIGN · STATUS chip (Sent / Sending / Scheduled / Draft) · AUDIENCE · OPEN · CLICK · DATE · one contextual action button per row (view report / edit draft / cancel schedule). Primary **New newsletter**.
- **Wizard** (full spec: handoff-newsletter/NEWSLETTER.md): pill steps Template → Content → Audience & details → Review & send; locked steps narrate why. Sender is a **select of verified senders** with a "Verify a new sender..." exit — never free text. The **audience math box does its arithmetic in public** (included lists + tags –

overlap – exclusions – bounced-skipped = total) and that one total drives the button ("Send to 1,312 people"), the preflight dialog and the queued toast. Save draft + leave guard; test sends toast their recipient; merge fields note links to Workspace → Communications.

- **Ecosystem:** audiences come from Lists + Tags (§8, §9); unsubscribes and new subscribers fire automation triggers (§16); bounce skipping reads the Workspace setting and says so.

12 • Donations




Fig. 15 — Donations: header sentence, quiet stat cards, recent gifts with receipt chips.

- **Header:** sentence "\$4,210 raised this month across 62 gifts". Buttons: quiet **New donation form** (tooltip: "Create a public form that charges cards through Stripe and records every gift here" — lands in Forms with the donation template) and primary **Record donation** for offline gifts.
- **Stat cards (4):** THIS MONTH (delta "+18% vs April") · AVERAGE GIFT ("across 62 gifts") · monthly-donor and receipt-status tiles — quiet stat style, primary icons.
- **Recent donations table:** Donor (door) · Amount (right, tabular) · Method · Date · Receipt chip. "Showing the latest 8 of 62". New rows flash in.
- **Record donation dialog:** Donor select (miss: "Choose who gave this gift — receipts need a name"), Amount with \$ prefix (miss: "Enter an amount above zero, like 50"; focuses the field), Method (Card / Check / Cash / Bank transfer). Helper: "A receipt goes out automatically — that's set in Workspace settings → Donations." Save toast: "Saved — \$50 from {name} recorded and receipted".
- **Wiring:** gifts land on the person's Donations tab and the Activity log; "Donation recorded" and "Billing / payment event" (Stripe webhooks) are automation triggers; donation exports go through the grid/toolbar and land in Import / export (§17); receipt + Stripe settings live in Workspace → Donations.

13 · Canvassing

Maps ruling (applies to §6, §13, §14): production uses the **Google Maps Platform** — Maps JavaScript SDK for the coverage and turf maps, Places Autocomplete for household addresses (§6), Geocoding for the voter file, and the maps deep-link for door/route navigation. The prototype's Leaflet/OpenStreetMap map is a stand-in only.




Fig. 16 — Canvassing: live field card with response mix, turf map strip, turf table below.

13.1 Turfs & assignments — /canvassing

- Sentence: "9 turfs · 3 in the field now · 1,412 of 2,860 doors attempted · 2 waiting for a canvasser". Tabs: **Turfs & assignments** · **Field report**. Primary: **Cut new turfs**.
- **"In the field today" live card:** doors knocked + conversations (26px numerals) + response-mix stacked bar with legend — "Live — updates as knocks are logged"; "Full field report →" link.
- **Turf map strip:** turf polygons tinted by status over the ward map; caption "Auto-cut keeps turfs contiguous and off Route 9 and the river".
- **Turf table:** TURF (name + status chip: Complete / In field now / Sent to app / Draft — unassigned; universe list link underneath) · SIZE (doors + voters) · TEAM (assignee door + sub, or dashed **Assign** → menu "SEND TO A TEAM'S CANVASS COMPANION" listing teams with sizes, plus "Copy a link instead — Anyone who opens it works this turf — no account needed") · PROGRESS (bar + "n of m" + conversations line; live dot on active turfs) · LAST ACTIVITY · menu: Reassign... / Copy app link / Refresh from list / Print walk sheet / — / Retire turf (error).
- Footer contract: "Assigning a turf sends it to every member of its team's Canvass Companion — the Companion is a web app, so a copied link does the same job for walk-up volunteers. Progress and conversations sync back live — knocks land on the person, the household, and the Activity log."

13.2 Cut new turfs (dialog)

- **Universe — who gets knocked:** select of *smart lists* with counts ("Persuasion universe — 1,240 people"). Helper: "Turfs cut from a smart list stay refreshable when the list changes."
- **Doors per turf:** 30 — short shift / 40 — recommended / 50 — experienced canvassers / 60 — pairs. Helper computes time: "About 96 minutes per turf at 25 doors an hour."
- **Preview box (math in public):** "1,240 people · ~860 doors → 21 turfs of ~41 doors each" + "Each turf is contiguous and won't cross Route 9, the rail line or the river. Rebalance on the map afterwards if a turf feels off." Confirm button repeats scale: "**Cut 21 turfs**".
- **Cutting engine:** cluster geocoded households (one door per household) into contiguous groups near the target size; hard barriers (highways, rail, water) come from the map data and are never crossed. New turfs land as "Draft — unassigned"; "Refresh from list" re-syncs a turf's doors with its smart list without losing knock history.

13.3 Field report

- **Range control:** segmented Today / Yesterday / This week / This month / Campaign / Custom... (date pair) + rendered range text. **Export CSV:** "Report exported — doors, conversations and responses by team and by day (CSV)".
- **Blocks, top to bottom:** stat tiles (doors, conversations, contact rate, support IDs — with deltas) · "What voters said at the door" stacked bar (share of doors attempted) · "Doors knocked" per-day bars (conversation vs no answer) · **Coverage** with a Street map / By ward toggle · "Performance by team" table (doors, convos, contact rate, support IDs, 14-day sparkline; team name doors) · "When doors answer" (contact rate by time of day; "Evenings answer best — schedule shifts 4–8 pm when you can.") · "Top canvassers" ranked list (name doors).
- **Street map:** per-door dots — Conversation (success) / Knocked, no answer (primary) / Not yet knocked (muted) — with dashed turf boundaries; drag to pan, wheel zoom off so the page scrolls. Google Maps SDK against the geocoded voter file in production.
- Footer: "Every number here flows in from synced Canvass Companions — nothing is entered by hand. Contact rate counts conversations per door attempted; support IDs are strong + lean support. Totals include retired turfs."

13.4 Canvass Companion

- The volunteer-side web app (prototypes: `Canvass Companion.dc.html` mobile, `Canvass Companion Web.dc.html`). Turfs arrive via team assignment or tokenized link (no account); volunteers walk the door list, log outcomes and responses; every knock syncs live to the person, household, turf progress and Activity log. Offline-tolerant: knocks queue locally and sync when back online.

14 · Deliveries

Fully specified in `Deliveries Spec.dc.html` : requests grid with bulk approve/decline and readiness chips → pure-preview route planning ("Preview doesn't save anything") with explained leftovers → route detail (volunteer assignment, tokenized volunteer link, reorder with server-side re-estimates, mandatory activity feed) → mobile volunteer route page (deliver / can't-deliver with reason / defer to end, undo always available). "Open in Google Maps" deep-links the whole route. The sidebar badge is the live count of approved-and-ready requests.

15 · Teams




Fig. 17 — Teams: cards with next shift and lead line, no-lead warning chip.

- Sentence: "4 teams · 18 volunteers · 42 shifts this month". Primary: **Add volunteer** (dialog picks the person, team and role — confirm "Add to team").
- **Team cards:** name · wards covered · description · overlapping member avatars + "6 volunteers" · next shift · lead line. A team without a lead shows a warning chip **No lead** + "Shift questions and escalations have nowhere to go — pick a lead".
- **Volunteer table:** VOLUNTEER (name door → person profile) · TEAM · ROLE chip (Lead / Member) · SHIFTS · 30D · LAST SHIFT.
- **Boundary rule** (footer, verbatim): "Volunteers are people records — their names open their profiles. Logins for campaign staff are managed under Admin → Users." Teams are the assignment target for turfs (§13); shift status changes fire the "Volunteer shift status" automation trigger.

16 · Automations




Fig. 18 — Automations: status toggles, recipe sentences, inline failure narration.




Fig. 19 — New automation: trigger picker with 12 event cards; sequence editor with trigger card, step flow and workflow-settings rail.

- **List** — /automations: sentence "6 automations · 4 active · 1,847 runs in the last 30 days". Rows: STATUS toggle (pause/resume with state-aware tooltip; paused rows dim + "Paused" sub-label) · AUTOMATION (name door + one-line recipe sentence) · RUNS 30D · LAST RUN (failures show an inline error line in error color, e.g. the failing step). Footer: "Every run is written to the Activity log. Pausing stops new runs immediately — nothing queues while paused."
- **Trigger picker** (new automation, or Change on the trigger card): "Select a trigger event — The trigger decides when someone enters this automation; everything after it is the sequence." 12 cards: Manual enrollment · Form submitted · Person created · Tag added · List joined · Donation recorded · Billing / payment event (Stripe webhooks) · Volunteer shift status · Task breaches SLA · New subscriber · New unsubscriber · Date arrives — each with an icon, a one-line description and "Select trigger".

- **Editor — sequence tab:** vertical flow — trigger card (left-tinted, "TRIGGER — WHEN", Change link) → dashed + insertion points between every step, opening an ADD A STEP menu (Wait · Send email · Add tag · Create task · Notify team — each with a hint line) → wait pills (warning tint, inline duration input, e.g. "1 day") and step cards (icon tile, kind label, inline value input, remove) → EXIT AUTOMATION terminator pill. Empty state: "No steps yet — use the + above to add the first one. Waits, emails, tags, tasks and notifications can be mixed in any order."
- **Editor — right rail:** WORKFLOW SETTINGS (Name — required, "Name the automation so the list and the Activity log can name it"; Description "What it does, for the next teammate"; Active/Paused toggle — Active: "Runs every time the trigger fires. Pausing stops new runs; nothing queues." / Paused: "Paused — nothing runs or queues until you resume it.") · ONLY ENROLL IF condition rows (field is/is not/is at least/contains value; empty: "No conditions — everyone who hits the trigger enrolls.") · SEQUENCE OVERVIEW facts · RECENT RUNS (per-run Success/Failed chips; empty: "No runs yet — history appears here after the first trigger fires.").
- **Enrolled tab:** table CONTACT · ENTERED · WHERE THEY ARE (current step) · STATUS chip. Rule: "Enrollment is per contact — someone already in the sequence isn't enrolled twice by the same trigger." Empty state: "No one enrolled yet — Contacts appear here the first time the trigger fires. Save the automation active and it starts watching immediately."

17 · Import / export




Fig. 20 — Import / export: history with outcomes and skipped-row downloads; CSV wizard upload step.

- **History page** with tabs **Imports N / Exports N**. Imports sentence: "7 imports this year · 1,214 people created · 39 duplicates merged". Imports table: FILE (mono + size) · WHEN · BY · OUTCOME (counts; skipped rows stay downloadable with per-row reasons) · TAGS APPLIED. Footer: "Every import keeps its source file for 90 days, and skipped rows stay downloadable with the reason each was skipped."
- **Exports tab:** FILE · WHEN · BY · CONTENTS · DOWNLOAD (size link). "New export" deliberately redirects: "Exports start where the data is — filter the People grid or Donations and use Export in the toolbar. Finished files land on this page." Files kept 30 days; every export logged to Activity.
- **CSV import wizard** — /imports/new, steps Upload → Map columns → Review → Import; subtitle contract: "Headers in the first row · duplicates are matched by email · nothing is written until the last step".
- **Upload:** drop zone + rules (headers drive auto-mapping; duplicate rows are caught at review, not silently duplicated; UTF-8 and Excel both work). File line "canvass-signups.csv · 131 rows · 6 columns" + "Choose another file". **Map columns:** per column — mono header + sample values → field select incl. " — Skip this

column —" (Skipped chip); live sentence "4 of 6 columns mapped · 2 will be skipped · matching by the header row".

- **Review:** duplicates card ("3 ROWS MATCH PEOPLE YOU ALREADY HAVE", each email → matched-person door) with radio options — *Merge into the existing people* ("Recommended — fills blank fields, never overwrites") / *Skip the 3 duplicate rows* / *Import as new people anyway* ("Creates 3 duplicates to resolve later in Duplicates"). Bad-email card ("2 ROWS HAVE EMAIL PROBLEMS", row + value listed): *Skip the 2 rows* ("Download them after the import to fix and retry") / *Import without an email* ("They can't receive newsletters until an email is added"). Plus: tag everyone (comma separated) and add everyone to a *static* list.
- **Confirm & run:** recap rows (file, columns, duplicates choice, bad-rows choice, tags, list) + "The import writes in one pass and lands in the Activity log." Button repeats scale: **"Import 131 people"** → working state ("Importing 131 rows... Matching by email, merging duplicates and applying tags") → done card "Imported 128 people" with counted lines and doors, then **View imported people** / Import another file / Back to import history.

18 · Users (admin)

Users

7 users · 6 active, 1 invited · 2 admins · 7 of 10 seats on the Campaign plan

USER	ROLE	STATUS	MFA	LAST ACTIVE
Zee Hamid (you) zee@riverton.vote	Admin	Active		Now
Dana Fields dana@riverton.vote	Admin	Active		12 min ago
Omar Reyes omar@riverton.vote	Admin	Active		1h ago
Kal Chen kal@riverton.vote	Admin	Active	—	3h ago
June Park june@riverton.vote	Admin	Active	—	Yesterday
Maya Brooks maya@riverton.vote	Admin	Active	—	Yesterday
Theo Marsh theo.marsh@gmail.com	Admin	Invited	—	Invite sent May 12

Users are staff logins — volunteers live in [Teams](#) and don't need an account. Require MFA for everyone in [Workspace](#) → [Teams & access](#).

Fig. 21 — Users: seat sentence, inline role selects, MFA column, contextual menus.

- **Sentence:** "7 users · 5 active, 1 invited · 2 admins · 7 of 10 seats on the Campaign plan". Primary: **Invite user** — dialog: Email (miss: "Enter the email the sign-in invitation should go to") + Role select with plain-language scopes (Admin — everything, including this page / Editor — edit records, send, import / Viewer — read-only) + "Invitations expire after 7 days and use a seat once accepted — 3 of 10 seats remain on the Campaign plan."
- **Table:** USER (avatar, name, email) · ROLE (inline select; your own row is locked with the reason in the tooltip) · STATUS chip (Active / Invited / Deactivated — deactivated rows dim) · MFA (success check or —) · LAST ACTIVE · menu, contextual: Re-send invitation (invited) / Reactivate (deactivated) / Deactivate... (error, danger confirm with **"Keep user"** as the primary safe default) / "This is you" (self).

- **Boundary + policy:** "Users are staff logins — volunteers live in Teams and don't need an account. Require MFA for everyone in Workspace → Teams & access." You can't demote or deactivate yourself.

19 · Activity log




Fig. 22 — Activity log: day groups, actor + door sentences, kind chips.

- **Sentence:** "38 events shown from the last 3 days · the log keeps 90 days". Filters: actor select (Everyone / System / each user) and kind select (All activity / Edits / Imports / Sends / Automations / Field / Settings). **Export log** → "Exported 38 events to activity-log.csv".
- **Day-grouped rows:** time · actor avatar (System events get a cog tile) · sentence whose object is a door link ("Dana Fields — approved 6 requests on Deliveries") · kind chip. Filter-empty state offers Clear filters.
- **Coverage contract:** "Every write in the workspace lands here — edits, imports, sends, automation runs and settings changes." Public/volunteer actions attribute honestly ("via volunteer link", "via Canvass Companion"), never a fake user. Merges are reversible from here for 30 days (\$9.3).

20 · User profile

The screenshot shows the 'Profile' page in the PeopleCRM application. On the left is a sidebar with navigation links: Dashboard, WORK (Inbox 12, Tasks 3, People), OUTREACH (Newsletters, Lists, Forms, Donations), FIELD (Canvassing, Deliveries 23, Teams), and DATA (Import / export, Duplicates 2). The main content area is titled 'Profile' and features a header card for 'Zee Hamid' (Owner, Verified, zee@riverton.vote, Member since Jun 25, 2026). Below this is a 'Profile' card with fields for First name (Zee), Last name (Hamid), and Email address (zee@riverton.vote). It includes a 'Save changes' button and a 'Reset' button. To the right is an 'ACCOUNT' facts rail showing Role (Owner — full access), User ID (1), Member since (Jun 25, 2026), and Last update (Jul 4, 2026). At the bottom right is a 'YOUR ACTIVITY' section showing 3 conversations assigned and 2 contacts added. The bottom left of the main area has an 'Email notifications' card.

Header card: Zee Hamid (Owner, Verified) · zee@riverton.vote · Member since Jun 25, 2026

Profile card (deliberate save): Your name appears on tasks, notes and the Activity log.
First name: Zee · Last name: Hamid
Email address: zee@riverton.vote
Email is how you sign in — changing it sends a confirmation to the new address first.
No unsaved changes · Reset · Save changes

ACCOUNT facts rail:
Role: Owner — full access
User ID: 1
Member since: Jun 25, 2026
Last update: Jul 4, 2026
Roles are managed in [Users](#) — you can't demote yourself.

YOUR ACTIVITY:
3 conversations assigned to you — all open
2 contacts added by you this month

Email notifications: Which events land in your inbox. Changes apply immediately.

Fig. 23 — Profile: header card, deliberate-save profile card, account facts rail.

- **Header card:** avatar (photo upload via pencil badge; "Remove photo" link when set; initials fallback) · name · role chip · **Verified** chip · email line.
- **Profile card (deliberate save):** First / Last name, Email ("Email is how you sign in — changing it sends a confirmation to the new address first."). Dirty narration line + Reset + **Save changes** (buttons dim with no changes; reason via cursor/tooltip). "Your name appears on tasks, notes and the Activity log."
- **Email notifications card (instant apply):** toggle rows grouped ABOUT YOUR WORK / ABOUT YOUR DATA, each with a helper line; "Changes apply immediately."
- **Right rail:** ACCOUNT facts (Role, User ID, Member since, Last update; "Roles are managed in [Users](#) — you can't demote yourself.") + YOUR ACTIVITY (recent actions with doors).

21 · Settings — two tiers, two verbs




Fig. 24 — Workspace settings: section rail, deliberate save with Cancel narration.

- **Settings (personal)** — ~430px popup from the avatar, INSTANT apply ("Changes apply instantly — nothing to save" → "Saved just now"). Sections: Notifications matrix (per-event rows × EMAIL / IN-APP checkbox columns) · Appearance (Theme Light/Dark, live) · Passkeys (list + error-styled Remove with consequence toast, dashed Add passkey). Density is cut (§1).
- **Workspace settings (admin)** — full page, DELIBERATE save. Left rail 224px with **per-section dirty dots**; sections: Organization · Communications (sender identities, footer/unsubscribe, verified senders) · Notifications (tenant defaults) · Teams & access (incl. require-MFA) · Service levels (day toggles, not a text field) · Donations (Stripe, receipts) · Integrations & API · Storage ("2.1 GB of 5 GB used · Campaign plan"). Same dirty machinery as person edit — warning chip, Save toast names the fields, Cancel narrates, leave guard names the subject. Consequence copy on risky fields ("Changing this re-evaluates the 12 open conversations...").

22 · Cross-cutting acceptance checklist

1. Dark-theme toggle on every surface — zero hardcoded hues; color-mix over semantic vars only (including keyframes).
2. Every disabled control names its unmet condition — tooltip on desktop, inline sub-text on touch.
3. Every count renders tabular-nums; every button that acts on a set repeats the number; all copy is sentence case, verb + noun — strings lifted verbatim from the prototype.
4. Every destructive dialog styles the SAFE action as primary and names counts/consequences in the body.
5. Every empty state has a cause and exactly one exit; every dead end (0 eligible, locked step, missing lead) narrates instead of hiding.

6. Derived state is never stored twice (route column, "routed" status, company grouping, household membership) — one source of truth per fact.
7. Every write lands in the Activity log with an honest actor; public actions attribute to their link/app, never a fake user.
8. Motion only from the house vocabulary, once per interaction, behind the reduced-motion guard; spinners only behind the loading gate; skeletons for known shapes.
9. Back always restores state: grid filters/page/scroll, inbox list scroll, wizard step.
10. Maps: Google Maps Platform everywhere real geography appears (Places autocomplete, geocoding, coverage/turf maps, route deep-links); no mixed providers in production.