MOCK 模拟复核：六类检测使用实际上传 PPTX 与渲染图；LLM 复核没有调用真实模型，全部模拟结论均为不确定，不能作为缺陷判断或性能证据。

用户跳过自动 LLM 复检：跳过LLM复检可能导致误诊或漏检；当前结果仅为首轮检测候选，请谨慎使用。 后续局部复核如有执行，请分别查看历史记录。

SLIDE SENTINEL · DESIGN QUALITY AUDIT

integration_14_slides.pptx

QA Mock gate browser skip 2026-10-31T08:17:00.850Z · 审查任务 e28a34c2edc74ed3

发现问题

10

涉及页面

8 / 14

总页数

14

实际解析页数

结构规则候选

4

几何/排版证据

视觉模型告警

0

页面级概率

Mock 模拟复核

0

页有模拟复核记录

文稿与任务信息

文件大小

0.11 MB

页面比例

16:9（13.333 × 7.5 in）

可编辑 / 混合 / 位图页

13 / 0 / 1

文本框 / 图片 / 表格 / 图表

89 / 1 / 0 / 0

审查开始

2026-10-31T16:17:00+08:00

审查结束

2026-10-31T16:17:17+08:00

任务状态

已完成

文件 SHA-256

c4427509a9b061bb…

01 模块运行状态

- **结构规则引擎**
  六类检查范围已记录：84 条原始观察；候选与未知分别保留。
- **视觉分类模型**
  历史 CLIP 四类辅助复核未启用；默认使用 R2 六类筛查。
- **多模态按需复核**
  跳过LLM复检可能导致误诊或漏检；当前结果仅为首轮检测候选，请谨慎使用。

02 缺陷类型分布



计数为未排除的候选问题（含规则候选、模型告警与 AI 提出项）；同一页同一类型可能同时有多个元素级证据。

03 逐页问题与证据

第 2 页 · 1 条问题

可编辑页



异常设计风险候选 六类专用检测 中风险

D6 在可判范围发现风险候选；需要结合用途、原始页面和定位证据复核。

坐标（英寸）：x=1.20 · y=2.45 · w=11.20 · h=3.20

建议：先检查定位对象及原始页面，结合使用场景确认后给出调整建议。



过分留白候选 六类专用检测 中风险

D5 在可判范围发现风险候选；需要结合用途、原始页面和定位证据复核。

坐标（英寸）：x=0.52 · y=2.19 · w=12.29 · h=3.20

建议：先检查定位对象及原始页面，结合使用场景确认后给出调整建议。

异常设计风险候选 六类专用检测 中风险

D6 在可判范围发现风险候选；需要结合用途、原始页面和定位证据复核。

坐标（英寸）：x=0.90 · y=1.70 · w=11.60 · h=4.20

建议：先检查定位对象及原始页面，结合使用场景确认后给出调整建议。

正文字号偏小 六类专用检测（多源） 低风险

「TextBox 3」的最小显式字号为 8pt（低于 9pt 参考线），其中「TextBox 3」含 316 个字符，位于 0.90,1.70 英寸处。

坐标（英寸）：x=0.90 · y=1.70 · w=11.60 · h=3.40

建议：将关键正文提升到 12pt 以上，或在投影场景下重新排版为更少文字。

第 5 页 · 1 条问题

可编辑页



对象越出画布边界 六类专用检测（多源） 高风险

元素「TextBox 4」右越出画布 0.97 英寸，文本框范围 6.4,2.0 → 14.3,3.6（英寸）。

坐标（英寸）：`x=6.40 · y=2.00 · w=6.93 · h=1.60`

建议：将该元素移回画布安全区，或缩小字号/宽度；若为刻意出血的大字装饰请在人工复核时排除。

第 6 页 · 1 条问题

可编辑页



文本被上层对象覆盖 结构规则 中风险

元素「TextBox 3」有 67% 的面积被上层「Rounded Rectangle 4」（shape）覆盖；覆盖区域约 5.00×1.35 英寸。

坐标（英寸）：`x=1.60 · y=2.35 · w=5.00 · h=1.35`

建议：调整图层顺序或移动覆盖对象；若上层为半透明装饰，请确认文字仍完整可读。

第 7 页 · 1 条问题

可编辑页



正文字号偏小

六类专用检测（多源）

低风险

「TextBox 4」、「TextBox 6」、「TextBox 8」 等 18 个文本对象的最小显式字号为 8.8pt（低于 9pt 参考线），其中「TextBox 4」含 20 个字符，位于 0.90,1.60 英寸处。

坐标（英寸）：`x=0.90 · y=1.60 · w=1.65 · h=1.35`

建议：将关键正文提升到 12pt 以上，或在投影场景下重新排版为更少文字。

可编辑页



异常设计风险候选 六类专用检测 中风险

D6 在可判范围发现风险候选；需要结合用途、原始页面和定位证据复核。

建议：先检查定位对象及原始页面，结合使用场景确认后给出调整建议。

可编辑页



异常设计风险候选 六类专用检测 中风险

D6 在可判范围发现风险候选；需要结合用途、原始页面和定位证据复核。

建议：先检查定位对象及原始页面，结合使用场景确认后给出调整建议。

可编辑页



异常设计风险候选 六类专用检测 中风险

D6 在可判范围发现风险候选；需要结合用途、原始页面和定位证据复核。

建议：先检查定位对象及原始页面，结合使用场景确认后给出调整建议。

04 结构风险与素材提示

能力 **整页位图，原生结构检查受限**

该页由一张铺满画布的图片构成，文本不在 PowerPoint 对象层，结构规则无法读取字号、文本框与对象位置；仅视觉检查可用。

能力 **字号不合理的能力范围**

第5页：Text-role and viewing-context inference are engineering heuristics, not author intent.；Paragraph/line envelopes are not measured glyph height; unknown inherited fonts are not assigned 18pt.；No human-calibrated D1 classifier or population probability is available.

能力 **过分留白的能力范围**

第5页：D5_no_measurable_body_score

能力 **字号不合理的能力范围**

第6页：Text-role and viewing-context inference are engineering heuristics, not author intent.；Paragraph/line envelopes are not measured glyph height; unknown inherited fonts are not assigned 18pt.；No human-calibrated D1 classifier or population probability is available.

能力 **内容遮挡的能力范围**

第6页：local_cover_opacity_or_geometry_unresolved；text_foreground_layout_intersection_requires_glyph_confirmation

能力 **过分留白的能力范围**

第6页：D5_no_measurable_body_score

能力 **过分留白的能力范围**

第8页：Low native occupancy and a large empty region do not establish intended whitespace.；Unknown geometry is blocked in all empty-space measurements and never relabelled as background.；The ordinal score is not a probability; a train-calibrated threshold may fail on other documents.；Container layout allocation protects internal breathing room, while separate local compact-underfill checks remain exploratory.；All reused H150/G150 pages are development diagnostics. Zero observed misses at a calibrated point does not guarantee zero future misses; unresolved native regions remain explicitly unassessed.

能力 **过分留白的能力范围**

第9页：D5_native_content_unavailable

能力 **异常设计风险的能力范围**

第9页：This is a review priority, not confirmed defect probability.；Full D6 automatic sensitivity and AP are unsupported because A05 is unavailable.；Sending bitmaps to human review must be counted separately in false alarms and review burden.；Zero observed misses cannot guarantee zero misses on future PPTX.；A05 素材语义伪影检测未实现；局部 ROI 只支持进一步复核，不能证明 AI 伪文字。

能力 **字号不合理的能力范围**

第10页：Text-role and viewing-context inference are engineering heuristics, not author intent.；Paragraph/line envelopes are not measured glyph height; unknown inherited fonts are not assigned 18pt.；No human-calibrated D1 classifier or population probability is available.

能力 **过分留白的能力范围**

第10页：D5_no_measurable_body_score

能力 **字号不合理的能力范围**

第11页：Text-role and viewing-context inference are engineering heuristics, not author intent.；Paragraph/line envelopes are not measured glyph height; unknown inherited fonts are not assigned 18pt.；No human-calibrated D1 classifier or population probability is available.

能力 **过分留白的能力范围**

第11页：D5_no_measurable_body_score

05 检测能力与局限

- 结构规则基于 PPTX 对象几何与显式字号做出保守估算，输出的是"候选"，不等同于已确认缺陷或人工标注真值。
- 旧结构规则的文字包络为字符数与字号估算；六类专用检测额外使用可取得的PowerPoint实际段落测量。测量失败范围保持未知，特殊字体、艺术字和可见字形仍需核对渲染图。
- 六类专用检测保留实际测量、候选、未知、不支持与未执行范围；有序风险强度不等于缺陷概率。
- D6-A05尚不具备完整素材语义判定能力：局部ROI提示不等于已经识别出AI伪文字。
- 未被选择或因预算跳过的范围仍未复核；按需调用不构成零漏检保证。
- CLIP未启用：本次没有执行历史四标签辅助复核；六类专用检测结果单独保留。
- 本次自动多模态复检未执行；未复核范围仍为候选，可能存在误诊或漏检。后续局部追问请查看独立复核历史；新任务可配置API后保留默认复检。
- 1 页为整页位图，对象层没有可编辑文本，结构规则对这类页面基本失效，只能依赖视觉观察。
- 本系统不提供未经定义与验证的综合质量分数；请按类别、证据与来源分别阅读。

06 执行轨迹

阶段	状态	说明	结束时间
文件检查	已完成	OpenXML 校验通过，共 14 页，0.11 MB。	2026-10-31T16:17:00+08:00
PPTX 解析	已完成	解析完成：14 页，16:9，89 个文本框、1 张图片、0 个表格、0 个图表。	2026-10-31T16:17:01+08:00
页面渲染	已完成	14 页全部按比例导出（1920×1080 px）。	2026-10-31T16:17:13+08:00
结构规则检查	已完成	六类检查范围已记录：84 条原始观察；候选与未知分别保留。	2026-10-31T16:17:15+08:00
视觉模型检测	已跳过	历史 CLIP 四类辅助复核未启用；默认使用 R2 六类筛查。	2026-10-31T16:17:15+08:00
多模态按需复核	已跳过	跳过LLM复检可能导致误诊或漏检；当前结果仅为首轮检测候选，请谨慎使用。	2026-10-31T16:17:17+08:00
结果整合	已完成	整合后 10 条问题，涉及 8 页；AI 支持 0 条、不成立 0 条。	2026-10-31T16:17:17+08:00
报告生成	已完成	报告已生成：report.html / report.json。	2026-10-31T16:17:17+08:00

审查要求

用途： 未指定

风格： 未指定

审查重点：

六类原始检测范围

未知、不支持、未执行均不等于正常；分数是有序强度，不是缺陷概率。D6-A05素材语义检测尚不完整。

页/关联页	类别/子项	原始状态	版本与可判范围
1 / 1	字号不合理	可判范围未检出	specialized-engineering-v1 Text-role and viewing-context inference are engineering heuristics, not author intent.；Paragraph/line envelopes are not measured glyph height; unknown inherited fonts are not assigned 18pt.；No human-calibrated D1 classifier or population probability is available.
1 / 1	内容遮挡	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
1 / 1	布局拥挤	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
1 / 1	内容溢出或裁切	可判范围未检出	specialized-engineering-v1 Object frame, actual layout envelope and visible pixel clipping remain three distinct evidence levels.；Historical >0.04in COM paragraph-page overflow boundary is retained.；Cell/autofit containment witnesses do not prove unreadable pixels; image subject crop and rotated visible shape masks remain unresolved.
1 / 1	过分留白	可判范围未检出	d5-evidence-only-known-layout-recall-v3 Low native occupancy and a large empty region do not establish intended whitespace.；Unknown geometry is blocked in all empty-space measurements and never relabelled as background.；The ordinal score is not a probability; a train-calibrated threshold may fail on other documents.；All reused H150/G150 pages are development diagnostics. Zero observed misses at a calibrated point does not guarantee zero future misses; unresolved native regions remain explicitly unassessed.

页/关联页	类别/子项	原始状态	版本与可判范围
1 / 1	异常设计风险	可判范围未检出	evidence-refinement-r1+d6-recall-review-v1-20261030 This is a review priority, not confirmed defect probability.；Full D6 automatic sensitivity and AP are unsupported because A05 is unavailable.；Sending bitmaps to human review must be counted separately in false alarms and review burden.；Zero observed misses cannot guarantee zero misses on future PPTX.；A05 素材语义伪影检测未实现；局部 ROI 只支持进一步复核，不能证明 AI 伪文字。
2 / 2	字号不合理	可判范围未检出	specialized-engineering-v1 Text-role and viewing-context inference are engineering heuristics, not author intent.；Paragraph/line envelopes are not measured glyph height; unknown inherited fonts are not assigned 18pt.；No human-calibrated D1 classifier or population probability is available.
2 / 2	内容遮挡	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
2 / 2	布局拥挤	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
2 / 2	内容溢出或裁切	可判范围未检出	specialized-engineering-v1 Object frame, actual layout envelope and visible pixel clipping remain three distinct evidence levels.；Historical >0.04in COM paragraph-page overflow boundary is retained.；Cell/autofit containment witnesses do not prove unreadable pixels; image subject crop and rotated visible shape masks remain unresolved.
2 / 2	过分留白	可判范围未检出	d5-evidence-only-known-layout-recall-v3 Low native occupancy and a large empty region do not establish intended whitespace.；Unknown geometry is blocked in all empty-space measurements and never relabelled as background.；The ordinal score is not a probability; a train-calibrated threshold may fail on other documents.；Container layout allocation protects internal breathing room, while separate local compact-underfill checks remain exploratory.；All reused H150/G150 pages are development diagnostics. Zero observed misses at a calibrated point does not guarantee zero future misses; unresolved native regions remain explicitly unassessed.

页/关联页	类别/子项	原始状态	版本与可判范围
2 / 2	异常设计风险	候选问题	evidence-refinement-r1+d6-recall-review-v1-20261030 This is a review priority, not confirmed defect probability.；Full D6 automatic sensitivity and AP are unsupported because A05 is unavailable.；Sending bitmaps to human review must be counted separately in false alarms and review burden.；Zero observed misses cannot guarantee zero misses on future PPTX.；A05 素材语义伪影检测未实现；局部 ROI 只支持进一步复核，不能证明 AI 伪文字。
3 / 3	字号不合理	可判范围未检出	specialized-engineering-v1 Text-role and viewing-context inference are engineering heuristics, not author intent.；Paragraph/line envelopes are not measured glyph height; unknown inherited fonts are not assigned 18pt.；No human-calibrated D1 classifier or population probability is available.
3 / 3	内容遮挡	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
3 / 3	布局拥挤	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
3 / 3	内容溢出或裁切	可判范围未检出	specialized-engineering-v1 Object frame, actual layout envelope and visible pixel clipping remain three distinct evidence levels.；Historical >0.04in COM paragraph-page overflow boundary is retained.；Cell/autofit containment witnesses do not prove unreadable pixels; image subject crop and rotated visible shape masks remain unresolved.
3 / 3	过分留白	可判范围未检出	d5-evidence-only-known-layout-recall-v3 Low native occupancy and a large empty region do not establish intended whitespace.；Unknown geometry is blocked in all empty-space measurements and never relabelled as background.；The ordinal score is not a probability; a train-calibrated threshold may fail on other documents.；Container layout allocation protects internal breathing room, while separate local compact-underfill checks remain exploratory.；All reused H150/G150 pages are development diagnostics. Zero observed misses at a calibrated point does not guarantee zero future misses; unresolved native regions remain explicitly unassessed.

页/关联页	类别/子项	原始状态	版本与可判范围
3 / 3	异常设计风险	可判范围未检出	evidence-refinement-r1+d6-recall-review-v1-20261030 This is a review priority, not confirmed defect probability.；Full D6 automatic sensitivity and AP are unsupported because A05 is unavailable.；Sending bitmaps to human review must be counted separately in false alarms and review burden.；Zero observed misses cannot guarantee zero misses on future PPTX.；A05 素材语义伪影检测未实现；局部 ROI 只支持进一步复核，不能证明 AI 伪文字。
4 / 4	字号不合理	候选问题	specialized-engineering-v1 Text-role and viewing-context inference are engineering heuristics, not author intent.；Paragraph/line envelopes are not measured glyph height; unknown inherited fonts are not assigned 18pt.；No human-calibrated D1 classifier or population probability is available.
4 / 4	内容遮挡	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
4 / 4	布局拥挤	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
4 / 4	内容溢出或裁切	可判范围未检出	specialized-engineering-v1 Object frame, actual layout envelope and visible pixel clipping remain three distinct evidence levels.；Historical >0.04in COM paragraph-page overflow boundary is retained.；Cell/autofit containment witnesses do not prove unreadable pixels; image subject crop and rotated visible shape masks remain unresolved.
4 / 4	过分留白	候选问题	d5-evidence-only-known-layout-recall-v3 Low native occupancy and a large empty region do not establish intended whitespace.；Unknown geometry is blocked in all empty-space measurements and never relabelled as background.；The ordinal score is not a probability; a train-calibrated threshold may fail on other documents.；Container layout allocation protects internal breathing room, while separate local compact-underfill checks remain exploratory.；All reused H150/G150 pages are development diagnostics. Zero observed misses at a calibrated point does not guarantee zero future misses; unresolved native regions remain explicitly unassessed.

页/关联页	类别/子项	原始状态	版本与可判范围
4 / 4	异常设计风险	候选问题	evidence-refinement-r1+d6-recall-review-v1-20261030 This is a review priority, not confirmed defect probability.；Full D6 automatic sensitivity and AP are unsupported because A05 is unavailable.；Sending bitmaps to human review must be counted separately in false alarms and review burden.；Zero observed misses cannot guarantee zero misses on future PPTX.；A05 素材语义伪影检测未实现；局部 ROI 只支持进一步复核，不能证明 AI 伪文字。
5 / 5	字号不合理	未知	specialized-engineering-v1 Text-role and viewing-context inference are engineering heuristics, not author intent.；Paragraph/line envelopes are not measured glyph height; unknown inherited fonts are not assigned 18pt.；No human-calibrated D1 classifier or population probability is available.
5 / 5	内容遮挡	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
5 / 5	布局拥挤	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
5 / 5	内容溢出或裁切	候选问题	specialized-engineering-v1 Object frame, actual layout envelope and visible pixel clipping remain three distinct evidence levels.；Historical >0.04in COM paragraph-page overflow boundary is retained.；Cell/autofit containment witnesses do not prove unreadable pixels; image subject crop and rotated visible shape masks remain unresolved.
5 / 5	过分留白	未知	d5-evidence-only-known-layout-recall-v3 Low native occupancy and a large empty region do not establish intended whitespace.；Unknown geometry is blocked in all empty-space measurements and never relabelled as background.；The ordinal score is not a probability; a train-calibrated threshold may fail on other documents.；All reused H150/G150 pages are development diagnostics. Zero observed misses at a calibrated point does not guarantee zero future misses; unresolved native regions remain explicitly unassessed.

页/关联页	类别/子项	原始状态	版本与可判范围
5 / 5	异常设计风险	可判范围未检出	evidence-refinement-r1+d6-recall-review-v1-20261030 This is a review priority, not confirmed defect probability.；Full D6 automatic sensitivity and AP are unsupported because A05 is unavailable.；Sending bitmaps to human review must be counted separately in false alarms and review burden.；Zero observed misses cannot guarantee zero misses on future PPTX.；A05 素材语义伪影检测未实现；局部 ROI 只支持进一步复核，不能证明 AI 伪文字。
6 / 6	字号不合理	未知	specialized-engineering-v1 Text-role and viewing-context inference are engineering heuristics, not author intent.；Paragraph/line envelopes are not measured glyph height; unknown inherited fonts are not assigned 18pt.；No human-calibrated D1 classifier or population probability is available.
6 / 6	内容遮挡	未知	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
6 / 6	布局拥挤	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
6 / 6	内容溢出或裁切	可判范围未检出	specialized-engineering-v1 Object frame, actual layout envelope and visible pixel clipping remain three distinct evidence levels.；Historical >0.04in COM paragraph-page overflow boundary is retained.；Cell/autofit containment witnesses do not prove unreadable pixels; image subject crop and rotated visible shape masks remain unresolved.
6 / 6	过分留白	未知	d5-evidence-only-known-layout-recall-v3 Low native occupancy and a large empty region do not establish intended whitespace.；Unknown geometry is blocked in all empty-space measurements and never relabelled as background.；The ordinal score is not a probability; a train-calibrated threshold may fail on other documents.；All reused H150/G150 pages are development diagnostics. Zero observed misses at a calibrated point does not guarantee zero future misses; unresolved native regions remain explicitly unassessed.

页/关联页	类别/子项	原始状态	版本与可判范围
6 / 6	异常设计风险	可判范围未检出	evidence-refinement-r1+d6-recall-review-v1-20261030 This is a review priority, not confirmed defect probability.；Full D6 automatic sensitivity and AP are unsupported because A05 is unavailable.；Sending bitmaps to human review must be counted separately in false alarms and review burden.；Zero observed misses cannot guarantee zero misses on future PPTX.；A05 素材语义伪影检测未实现；局部 ROI 只支持进一步复核，不能证明 AI 伪文字。
7 / 7	字号不合理	候选问题	specialized-engineering-v1 Text-role and viewing-context inference are engineering heuristics, not author intent.；Paragraph/line envelopes are not measured glyph height; unknown inherited fonts are not assigned 18pt.；No human-calibrated D1 classifier or population probability is available.
7 / 7	内容遮挡	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
7 / 7	布局拥挤	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
7 / 7	内容溢出或裁切	可判范围未检出	specialized-engineering-v1 Object frame, actual layout envelope and visible pixel clipping remain three distinct evidence levels.；Historical >0.04in COM paragraph-page overflow boundary is retained.；Cell/autofit containment witnesses do not prove unreadable pixels; image subject crop and rotated visible shape masks remain unresolved.
7 / 7	过分留白	可判范围未检出	d5-evidence-only-known-layout-recall-v3 Low native occupancy and a large empty region do not establish intended whitespace.；Unknown geometry is blocked in all empty-space measurements and never relabelled as background.；The ordinal score is not a probability; a train-calibrated threshold may fail on other documents.；Container layout allocation protects internal breathing room, while separate local compact-underfill checks remain exploratory.；All reused H150/G150 pages are development diagnostics. Zero observed misses at a calibrated point does not guarantee zero future misses; unresolved native regions remain explicitly unassessed.

页/关联页	类别/子项	原始状态	版本与可判范围
7 / 7	异常设计风险	可判范围未检出	evidence-refinement-r1+d6-recall-review-v1-20261030 This is a review priority, not confirmed defect probability.；Full D6 automatic sensitivity and AP are unsupported because A05 is unavailable.；Sending bitmaps to human review must be counted separately in false alarms and review burden.；Zero observed misses cannot guarantee zero misses on future PPTX.；A05 素材语义伪影检测未实现；局部 ROI 只支持进一步复核，不能证明 AI 伪文字。
8 / 8	字号不合理	可判范围未检出	specialized-engineering-v1 Text-role and viewing-context inference are engineering heuristics, not author intent.；Paragraph/line envelopes are not measured glyph height; unknown inherited fonts are not assigned 18pt.；No human-calibrated D1 classifier or population probability is available.
8 / 8	内容遮挡	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
8 / 8	布局拥挤	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
8 / 8	内容溢出或裁切	可判范围未检出	specialized-engineering-v1 Object frame, actual layout envelope and visible pixel clipping remain three distinct evidence levels.；Historical >0.04in COM paragraph-page overflow boundary is retained.；Cell/autofit containment witnesses do not prove unreadable pixels; image subject crop and rotated visible shape masks remain unresolved.
8 / 8	过分留白	未知	d5-evidence-only-known-layout-recall-v3 Low native occupancy and a large empty region do not establish intended whitespace.；Unknown geometry is blocked in all empty-space measurements and never relabelled as background.；The ordinal score is not a probability; a train-calibrated threshold may fail on other documents.；Container layout allocation protects internal breathing room, while separate local compact-underfill checks remain exploratory.；All reused H150/G150 pages are development diagnostics. Zero observed misses at a calibrated point does not guarantee zero future misses; unresolved native regions remain explicitly unassessed.

页/关联页	类别/子项	原始状态	版本与可判范围
8 / 8	异常设计风险	可判范围未检出	evidence-refinement-r1+d6-recall-review-v1-20261030 This is a review priority, not confirmed defect probability.；Full D6 automatic sensitivity and AP are unsupported because A05 is unavailable.；Sending bitmaps to human review must be counted separately in false alarms and review burden.；Zero observed misses cannot guarantee zero misses on future PPTX.；A05 素材语义伪影检测未实现；局部 ROI 只支持进一步复核，不能证明 AI 伪文字。
9 / 9	字号不合理	可判范围未检出	specialized-engineering-v1 Text-role and viewing-context inference are engineering heuristics, not author intent.；Paragraph/line envelopes are not measured glyph height; unknown inherited fonts are not assigned 18pt.；No human-calibrated D1 classifier or population probability is available.
9 / 9	内容遮挡	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
9 / 9	布局拥挤	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
9 / 9	内容溢出或裁切	可判范围未检出	specialized-engineering-v1 Object frame, actual layout envelope and visible pixel clipping remain three distinct evidence levels.；Historical >0.04in COM paragraph-page overflow boundary is retained.；Cell/autofit containment witnesses do not prove unreadable pixels; image subject crop and rotated visible shape masks remain unresolved.
9 / 9	过分留白	不支持	d5-evidence-only-known-layout-recall-v3 Low native occupancy and a large empty region do not establish intended whitespace.；Unknown geometry is blocked in all empty-space measurements and never relabelled as background.；The ordinal score is not a probability; a train-calibrated threshold may fail on other documents.；All reused H150/G150 pages are development diagnostics. Zero observed misses at a calibrated point does not guarantee zero future misses; unresolved native regions remain explicitly unassessed.

页/关联页	类别/子项	原始状态	版本与可判范围
9 / 9	异常设计风险	未知	evidence-refinement-r1+d6-recall-review-v1-20261030 This is a review priority, not confirmed defect probability.；Full D6 automatic sensitivity and AP are unsupported because A05 is unavailable.；Sending bitmaps to human review must be counted separately in false alarms and review burden.；Zero observed misses cannot guarantee zero misses on future PPTX.；A05 素材语义伪影检测未实现；局部 ROI 只支持进一步复核，不能证明 AI 伪文字。
10 / 10	字号不合理	未知	specialized-engineering-v1 Text-role and viewing-context inference are engineering heuristics, not author intent.；Paragraph/line envelopes are not measured glyph height; unknown inherited fonts are not assigned 18pt.；No human-calibrated D1 classifier or population probability is available.
10 / 10	内容遮挡	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
10 / 10	布局拥挤	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
10 / 10	内容溢出或裁切	可判范围未检出	specialized-engineering-v1 Object frame, actual layout envelope and visible pixel clipping remain three distinct evidence levels.；Historical >0.04in COM paragraph-page overflow boundary is retained.；Cell/autofit containment witnesses do not prove unreadable pixels; image subject crop and rotated visible shape masks remain unresolved.
10 / 10	过分留白	未知	d5-evidence-only-known-layout-recall-v3 Low native occupancy and a large empty region do not establish intended whitespace.；Unknown geometry is blocked in all empty-space measurements and never relabelled as background.；The ordinal score is not a probability; a train-calibrated threshold may fail on other documents.；All reused H150/G150 pages are development diagnostics. Zero observed misses at a calibrated point does not guarantee zero future misses; unresolved native regions remain explicitly unassessed.

页/关联页	类别/子项	原始状态	版本与可判范围
10 / 10	异常设计风险	可判范围未检出	evidence-refinement-r1+d6-recall-review-v1-20261030 This is a review priority, not confirmed defect probability.；Full D6 automatic sensitivity and AP are unsupported because A05 is unavailable.；Sending bitmaps to human review must be counted separately in false alarms and review burden.；Zero observed misses cannot guarantee zero misses on future PPTX.；A05 素材语义伪影检测未实现；局部 ROI 只支持进一步复核，不能证明 AI 伪文字。
11 / 11	字号不合理	未知	specialized-engineering-v1 Text-role and viewing-context inference are engineering heuristics, not author intent.；Paragraph/line envelopes are not measured glyph height; unknown inherited fonts are not assigned 18pt.；No human-calibrated D1 classifier or population probability is available.
11 / 11	内容遮挡	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
11 / 11	布局拥挤	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
11 / 11	内容溢出或裁切	可判范围未检出	specialized-engineering-v1 Object frame, actual layout envelope and visible pixel clipping remain three distinct evidence levels.；Historical >0.04in COM paragraph-page overflow boundary is retained.；Cell/autofit containment witnesses do not prove unreadable pixels; image subject crop and rotated visible shape masks remain unresolved.
11 / 11	过分留白	未知	d5-evidence-only-known-layout-recall-v3 Low native occupancy and a large empty region do not establish intended whitespace.；Unknown geometry is blocked in all empty-space measurements and never relabelled as background.；The ordinal score is not a probability; a train-calibrated threshold may fail on other documents.；All reused H150/G150 pages are development diagnostics. Zero observed misses at a calibrated point does not guarantee zero future misses; unresolved native regions remain explicitly unassessed.

页/关联页	类别/子项	原始状态	版本与可判范围
11 / 11	异常设计风险	可判范围未检出	evidence-refinement-r1+d6-recall-review-v1-20261030 This is a review priority, not confirmed defect probability.；Full D6 automatic sensitivity and AP are unsupported because A05 is unavailable.；Sending bitmaps to human review must be counted separately in false alarms and review burden.；Zero observed misses cannot guarantee zero misses on future PPTX.；A05 素材语义伪影检测未实现；局部 ROI 只支持进一步复核，不能证明 AI 伪文字。
12 / 12	字号不合理	可判范围未检出	specialized-engineering-v1 Text-role and viewing-context inference are engineering heuristics, not author intent.；Paragraph/line envelopes are not measured glyph height; unknown inherited fonts are not assigned 18pt.；No human-calibrated D1 classifier or population probability is available.
12 / 12	内容遮挡	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
12 / 12	布局拥挤	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
12 / 12	内容溢出或裁切	可判范围未检出	specialized-engineering-v1 Object frame, actual layout envelope and visible pixel clipping remain three distinct evidence levels.；Historical >0.04in COM paragraph-page overflow boundary is retained.；Cell/autofit containment witnesses do not prove unreadable pixels; image subject crop and rotated visible shape masks remain unresolved.
12 / 12	过分留白	可判范围未检出	d5-evidence-only-known-layout-recall-v3 Low native occupancy and a large empty region do not establish intended whitespace.；Unknown geometry is blocked in all empty-space measurements and never relabelled as background.；The ordinal score is not a probability; a train-calibrated threshold may fail on other documents.；Container layout allocation protects internal breathing room, while separate local compact-underfill checks remain exploratory.；All reused H150/G150 pages are development diagnostics. Zero observed misses at a calibrated point does not guarantee zero future misses; unresolved native regions remain explicitly unassessed.

页/关联页	类别/子项	原始状态	版本与可判范围
12 / 12, 13, 14	异常设计风险	候选问题	evidence-refinement-r1+d6-recall-review-v1-20261030 This is a review priority, not confirmed defect probability.；Full D6 automatic sensitivity and AP are unsupported because A05 is unavailable.；Sending bitmaps to human review must be counted separately in false alarms and review burden.；Zero observed misses cannot guarantee zero misses on future PPTX.；A05 素材语义伪影检测未实现；局部 ROI 只支持进一步复核，不能证明 AI 伪文字。
13 / 13	字号不合理	可判范围未检出	specialized-engineering-v1 Text-role and viewing-context inference are engineering heuristics, not author intent.；Paragraph/line envelopes are not measured glyph height; unknown inherited fonts are not assigned 18pt.；No human-calibrated D1 classifier or population probability is available.
13 / 13	内容遮挡	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
13 / 13	布局拥挤	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
13 / 13	内容溢出或裁切	可判范围未检出	specialized-engineering-v1 Object frame, actual layout envelope and visible pixel clipping remain three distinct evidence levels.；Historical >0.04in COM paragraph-page overflow boundary is retained.；Cell/autofit containment witnesses do not prove unreadable pixels; image subject crop and rotated visible shape masks remain unresolved.
13 / 13	过分留白	可判范围未检出	d5-evidence-only-known-layout-recall-v3 Low native occupancy and a large empty region do not establish intended whitespace.；Unknown geometry is blocked in all empty-space measurements and never relabelled as background.；The ordinal score is not a probability; a train-calibrated threshold may fail on other documents.；Container layout allocation protects internal breathing room, while separate local compact-underfill checks remain exploratory.；All reused H150/G150 pages are development diagnostics. Zero observed misses at a calibrated point does not guarantee zero future misses; unresolved native regions remain explicitly unassessed.

页/关联页	类别/子项	原始状态	版本与可判范围
13 / 12, 13, 14	异常设计风险	候选问题	evidence-refinement-r1+d6-recall-review-v1-20261030 This is a review priority, not confirmed defect probability.；Full D6 automatic sensitivity and AP are unsupported because A05 is unavailable.；Sending bitmaps to human review must be counted separately in false alarms and review burden.；Zero observed misses cannot guarantee zero misses on future PPTX.；A05 素材语义伪影检测未实现；局部 ROI 只支持进一步复核，不能证明 AI 伪文字。
14 / 14	字号不合理	可判范围未检出	specialized-engineering-v1 Text-role and viewing-context inference are engineering heuristics, not author intent.；Paragraph/line envelopes are not measured glyph height; unknown inherited fonts are not assigned 18pt.；No human-calibrated D1 classifier or population probability is available.
14 / 14	内容遮挡	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
14 / 14	布局拥挤	可判范围未检出	evidence-refinement-r2 Developed using the sixmix training split only; the source documents overlap splits.；Measured paragraph envelopes are not glyph segmentation or human readability judgments.；Sparse disorganized microtext and span loss are candidate mechanisms, not a complete detector.
14 / 14	内容溢出或裁切	可判范围未检出	specialized-engineering-v1 Object frame, actual layout envelope and visible pixel clipping remain three distinct evidence levels.；Historical >0.04in COM paragraph-page overflow boundary is retained.；Cell/autofit containment witnesses do not prove unreadable pixels; image subject crop and rotated visible shape masks remain unresolved.
14 / 14	过分留白	可判范围未检出	d5-evidence-only-known-layout-recall-v3 Low native occupancy and a large empty region do not establish intended whitespace.；Unknown geometry is blocked in all empty-space measurements and never relabelled as background.；The ordinal score is not a probability; a train-calibrated threshold may fail on other documents.；Container layout allocation protects internal breathing room, while separate local compact-underfill checks remain exploratory.；All reused H150/G150 pages are development diagnostics. Zero observed misses at a calibrated point does not guarantee zero future misses; unresolved native regions remain explicitly unassessed.

页/关联页	类别/子项	原始状态	版本与可判范围
14 / 12, 13, 14	异常设计风险	候选问题	evidence-refinement-r1+d6-recall-review-v1-20261030 This is a review priority, not confirmed defect probability.；Full D6 automatic sensitivity and AP are unsupported because A05 is unavailable.；Sending bitmaps to human review must be counted separately in false alarms and review burden.；Zero observed misses cannot guarantee zero misses on future PPTX.；A05 素材语义伪影检测未实现；局部 ROI 只支持进一步复核，不能证明 AI 伪文字。

按需复核调度记录

页面/候选	工具	选择与原因	所需证据
2 six-e28a34c2edc74ed3-s0002-D6	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查']
2 six-e28a34c2edc74ed3-s0002-D6:A04	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查']
4 six-e28a34c2edc74ed3-s0004-D1	multimodal_full_page	已选择 核验局部候选是否导致真实信息损失。选中页复核同时补查全部六类，避免只检查已报警类别。 None	['完整页面', '六类补充检查']
4 six-e28a34c2edc74ed3-s0004-D5	multimodal_full_page	已选择 留白或设计异常需结合用途、页面角色及跨页上下文。选中页复核同时补查全部六类，避免只检查已报警类别。 None	['完整页面', '六类补充检查']
4 six-e28a34c2edc74ed3-s0004-D6	multimodal_full_page	已选择 留白或设计异常需结合用途、页面角色及跨页上下文。选中页复核同时补查全部六类，避免只检查已报警类别。 None	['完整页面', '六类补充检查']
4 six-e28a34c2edc74ed3-s0004-D6:A04	multimodal_full_page	已选择 留白或设计异常需结合用途、页面角色及跨页上下文。选中页复核同时补查全部六类，避免只检查已报警类别。 None	['完整页面', '六类补充检查']
5 six-e28a34c2edc74ed3-s0005-D1	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查']
5 six-e28a34c2edc74ed3-s0005-D4	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查']
5 six-e28a34c2edc74ed3-s0005-D5	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查']

页面/候选	工具	选择与原因	所需证据
6 six-e28a34c2edc74ed3-s0006-D1	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查']
6 six-e28a34c2edc74ed3-s0006-D2	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查']
6 six-e28a34c2edc74ed3-s0006-D5	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查']
7 six-e28a34c2edc74ed3-s0007-D1	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查']
8 six-e28a34c2edc74ed3-s0008-D5	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查']
9 six-e28a34c2edc74ed3-s0009-D5	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查']
9 six-e28a34c2edc74ed3-s0009-D6	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查']
9 six-e28a34c2edc74ed3-s0009-D6:A05	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查', '候选ROI']
10 six-e28a34c2edc74ed3-s0010-D1	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查']
10 six-e28a34c2edc74ed3-s0010-D5	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查']

页面/候选	工具	选择与原因	所需证据
11 six-e28a34c2edc74ed3-s0011-D1	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查']
11 six-e28a34c2edc74ed3-s0011-D5	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查']
12 six-e28a34c2edc74ed3-s0012-D6	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查', '跨页对照']
12 six-e28a34c2edc74ed3-s0012-D6:A01	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查', '跨页对照']
13 six-e28a34c2edc74ed3-s0013-D6	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查', '跨页对照']
13 six-e28a34c2edc74ed3-s0013-D6:A01	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查', '跨页对照']
14 six-e28a34c2edc74ed3-s0014-D6	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查', '跨页对照']
14 six-e28a34c2edc74ed3-s0014-D6:A01	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查', '跨页对照']
4 R03-s0004-01	multimodal_full_page	已选择 核验局部候选是否导致真实信息损失。选中页复核同时补查全部六类，避免只检查已报警类别。 None	['完整页面', '六类补充检查']
5 R01-s0005-01	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查']

页面/候选	工具	选择与原因	所需证据
6 R05-s0006-01	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查']
7 R03-s0007-01	None	未选择 未调用：outside_manual_pages；原始风险保留。 outside_manual_pages	['完整页面', '六类补充检查']
4 sixscope:4:occluded_content	multimodal_full_page	已选择 证据范围未知，需要补充视觉核查。选中页复核同时补查全部六类，避免只检查已报警类别。 None	['完整页面', '六类补充检查']
4 sixscope:4:cluttered_layout	multimodal_full_page	已选择 证据范围未知，需要补充视觉核查。选中页复核同时补查全部六类，避免只检查已报警类别。 None	['完整页面', '六类补充检查']
4 sixscope:4:content_overflow_cutoff	multimodal_full_page	已选择 证据范围未知，需要补充视觉核查。选中页复核同时补查全部六类，避免只检查已报警类别。 None	['完整页面', '六类补充检查']

首筛与分层复检状态

R2 六类首筛 · done

CLIP 四类辅助复核 · skipped

LLM 按需复检 · skipped

CLIP成功 0 页；失败 0 页。LLM模式：mock；未复检项 34；不确定结论 0。

最终复检状态：user_skipped

CLIP只提供四类页级辅助证据，阴性不否决R2，D5/D6不由CLIP复核。LLM关闭、失败、模拟、预算跳过和不确定范围均不能称为完整最终确认。