MICROSOFT COPILOT STUDIO

Documentation update digest

Generated (UTC): 2026-11-13T07:40:31.242704+00:00

Observation window: 2026-11-06T07:40:31.242704+00:00 to 2026-11-13T07:40:31.242704+00:00

128 new or updated document candidates

Scope: English Microsoft Learn Copilot Studio documentation and troubleshooting. Documentation changes are not necessarily new product features. Modification timestamps are not feature release dates. No AI interpretation is used.

Every run independently selects articles using their published updated_at timestamp (sitemap lastmod when absent), within the inclusive UTC window above. New and updated articles are combined: a recent modification date alone does not prove that an article is newly created. Summaries use representative public source changes since the window start, not AI interpretation. If history is unavailable, an overview of the current article is explicitly labeled instead of claiming unverified changes.

Attribution: Microsoft and Microsoft Learn contributors. Source text is reproduced or reformatted into short extracts; links identify each original. Public GitHub source history is used only when accessible. Documentation text licensed under CC BY 4.0: https://creativecommons.org/licenses/by/4.0/ . Third-party materials may have separate terms. No images are reproduced.

Text formatting: unsupported font glyphs are represented as [U+XXXX] to preserve their identity. Images are not reproduced. This report does not claim to capture every intermediate edit between scans.

---

1. Configure basic voice agents

Updated (UTC): 2026-11-13T07:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/voice-configuration

Current article overview (not a change claim; history unavailable or disabled): This article describes how to configure basic voice interactive voice response (IVR) agents for use in Dynamics 365 Contact Center applications. Typically, basic voice agents use classic orchestration. Learn more in Integrate a voice-enabled agent with Dynamics 365 Contact Center. Turn on basic voice A voice-enabled...

---

2. Quotas and limits

Updated (UTC): 2026-11-13T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/requirements-quotas

Current article overview (not a change claim; history unavailable or disabled): This article includes information about Azure Bot Service skills, a code-based way to extend the capabilities of an agent in the standard harness. These skills shouldn't be confused with agentic skills in the Microsoft Copilot harness. Learn more about how to use agentic skills in Skills overview for agents. This...

3. Troubleshooting Model Context Protocol (MCP) integration

Updated (UTC): 2026-11-13T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/mcp-troubleshooting

Current article overview (not a change claim; history unavailable or disabled): This article provides troubleshooting guidance for integrating your agent with Model Context Protocol (MCP) servers. Known issues and workarounds The following are identified issues the product team is aware of and working on: Issues | Resolution/Workaround Currently, the endpoint returned in the Open SSE connection...

4. Agent identities and authentication for Copilot Studio

Updated (UTC): 2026-11-13T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/govern-agents-identities-overview

Current article overview (not a change claim; history unavailable or disabled): This article explains app registration, agent identities, and authentication for Copilot Studio agents. Understand agent identities This section explains how Copilot Studio identifies agents and manages their identities for authentication purposes. How does Copilot Studio identify agents for authentication? Copilot...

5. Add other agents overview

Updated (UTC): 2026-11-13T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/authoring-add-other-agents

Current article overview (not a change claim; history unavailable or disabled): Use Copilot Studio to enhance your agents by connecting them to other agents. Agents can hand off user interactions to each other or respond to autonomous triggers. Scale out your solutions efficiently by using modular agents tailored to specific tasks or data sets. You can add other agents to your existing Copilot...

6. Add a workflow to your agent as a tool (Microsoft Copilot) (preview)

Updated (UTC): 2026-11-13T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/tools-add-workflow

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] Workflows are automated flows built in Copilot Studio's flow designer. They let your agent execute multi-step processes, such as approval flows, data transformations, and complex business logic. Use workflows for repeated, deterministic processes...

7. Connected agents overview (Microsoft Copilot)

Updated (UTC): 2026-11-13T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/authoring-add-other-agents

Current article overview (not a change claim; history unavailable or disabled): Connected agents are agents your primary agent can invoke during a conversation. When a user's request falls within a connected agent’s domain, the orchestration runtime can route the request to that agent. This approach lets you build modular solutions where each agent handles a specific domain or task. The harness...

8. Add a Copilot node to a workflow (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/workflows-experience/microsoft-365-copilot-node-workflow

Current article overview (not a change claim; history unavailable or disabled): The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn more in Overview of usage-based billing. The Copilot node lets a workflow run Copilot Chat or a Cowork task, grounded in the connected user's mail, files, calendar, chats,...

9. Request information from human review in workflows (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/workflows-experience/flows-request-for-information

Current article overview (not a change claim; history unavailable or disabled): The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn more in Overview of usage-based billing. Human input, review, and action are essential to ensure that automations and AI workflows run effectively and maintain high...

10. Workflows overview (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/workflows-experience/flows-overview

Current article overview (not a change claim; history unavailable or disabled): This article applies to multiple harnesses. The harness you use affects the billing, features, and capabilities of what you build. Workflows are an automation experience built in Copilot Studio and powered by the Microsoft Copilot harness. You build them on a redesigned visual canvas with native AI actions, agent...

11. Edit and manage your workflow in the designer (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/workflows-experience/flow-designer

Current article overview (not a change claim; history unavailable or disabled): The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn more in Overview of usage-based billing. Create and edit workflows in the redesigned visual designer in Copilot Studio. The designer provides a canvas where you can build...

12. Add a workflow as a tool to an agent (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/workflows-experience/flow-agent

Current article overview (not a change claim; history unavailable or disabled): The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn more in Overview of usage-based billing. Workflows can be added to agents as tools to create larger automation scenarios. To add a flow as a tool to an agent, the flow...

13. FAQ for workflows (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/workflows-experience/faq-workflows

Current article overview (not a change claim; history unavailable or disabled): The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn more in Overview of usage-based billing. This article answers common questions about the automation experience in Microsoft Copilot Studio for workflows powered by the...

14. Add an extract node to a workflow (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/workflows-experience/extract-node-workflow

Current article overview (not a change claim; history unavailable or disabled): The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn more in Overview of usage-based billing. The extract node processes documents and returns the values and tables that you define. It supports many document types, including...

15. Add a classify node to a workflow (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/workflows-experience/classify-node-workflow

Current article overview (not a change claim; history unavailable or disabled): The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn more in Overview of usage-based billing. The classify node takes a piece of text and sorts it into one of the categories you define. You describe each category in plain...

16. Add an agent node to a workflow (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/workflows-experience/agent-node-workflow

Current article overview (not a change claim; history unavailable or disabled): The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn more in Overview of usage-based billing. You can either pick an existing published agent or build a brand-new agent directly inside the node without leaving the workflow...

17. What's new in Copilot Studio

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/whats-new

Current article overview (not a change claim; history unavailable or disabled): This article provides resources to learn about new features in Copilot Studio. Released versions Get an overview of new capabilities in the Roadmap. You can filter for products and specific areas and learn what's coming when. Releases roll out over several days. New or updated functionality might not appear...

18. Upgrade agents to the Microsoft Copilot harness (preview)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/upgrade-to-github-copilot-from-standard-harness

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn more in Overview of usage-based billing. You can ask Copilot Studio to upgrade agents powered by the...

19. Telemetry with Application Insights overview

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/telemetry-overview

Current article overview (not a change claim; history unavailable or disabled): In addition to the native analytics features within Copilot Studio, you can send telemetry data to Application Insights. Copilot Studio supports telemetry at different scopes, depending on whether you need diagnostics for a single agent or centralized observability in OpenTelemetry-aligned format across agents in an...

20. Billing rates and management

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/requirements-messages-management

Current article overview (not a change claim; history unavailable or disabled): This article describes the rates for the different features and capabilities used in agents that Copilot Studio bills through the pay-as-you-go meter or Copilot Credit packs. These rates apply to all language models that Copilot Studio provides. They exclude bring-your-own-model configurations, including Azure Foundry...

21. Add a prompt node to an agent flow

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/prompt-node-workflow

Current article overview (not a change claim; history unavailable or disabled): The prompt node is not available in workflows powered by the Microsoft Copilot harness. It remains available in workflows using the standard harness (agent flows). To get the same behavior as a prompt in a workflow, add an Agent action, provide your instructions, and leave agent tools unconfigured. The experience and...

22. Harnesses in Copilot Studio

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/harnesses-overview

Current article overview (not a change claim; history unavailable or disabled): Whatever you build in Microsoft Copilot Studio, a harness powers it behind the scenes. You design your agent or workflow, while the model you select supplies the reasoning and generation. The harness is a runtime that exists between the two: it determines when to call the model, what components to send it, interprets...

23. What's new in the Copilot Studio guidance hub

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/whats-new

Current article overview (not a change claim; history unavailable or disabled): Get the latest information about what's new and what changed in the Copilot Studio guidance hub. November 2026 New articles Design reliable agentic loops Other updates New reference architecture in the Power Platform and Copilot Studio Architecture Center: Build a multilingual IT self-service agent with Copilot Studio...

24. Manage your Copilot Studio projects, an overview

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/sec-gov-intro

Current article overview (not a change claim; history unavailable or disabled): Copilot Studio empowers makers to build scalable, secure agents by offering a comprehensive set of governance controls. These controls include both maker-level and tenant-level access controls for Copilot Studio and its features, data policies that restrict access to endpoints, sharing rules to ensure agents are used...

25. Plan your Copilot Studio projects, an overview

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/plan-overview

Current article overview (not a change claim; history unavailable or disabled): Planning is essential for successful Copilot Studio implementations. Whether you're building your first agent or scaling across your enterprise, a structured approach with strong design foundations helps you deliver solutions that meet user needs, deliver meaningful business outcomes, and provide high-quality...

26. Manage the AI model lifecycle for Copilot Studio agents

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/plan-agent-model-lifecycle

Current article overview (not a change claim; history unavailable or disabled): Copilot Studio offers different types of models. These model types are based on their intended use and availability. AI model selection isn't a one-time design decision. Models are introduced, updated, made generally available, selected as defaults, and eventually retired. An agent that works well with one model can...

27. Run and validate an AI model migration for Copilot Studio agents

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/manage-agent-model-migration

Current article overview (not a change claim; history unavailable or disabled): The following sections apply to every model change, whether it's a proactive upgrade or a response to a retirement. Define the gates first, capture a baseline from the current model, and then work through the phases. Define migration acceptance gates Define acceptance criteria before evaluating the candidate model, so...

28. Monitor agents by using Agent Inventory in Copilot Agent Kit

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/kit-agent-inventory

Current article overview (not a change claim; history unavailable or disabled): The Agent Inventory feature provides administrators with tenant-wide visibility into all Copilot Studio custom agents and declarative agents in the organization, across environments. Agent Inventory data includes lifecycle and ownership metadata, configuration and capability adoption signals, governance indicators,...

29. Implement your Copilot Studio projects, an overview

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/implement-overview

Current article overview (not a change claim; history unavailable or disabled): Implementing Copilot Studio projects requires a clear understanding of the core building blocks that shape effective agent behavior. This section guides makers, solution architects, and project teams through the key implementation practices-from designing reliable integrations and using agent tools, to publishing...

30. Govern Copilot Credit consumption for agents powered by the Microsoft Copilot harness

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/govern-credit-consumption

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Microsoft Copilot harness Agents powered by the Microsoft Copilot harness consume Copilot Credits while makers build, preview, and evaluate them, before those agents enter a formal production lifecycle. An environment used for maker exploration can incur consumption even if its agents are...

31. Context distribution in the standard harness

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/generative-orchestration-context-design

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness The standard harness distributes context across the components that handle a request. Each component works from its own context, and the harness doesn't automatically reconcile context at the top level. This separation provides flexibility, but it can cause duplicate...

32. Compare Copilot Studio agent harnesses

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/choose-harness

Current article overview (not a change claim; history unavailable or disabled): A harness is the operating layer between the model and the agent's configuration in Microsoft Copilot Studio. It determines how the model receives context, uses instructions and tools, interprets results, and moves through a task toward completion. Put simply, the model provides the reasoning capability, while the...

33. Design reliable agentic loops

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/agentic-loops-in-practice

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Microsoft Copilot harness An agentic loop lets an agent evaluate a result and decide whether to continue, correct an error, try another approach, or stop. This flexibility helps agents complete multistep tasks, but it also needs boundaries. Costs can continue to accumulate even when the task...

34. Copilot Studio overview

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/fundamentals-what-is-copilot-studio

Current article overview (not a change claim; history unavailable or disabled): Microsoft Copilot Studio is a graphical, low-code studio for building and managing AI-powered agents and workflows. Build agents and workflows, connect them to your organization's data and systems, and publish them to the channels where your users already work. The app creation experience in Copilot Studio is in...

35. Agent flows overview

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/flows-overview

Current article overview (not a change claim; history unavailable or disabled): Agent flows are part of the standard harness experience in Copilot Studio. You create and manage them as classic agents. Flows in Copilot Studio automate repetitive tasks and integrate your apps and services. You can trigger a flow manually, based on other automated events or agents, or on a schedule. Flows consume...

36. FAQ for agent accounts (Frontier)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/faq-agent-accounts

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] This feature is part of Frontier preview program. Frontier connects you directly with Microsoft’s latest AI innovations. Frontier previews are subject to the existing preview terms of your customer agreements. As these features are still in...

37. Quickstart: Create an automated solution with natural language in the Microsoft Copilot harness (preview)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/create-automation-natural-language

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn more in Overview of usage-based billing. By using Copilot Studio, you can quickly and easily create...

38. Choose knowledge sources for agents built in Copilot Studio

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/choose-knowledge-sources

Current article overview (not a change claim; history unavailable or disabled): Makers can choose which types of knowledge sources their agents can reference. The Knowledge sources for agents setting in Power Platform admin center controls access to sources such as SharePoint, OneDrive, public websites, and documents such as files. Learn more in Configure knowledge sources for agents. You can...

39. Licensing for agents powered by the standard harness

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/billing-licensing

Current article overview (not a change claim; history unavailable or disabled): This article includes information about Azure Bot Service skills, a code-based way to extend the capabilities of an agent in the standard harness. These skills shouldn't be confused with agentic skills in the Microsoft Copilot harness. Learn more about how to use agentic skills in Skills overview for agents. This...

40. Apps overview (preview)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/apps-experience/apps-overview

Current article overview (not a change claim; history unavailable or disabled): This is a preview feature. Preview features aren't meant for production use and might have restricted functionality. These features are subject to supplemental terms of use, and are available before an official release so that customers can get early access and provide feedback. The app creation experience in...

41. Agents overview

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-overview

Current article overview (not a change claim; history unavailable or disabled): Agents in Microsoft Copilot Studio are AI-powered assistants that understand your business context and take action on your behalf. You build agents on one of three harnesses: the Microsoft Copilot harness for reasoning-heavy, multistep work, the Customer Conversation harness for customer-facing scenarios over voice...

42. Error codes reference for agents (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/troubleshooting-error-codes

Current article overview (not a change claim; history unavailable or disabled): When an agent powered by the Microsoft Copilot harness can't complete a turn, the Preview, Test, and Evaluate tabs show an error message together with a short error code. The error code identifies the cause so you can decide whether to retry, change your input, or contact your administrator. The harness used to build...

43. Tools overview for agents

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/tools-overview

Current article overview (not a change claim; history unavailable or disabled): Tools extend what your agent can do beyond answering questions from knowledge sources. They let your agent call APIs, run automated flows, interact with external services, and retrieve real-time data. What are tools? Tools are external capabilities your agent can invoke during a conversation. When a user asks the...

44. Manage and delete tools in an agent (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/tools-manage

Current article overview (not a change claim; history unavailable or disabled): After you add tools to your agent, you can manage them from the Build tab. You can view tool details, update the configuration, and remove tools you no longer need. The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn more...

45. Available tools for agents (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/tools-available

Current article overview (not a change claim; history unavailable or disabled): The new agent experience supports several types of tools that you can add to your agent. Each tool type connects your agent to different kinds of external capabilities and data sources. The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot...

46. Add a Model Context Protocol (MCP) server to your agent as a tool (Microsoft Copilot) (preview)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/tools-add-mcp-server

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] Model Context Protocol (MCP) is a standard for exposing tools to an agent. When you add an MCP server to your agent, the agent can use every tool that the server exposes during a conversation. Use this how-to when you want to add an MCP server to an...

47. Access standard harness agents and agent flows

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/switch-experiences

Current article overview (not a change claim; history unavailable or disabled): Copilot Studio supports both the standard harness and the Microsoft Copilot harness. This article explains when you might switch harnesses, what changes when you do, and how to move between harnesses based on your authoring goals. This article covers switching between the standard harness and the Microsoft Copilot...

48. Skills overview for agents (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/skills-overview

Current article overview (not a change claim; history unavailable or disabled): Agent skills are portable packages of instructions, scripts, and resources that give agents specialized capabilities and domain expertise. Unlike tools, which connect to external services, skills are self-contained sets of instructions and logic that you can create, share, and reuse across agents. Skills follow an...

49. Manage and delete skills in an agent (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/skills-manage

Current article overview (not a change claim; history unavailable or disabled): After adding skills to your agent, you can edit and delete them from the Build tab. Keeping your agent's skills organized and up to date ensures the best user experience. View your agent's skills Open your agent in Copilot Studio. Select the Build tab. In the components panel, the Skills section shows the skills you...

50. Create a skill for an agent (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/skills-create

Current article overview (not a change claim; history unavailable or disabled): You can create custom skills for your agent from the Build tab, either from scratch or with help from Copilot. Skills define reusable capabilities that the agent can activate when a user's request matches the skill's purpose. Agents powered by the Microsoft Copilot harness support three methods for adding a skill:...

51. Add and manage an uploaded skill (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/skills-add-existing

Current article overview (not a change claim; history unavailable or disabled): In addition to creating skills from scratch, you can add existing skills to your agent by uploading a skill file, then download, replace, or troubleshoot the uploaded skill. The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits....

52. Configure settings for agents powered by the Microsoft Copilot harness

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/settings-overview

Current article overview (not a change claim; history unavailable or disabled): The settings for agents powered by the Microsoft Copilot harness in Microsoft Copilot Studio let you configure how your agent behaves, processes content, and authenticates users. The Settings page organizes settings into categories. The harness used to build this agent uses usage-based billing. Using, building,...

53. Agent runtime limits

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/runtime-limits

Current article overview (not a change claim; history unavailable or disabled): Agents powered by the Microsoft Copilot harness in Microsoft Copilot Studio run each user message as a turn. A turn can include many model calls and tool calls. To keep turns reliable, the service applies limits to how long a turn runs, how many tool calls it makes, and how much conversation history the agent keeps....

54. Publish an agent (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/publication-publish-agent

Current article overview (not a change claim; history unavailable or disabled): Prerequisites You drafted and saved your agent after configuring its name, description, and instructions. You tested your agent in the Preview pane before publishing. To learn more about testing your agent before publication, see Preview overview for agents. Publish your agent for the first time Open your agent in...

55. Publish overview for agents (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/publication-fundamentals-publish-channels

Current article overview (not a change claim; history unavailable or disabled): Agents powered by the Microsoft Copilot harness in Microsoft Copilot Studio use publishing to move your agent from development into a live version that other users can access. Until you publish, your agent is only available in the preview pane. The harness used to build this agent uses usage-based billing. Using,...

56. Available channels for agents (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/publication-channels-overview

Current article overview (not a change claim; history unavailable or disabled): After you publish your agent, you can distribute it through different channels based on where your users already work. Microsoft Copilot Studio supports channels across Microsoft experiences, messaging platforms, websites and apps, contact center platforms, and other communication surfaces. The harness used to build...

57. Connect clients to your agent with the Model Context Protocol (MCP) and Agent2Agent (A2A) channels (Microsoft Copilot) (preview)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/publication-channels-mcp-agent-to-agent

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] The MCP client and A2A client channels are available only in early release cycle environments. If you don't see these channels in the Add a channel dialog, your environment isn't part of the rollout yet. The MCP client and A2A client channels let you...

58. Preview and test an agent (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/preview-overview

Current article overview (not a change claim; history unavailable or disabled): The Preview tab in agents powered by the Microsoft Copilot harness in Microsoft Copilot Studio provides an interactive testing environment where you can chat with your agent, debug its behavior, and review conversation history, all before you publish. The harness used to build this agent uses usage-based billing....

59. Manage preview conversations (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/preview-history

Current article overview (not a change claim; history unavailable or disabled): The Preview tab in agents powered by the Microsoft Copilot harness in Microsoft Copilot Studio maintains a history of your test conversations. Use conversation history to review past interactions and track patterns in your agent's behavior over time. The harness used to build this agent uses usage-based billing....

60. About agents powered by the Microsoft Copilot harness

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/overview

Current article overview (not a change claim; history unavailable or disabled): The Microsoft Copilot harness is a redesigned authoring and runtime environment for building AI agents. It introduces a natural-language-first approach to agent creation, a unified single-surface design, and an enhanced orchestration model that improves response quality and reasoning capability. The harness used to...

61. Memory (Customer Conversation) (preview)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/memory-overview-customer-conversation

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] Memory lets an agent powered by the Customer Conversation harness carry approved context from earlier conversations into the next one, so a returning customer is met with continuity instead of a cold start. The agent can recognize open intents,...

62. Memory (Microsoft Copilot) (preview)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/memory-overview

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] This is a production-ready preview feature. Production-ready previews are subject to supplemental terms of use. This article describes Memory for agents powered by the Microsoft Copilot harness. Agents powered by the Customer Conversation harness...

63. Manage connected agents in an agent (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/manage-connected-agents

Current article overview (not a change claim; history unavailable or disabled): After you add connected agents to your agent, you can view their details and remove agents you no longer need. The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn more in Overview of usage-based billing. View and edit...

64. Available knowledge sources for agents (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/knowledge-sources-overview

Current article overview (not a change claim; history unavailable or disabled): The new agent experience supports several types of knowledge sources. Each type connects your agent to different kinds of content and data. The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn more in Overview of usage-based...

65. Add SharePoint lists (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/knowledge-sharepoint-lists

Current article overview (not a change claim; history unavailable or disabled): Many organizations store important operational and business data in SharePoint lists, such as help desk tickets, course catalogs, backlogs, and more. After you connect SharePoint lists to your Copilot Studio agent, it can answer questions grounded in structured SharePoint data. The harness used to build this agent...

66. Manage knowledge sources in an agent (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/knowledge-edit-source

Current article overview (not a change claim; history unavailable or disabled): After you add knowledge sources to your agent, you can view, update, and remove them from the Knowledge tab. Regular maintenance ensures your agent has access to current, relevant content. View your agent's knowledge sources Open your agent in Copilot Studio. On the Build tab, find the Knowledge section in the right...

67. Knowledge overview for agents (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/knowledge-copilot-studio

Current article overview (not a change claim; history unavailable or disabled): Knowledge sources ground your agent in real data, enabling it to answer questions using your organization's content rather than relying solely on its general training. You configure knowledge from the Build tab. What is knowledge? Knowledge sources are the data your agent can access when answering user questions....

68. Add knowledge sources to an agent (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/knowledge-add-existing-copilot

Current article overview (not a change claim; history unavailable or disabled): In the new agent experience, knowledge sources define what your agent can access and reference when responding to users. Add and manage knowledge from the Build tab. The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn more...

69. Add Dataverse tables to your agent as a knowledge source (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/knowledge-add-dataverse-tables

Current article overview (not a change claim; history unavailable or disabled): When you integrate Dataverse tables as a knowledge source, you ground your agent in the data contained in your tables. Learn more in Improve agent responses from Microsoft Dataverse. To use this knowledge source, Copilot Studio agents must use Dataverse search. If you can't add a Dataverse table to an agent, ask your...

70. Add Azure SQL tables and views as a knowledge source (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/knowledge-add-azure-sql-tables

Current article overview (not a change claim; history unavailable or disabled): You can add Azure SQL tables and views as a knowledge source in Copilot Studio. Your agent can answer questions by reading structured data from your Azure SQL database, using the configured connection and database permissions. Views appear in the same selection list as tables. You don't need a separate knowledge...

71. Hooks (Microsoft Copilot) (preview)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/hooks-overview

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] A hook runs one of your workflows automatically when something happens in your agent, such as a session starting, a tool running, or an error occurring. Use hooks when you need something to happen every time, rather than only when the agent decides...

72. Connect to Foundry IQ (Customer Conversation) (preview)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/foundry-iq-connect-customer-conversation

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] Foundry IQ is a managed knowledge layer that gives your agent permission-aware, cited answers from your data across Azure, SharePoint, OneLake, and the web. For agents powered by the Customer Conversation harness, you connect to Foundry IQ from the...

73. Connect to Foundry IQ from an agent (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/foundry-iq-connect

Current article overview (not a change claim; history unavailable or disabled): Foundry IQ connects your agent to a knowledge base built in Azure AI Foundry. A Foundry IQ knowledge base bundles one or more enterprise data sources together with retrieval and relevance settings into a single, reusable asset. When you connect to a knowledge base that someone in your organization already built and...

74. FAQ for agents powered by the Microsoft Copilot harness

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/faqs-copilot-harness

Current article overview (not a change claim; history unavailable or disabled): This article answers common questions about agents powered by the Microsoft Copilot harness in Microsoft Copilot Studio, including how they relate to agents powered by the standard harness. The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume...

75. Connect to Fabric IQ from an agent (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/fabric-iq-connect

Current article overview (not a change claim; history unavailable or disabled): Fabric IQ connects your agent to business data and analytics in Microsoft Fabric so the agent can generate insights and support data-driven decisions grounded in your organization's semantic model. Add Fabric IQ to your agent in the Tools section of the Build page. The harness used to build this agent uses usage-based...

76. Enforcement policy for agents consuming Copilot Credits

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/enforcement-policy-credits

Current article overview (not a change claim; history unavailable or disabled): When an environment has no allocated Copilot Credits, or uses all its allocated credits, any experience that requires credits stops working until more credits are available. This limitation includes: End users: Agents stop responding to requests. Makers: You can't use natural language to author solutions, preview and...

77. Set up a shared autonomous agent (Microsoft Copilot) (preview)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/end-user-manage-shared-agent

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] When someone shares an autonomous agent with you, or you activate an agent for yourself, use the agent management page to connect required services with your own credentials, configure the trigger settings that the agent owner allows, and turn...

78. Set up your connections when an agent asks

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/end-user-connections

Current article overview (not a change claim; history unavailable or disabled): Some tools in a Microsoft Copilot Studio agent sign in with each user's own account instead of one shared account. Before the agent can use one of these tools for you, you need to connect your account. When the agent needs a connection you don't have yet, it asks you in the chat. You set up the connection on the...

79. Files the agent creates (Microsoft Copilot) (preview)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/created-files-overview

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] An agent can create files during a conversation - for example, a report, a spreadsheet, an image, or a code snippet - as the outcome of the work the user requested. The agent surfaces each of these files back to the user so they can review or...

80. Connect to Microsoft Copilot Studio with MCP

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/copilot-studio-mcp

Current article overview (not a change claim; history unavailable or disabled): Microsoft Copilot Studio MCP brings Copilot Studio tools into Model Context Protocol (MCP)-compatible CLIs, developer tools, and agentic interfaces. It provides a single entry point for working across the agent and automation lifecycle, from creation and configuration to testing, deployment, monitoring, and ongoing...

81. Create a new agent (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/build-new-agent

Current article overview (not a change claim; history unavailable or disabled): The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn more in Overview of usage-based billing. Agents powered by the Microsoft Copilot harness in Microsoft Copilot Studio use instructions written in natural language,...

82. Purchase and manage Copilot Credits

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/billing-manage-buy-credits

Current article overview (not a change claim; history unavailable or disabled): This article describes how to manage and buy Copilot Credits. How to purchase Copilot Credits The following sections describe the different ways you can purchase Copilot Credits. A Copilot Studio administrator in the Power Platform admin center allocates and manages Copilot Credits. If you need credits assigned to...

83. Overview of usage-based billing

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/billing-credit-overview

Current article overview (not a change claim; history unavailable or disabled): Agents, workflows, and apps powered by the Microsoft Copilot harness and customer conversations handled by Microsoft Contact Center Intelligence use a usage-based billing structure. This article describes how Copilot Credits are measured for these experiences. What's new Usage-based billing: Usage is billed based on...

84. Test your agent (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/authoring-test-bot

Current article overview (not a change claim; history unavailable or disabled): Use the Preview tab in agents powered by the Microsoft Copilot harness in Microsoft Copilot Studio to interactively test your agent before you publish it. Interactive testing lets you verify your agent's responses, check knowledge source accuracy, and confirm that tools and skills work correctly. The harness used to...

85. Share agents with other users and makers (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/authoring-share-agent

Current article overview (not a change claim; history unavailable or disabled): The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn more in Overview of usage-based billing. You can share your agents with others in your organization so they can see, test, and use your agents. For each agent, you can...

86. Select a model for an agent (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/authoring-select-agent-model

Current article overview (not a change claim; history unavailable or disabled): The model your agent uses affects its reasoning capabilities, response quality, and performance. You can select and change your agent's model from the Build tab in the components panel. The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot...

87. Monitor and analyze agent performance (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/authoring-review-activity

Current article overview (not a change claim; history unavailable or disabled): The Monitor tab shows the production health of your agent. Use it to review outcomes and trends, understand user feedback, inspect sessions and runs, and track Copilot credit consumption. The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume...

88. Configure agent details and instructions (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/authoring-instructions

Current article overview (not a change claim; history unavailable or disabled): In the agent details and instructions, define the agent and its behavior. This definition shapes the agent's tone, scope, and response style. Agents powered by the Microsoft Copilot harness use instructions as the primary mechanism for controlling agent behavior. The enhanced orchestration runtime interprets these...

89. Start building

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/authoring-first-bot

Current article overview (not a change claim; history unavailable or disabled): This article applies to multiple harnesses. The harness you use affects the billing, features, and capabilities of what you build. When you open Microsoft Copilot Studio, you can choose from several things to build. This article explains what each option is and where to find documentation to get started. Select an...

90. Review agent readiness and status in Microsoft Copilot Studio (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/authoring-agent-status

Current article overview (not a change claim; history unavailable or disabled): As you build an agent powered by the Microsoft Copilot harness, the Review entry point gives you a single place to see issues that affect your agent's readiness, governance, and security. It surfaces problems caused by data policies, Advanced Connector Policies, and other organizational controls, so you can find and...

91. Model availability and controls (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/authoring-agent-model-availability

Current article overview (not a change claim; history unavailable or disabled): The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn more in Overview of usage-based billing. Microsoft Copilot Studio supports multiple generative AI models with different capabilities, performance characteristics, and...

92. Add triggers to an agent (Microsoft Copilot) (preview)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/authoring-add-event-trigger

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] Use triggers to create autonomous agents powered by the Microsoft Copilot harness. Autonomous agents run when an event occurs in a connected service. For example, an agent can respond when an item is created in SharePoint, an email arrives, or a...

93. Use the activity trace to debug your agent (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/authoring-activity-trace

Current article overview (not a change claim; history unavailable or disabled): The activity trace in agents powered by the Microsoft Copilot harness in Microsoft Copilot Studio shows you exactly how your agent processes each message. Use it to understand your agent's chain-of-thought reasoning, verify knowledge source attribution, confirm tool execution, and troubleshoot errors. The harness used...

94. Attach files to a conversation (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/attachments-overview

Current article overview (not a change claim; history unavailable or disabled): Users can attach files to a message so the agent can read, summarize, or otherwise reason over them for that turn. Attachments are a per-turn input from the user, not a persistent maker-configured data source. The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating...

95. Monitor agent performance overview (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/analytics-overview

Current article overview (not a change claim; history unavailable or disabled): The Monitor tab gives makers an in-context view of an agent's production health. Use it to understand usage, outcomes, user feedback, reliability, and Copilot credit consumption so you can identify trends and decide where to improve the agent. The harness used to build this agent uses usage-based billing. Using,...

96. View evaluation results for an agent (preview)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/analytics-agent-evaluation-view

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] After you run an evaluation, review the results to see how well your agent performed across conversations. The results show quality scores and let you open individual conversations to see the agent's responses. This is a production-ready preview...

97. Run an evaluation for an agent (preview)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/analytics-agent-evaluation-results

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] After you create a test set with conversations, run an evaluation to measure your agent's performance. The evaluation processes each conversation and produces scored results based on the selected test method. This is a production-ready preview...

98. Create a test set for an agent (preview)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/analytics-agent-evaluation-create

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] A test set is a collection of conversations you use to evaluate your agent's performance. Each conversation represents a scenario you want your agent to handle. This is a production-ready preview feature. Production-ready previews are subject to...

99. Manage agents from the Agents page

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/agents-page

Current article overview (not a change claim; history unavailable or disabled): This article applies to multiple harnesses. The harness you use affects the billing, features, and capabilities of what you build. The Agents page in Copilot Studio lists the agents that you can access in your current environment. From this page, you can find an agent, open it for editing and publishing it, or delete...

100. Work IQ in Copilot Studio (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/add-work-iq

Current article overview (not a change claim; history unavailable or disabled): Work IQ is generally available in Microsoft Copilot Studio and is added by default to every new agent that uses the Microsoft Copilot harness. All available workloads are selected by default. You can narrow the selection to give your agent the work context it needs for your scenario. Some workloads, such as Business...

101. Add a tool to an agent (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/add-tools-custom-agent

Current article overview (not a change claim; history unavailable or disabled): You can add tools to your agent from the Build tab. Tools let your agent perform actions, connect to external services, and retrieve real-time data during conversations. The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn...

102. Add an Agent2Agent (A2A) agent as a connected agent (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/add-agent-to-agent

Current article overview (not a change claim; history unavailable or disabled): Use connected agents to let your primary agent delegate specific tasks to specialized agents. This article shows you how to connect a remote agent that's available over the Agent2Agent (A2A) protocol, so your primary agent can hand tasks off to it. The harness used to build this agent uses usage-based billing. Using,...

103. Add a Microsoft 365 Agents SDK agent as a connected agent (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/add-agent-m-365-sdk

Current article overview (not a change claim; history unavailable or disabled): Use connected agents to let your primary agent delegate specific tasks to specialized agents. This article shows you how to connect an agent built with the Microsoft 365 Agents SDK, so your primary agent can hand tasks off to it. The harness used to build this agent uses usage-based billing. Using, building, testing,...

104. Add a Foundry agent as a connected agent (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/add-agent-foundry

Current article overview (not a change claim; history unavailable or disabled): Use connected agents to let your primary agent delegate specific tasks to specialized agents. This article shows you how to connect an existing Microsoft Foundry agent so your primary agent can hand tasks off to it. The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating...

105. Add a Copilot Studio agent as a connected agent (Microsoft Copilot)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/add-agent-connected

Current article overview (not a change claim; history unavailable or disabled): Use connected agents to let your primary agent delegate specific tasks to specialized agents. This article shows you how to add another published Copilot Studio agent as a connected agent and verify that delegation works as expected. The harness used to build this agent uses usage-based billing. Using, building,...

106. Use a classic chatbot as an Azure Bot Service skill in an Azure Bot Service bot

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/advanced-use-pva-as-a-skill

Current article overview (not a change claim; history unavailable or disabled): This article applies to classic chatbots only. This feature isn't available for Copilot Studio agents powered by the standard or Microsoft Copilot harness. This article includes information about Azure Bot Service skills, a code-based way to extend the capabilities of an agent in the standard harness. These skills...

107. Send proactive Microsoft Teams messages

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/advanced-proactive-message

Current article overview (not a change claim; history unavailable or disabled): You can configure proactive messages for agents and classic chatbots that you create and customize in Copilot Studio. After you publish an agent and make the agent available to users in Microsoft Teams, it can send proactive messages to notify users ("recipients") in Teams. Proactive messages use Power Automate flows...

108. Environment-level telemetry with Application Insights (preview)

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/advanced-environment-level-agent-telemetry

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] Use Azure Application Insights to monitor Copilot Studio agent traces exported from a managed environment. After you configure export, use Azure Monitor and Application Insights to validate agent runs, monitor node and tool execution, create alerts,...

109. Bypass connector consent cards for an agent

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/admin-connector-consent-bypass

Current article overview (not a change claim; history unavailable or disabled): When an agent uses a connector for the first time on behalf of a user, the agent presents a consent card in the conversation. Administrators can bypass those consent cards for a specific agent by using the connector consent-bypass setting in the Power Platform API. This article explains the one-time tenant setup and...

110. Add tools to custom agents

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/add-tools-custom-agent

Current article overview (not a change claim; history unavailable or disabled): Tools are building blocks that let your agent interact with external systems. Tools expand what your agent can do, and your agent can perform various actions in response to user requests or autonomous triggers. Each tool represents a specific capability that your agent can perform. For example, you can equip your...

111. Microsoft Copilot Studio documentation

Updated (UTC): 2026-11-12T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio

Current article overview (not a change claim; history unavailable or disabled): Discover how to build AI-driven agents, workflows, and apps with Microsoft Copilot Studio. Access documentation, implementation guidance, online training, and other resources. Overview What is Microsoft Copilot Studio? What's new What's new in Microsoft Copilot Studio? Overview Review implementation guidance How-To...

112. FAQ for agent templates and managed agents

Updated (UTC): 2026-11-12T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/faqs-templates

Current article overview (not a change claim; history unavailable or disabled): These frequently asked questions (FAQ) describe the AI impact of agent templates and managed agents for custom agents in Copilot Studio. What are agent templates and managed agents? Agent templates and managed agents are templates that help makers create agents for specific goals: Agent templates come with...

113. Copilot Studio and agent samples

Updated (UTC): 2026-11-11T19:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/agent-samples

Current article overview (not a change claim; history unavailable or disabled): This article provides links to GitHub repositories that help you build, extend, and learn about agents using Copilot Studio and Microsoft Copilot. These samples include low-code and pro-code examples, learning resources, and community-maintained projects. Use this article to find the repository that best matches your...

114. Add tools and resources from a Model Context Protocol (MCP) server to your agent

Updated (UTC): 2026-11-11T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/mcp-add-components-to-agent

Current article overview (not a change claim; history unavailable or disabled): After you connect an existing MCP server to Copilot Studio, you can add the server to an agent as a tool. You can access the server tools and resources. The process is the same, whether you're adding prebuilt Microsoft MCP connectors or an MCP server to which you configured a connection. To add an MCP server to an...

115. Work with variables

Updated (UTC): 2026-11-11T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/authoring-variables

Current article overview (not a change claim; history unavailable or disabled): This article includes information about Azure Bot Service skills, a code-based way to extend the capabilities of an agent in the standard harness. These skills shouldn't be confused with agentic skills in the Microsoft Copilot harness. Learn more about how to use agentic skills in Skills overview for agents. Use...

116. Set topic triggers

Updated (UTC): 2026-11-10T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/authoring-triggers

Current article overview (not a change claim; history unavailable or disabled): For agents that use generative orchestration, the default topic trigger is The agent chooses. It activates when the agent determines that the topic's name and the description specified on the Trigger node match the incoming message from the user. For agents that use classic orchestration, the default topic trigger is...

117. Send a message

Updated (UTC): 2026-11-10T01:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/authoring-send-message

Current article overview (not a change claim; history unavailable or disabled): The Message node, within the flow of a topic, sends a message from the agent to the user. Messages can be simple text messages, but they can also include richer components, such as images, videos, quick replies, and cards. The Question node has all the capabilities of the Message node. Send a text message Open the...

118. Configure and manage connections

Updated (UTC): 2026-11-10T01:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/authoring-connections

Current article overview (not a change claim; history unavailable or disabled): Agents use tools and knowledge to perform actions on behalf of users and collect relevant contextual information. Developers often store these tools and knowledge sources in external systems, such as Microsoft Dataverse, Microsoft SharePoint, or other APIs. To access these resources securely, agents need to...

119. View agent's billing consumption

Updated (UTC): 2026-11-10T01:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/analytics-consumption

Current article overview (not a change claim; history unavailable or disabled): The Monitor page in Copilot Studio provides consumption data on the billed Copilot Credits or sessions your agent uses. If your billing is based on Copilot Credits consumption, these analytics show how many Copilot Credits your agent consumes and what activity counts toward Copilot Credits consumption over a time...

120. Orchestrate agent behavior with generative AI

Updated (UTC): 2026-11-10T01:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/advanced-generative-actions

Current article overview (not a change claim; history unavailable or disabled): Agents powered by the standard harness can use either generative or classic orchestration. By default, new agents use generative orchestration. An agent that uses generative orchestration can choose the best tools, knowledge, topics, and other agents to answer user queries or respond to event triggers. The alternative...

121. Create an agent flow as a tool

Updated (UTC): 2026-11-10T01:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/advanced-flow-create

Current article overview (not a change claim; history unavailable or disabled): To use an agent flow as a tool that an agent can call, the flow must meet the following requirements: Have the When an agent calls the flow trigger and a response action of Respond to the agent. Be configured to respond in real time, not asynchronously. The Asynchronous response toggle must be set to Off under...

122. Configure NLU+

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/nlu-plus-configure

Current article overview (not a change claim; history unavailable or disabled): NLU+ provides full, repeatable control over your agent's conversations, a customized dialog, and high accuracy for customer's queries. The NLU+ option is ideal for large enterprise-grade applications. These types of applications typically consist of a large number of topics and entities, and use a large number of...

123. Configure confidence thresholds for topic switching

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/nlu-plus-confidence-threshold

Current article overview (not a change claim; history unavailable or disabled): When your agent uses NLU+, you can configure intent confidence thresholds that control when a user's message switches the conversation to another topic. Thresholds help keep conversations on track while still letting users change topics when they intend to. For example, a user's answer to a question might resemble a...

124. Variables overview

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/authoring-variables-about

Current article overview (not a change claim; history unavailable or disabled): This article includes information about Azure Bot Service skills, a code-based way to extend the capabilities of an agent in the standard harness. These skills shouldn't be confused with agentic skills in the Microsoft Copilot harness. Learn more about how to use agentic skills in Skills overview for agents. Variables...

125. Use system topics

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/authoring-system-topics

Current article overview (not a change claim; history unavailable or disabled): System topics are common topics used in conversations with an agent. System topics are configured to trigger at appropriate times in response to related events. However, you can manually trigger system topics by redirecting a conversation to them. Some system events have trigger phrases that you can customize to fit...

126. Ask a question

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/authoring-ask-a-question

Current article overview (not a change claim; history unavailable or disabled): A Question node prompts a user for information and stores their response in a variable for use later in the conversation. The node offers options for the type of information to collect, such as a multiple-choice answer, a prebuilt entity, or a custom entity. Question behavior properties let you control the behavior of...

127. Design autonomous agent capabilities

Updated (UTC): 2026-11-06T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/autonomous-agents

Current article overview (not a change claim; history unavailable or disabled): Autonomous agents in Microsoft Copilot Studio can act without waiting for a user prompt. They use the instructions, tools, and safeguards you define to make decisions and complete tasks. For example, an agent can respond to a configured event by processing an update, triaging a request, or initiating a follow-up...

128. Microsoft Copilot Studio guidance documentation

Updated (UTC): 2026-11-06T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance

Current article overview (not a change claim; history unavailable or disabled): Microsoft Copilot Studio guidance documentation provides best practices, implementation, and architecture guidance information from the team that works with our enterprise customers. Plan Get started Overview Plan projects with iterative, user-focused methods Define project objectives and success criteria Prioritize...