MICROSOFT COPILOT STUDIO

Documentation update digest

Generated (UTC): 2026-11-12T08:00:50.504651+00:00

Observation window: 2026-11-05T08:00:50.504651+00:00 to 2026-11-12T08:00:50.504651+00:00

49 new or updated document candidates

Scope: English Microsoft Learn Copilot Studio documentation and troubleshooting. Documentation changes are not necessarily new product features. Modification timestamps are not feature release dates. No AI interpretation is used.

Every run independently selects articles using their published updated_at timestamp (sitemap lastmod when absent), within the inclusive UTC window above. New and updated articles are combined: a recent modification date alone does not prove that an article is newly created. Summaries use representative public source changes since the window start, not AI interpretation. If history is unavailable, an overview of the current article is explicitly labeled instead of claiming unverified changes.

Attribution: Microsoft and Microsoft Learn contributors. Source text is reproduced or reformatted into short extracts; links identify each original. Public GitHub source history is used only when accessible. Documentation text licensed under CC BY 4.0: https://creativecommons.org/licenses/by/4.0/ . Third-party materials may have separate terms. No images are reproduced.

Text formatting: unsupported font glyphs are represented as [U+XXXX] to preserve their identity. Images are not reproduced. This report does not claim to capture every intermediate edit between scans.

---

1. What's new in Copilot Studio

Updated (UTC): 2026-11-12T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/whats-new

Current article overview (not a change claim; history unavailable or disabled): This article provides resources to learn about new features in Copilot Studio. Released versions Get an overview of new capabilities in the Roadmap. You can filter for products and specific areas and learn what's coming when. Releases roll out over several days. New or updated functionality might not appear...

---

2. FAQ for agent templates and managed agents

Updated (UTC): 2026-11-12T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/faqs-templates

Current article overview (not a change claim; history unavailable or disabled): These frequently asked questions (FAQ) describe the AI impact of agent templates and managed agents for custom agents in Copilot Studio. What are agent templates and managed agents? Agent templates and managed agents are templates that help makers create agents for specific goals: Agent templates come with...

3. FAQ for agents powered by the GitHub Copilot harness

Updated (UTC): 2026-11-12T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/faqs-copilot-harness

Current article overview (not a change claim; history unavailable or disabled): This article answers common questions about agents powered by the GitHub Copilot harness in Microsoft Copilot Studio, including how they relate to agents powered by the standard harness. The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot...

4. Configure agent details and instructions (GitHub Copilot)

Updated (UTC): 2026-11-12T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/authoring-instructions

Current article overview (not a change claim; history unavailable or disabled): In the agent details and instructions, define the agent and its behavior. This definition shapes the agent's tone, scope, and response style. Agents powered by the GitHub Copilot harness use instructions as the primary mechanism for controlling agent behavior. The enhanced orchestration runtime interprets these...

5. Copilot Studio and agent samples

Updated (UTC): 2026-11-11T19:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/agent-samples

Current article overview (not a change claim; history unavailable or disabled): This article provides links to GitHub repositories that help you build, extend, and learn about agents using Copilot Studio and Microsoft Copilot. These samples include low-code and pro-code examples, learning resources, and community-maintained projects. Use this article to find the repository that best matches your...

6. Add tools and resources from a Model Context Protocol (MCP) server to your agent

Updated (UTC): 2026-11-11T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/mcp-add-components-to-agent

Current article overview (not a change claim; history unavailable or disabled): After you connect an existing MCP server to Copilot Studio, you can add the server to an agent as a tool. You can access the server tools and resources. The process is the same, whether you're adding prebuilt Microsoft MCP connectors or an MCP server to which you configured a connection. To add an MCP server to an...

7. Work with variables

Updated (UTC): 2026-11-11T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/authoring-variables

Current article overview (not a change claim; history unavailable or disabled): This article includes information about Azure Bot Service skills, a code-based way to extend the capabilities of an agent in the standard harness. These skills shouldn't be confused with agentic skills in the GitHub Copilot harness. Learn more about how to use agentic skills in Skills overview for agents. Use...

8. Set topic triggers

Updated (UTC): 2026-11-10T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/authoring-triggers

Current article overview (not a change claim; history unavailable or disabled): For agents that use generative orchestration, the default topic trigger is The agent chooses. It activates when the agent determines that the topic's name and the description specified on the Trigger node match the incoming message from the user. For agents that use classic orchestration, the default topic trigger is...

9. What's new in the Copilot Studio guidance hub

Updated (UTC): 2026-11-10T01:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/whats-new

Current article overview (not a change claim; history unavailable or disabled): Get the latest information about what's new and what changed in the Copilot Studio guidance hub. November 2026 New articles Design reliable agentic loops Other updates New reference architecture in the Power Platform and Copilot Studio Architecture Center: Build a multilingual IT self-service agent with Copilot Studio...

10. Send a message

Updated (UTC): 2026-11-10T01:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/authoring-send-message

Current article overview (not a change claim; history unavailable or disabled): The Message node, within the flow of a topic, sends a message from the agent to the user. Messages can be simple text messages, but they can also include richer components, such as images, videos, quick replies, and cards. The Question node has all the capabilities of the Message node. Send a text message Open the...

11. Configure and manage connections

Updated (UTC): 2026-11-10T01:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/authoring-connections

Current article overview (not a change claim; history unavailable or disabled): Agents use tools and knowledge to perform actions on behalf of users and collect relevant contextual information. Developers often store these tools and knowledge sources in external systems, such as Microsoft Dataverse, Microsoft SharePoint, or other APIs. To access these resources securely, agents need to...

12. View agent's billing consumption

Updated (UTC): 2026-11-10T01:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/analytics-consumption

Current article overview (not a change claim; history unavailable or disabled): The Monitor page in Copilot Studio provides consumption data on the billed Copilot Credits or sessions your agent uses. If your billing is based on Copilot Credits consumption, these analytics show how many Copilot Credits your agent consumes and what activity counts toward Copilot Credits consumption over a time...

13. Add a Copilot Studio agent as a connected agent (GitHub Copilot)

Updated (UTC): 2026-11-10T01:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/add-agent-connected

Current article overview (not a change claim; history unavailable or disabled): Use connected agents to let your primary agent delegate specific tasks to specialized agents. This article shows you how to add another published Copilot Studio agent as a connected agent and verify that delegation works as expected. The harness used to build this agent uses usage-based billing. Using, building,...

14. Orchestrate agent behavior with generative AI

Updated (UTC): 2026-11-10T01:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/advanced-generative-actions

Current article overview (not a change claim; history unavailable or disabled): Agents powered by the standard harness can use either generative or classic orchestration. By default, new agents use generative orchestration. An agent that uses generative orchestration can choose the best tools, knowledge, topics, and other agents to answer user queries or respond to event triggers. The alternative...

15. Create an agent flow as a tool

Updated (UTC): 2026-11-10T01:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/advanced-flow-create

Current article overview (not a change claim; history unavailable or disabled): To use an agent flow as a tool that an agent can call, the flow must meet the following requirements: Have the When an agent calls the flow trigger and a response action of Respond to the agent. Be configured to respond in real time, not asynchronously. The Asynchronous response toggle must be set to Off under...

16. Bypass connector consent cards for an agent

Updated (UTC): 2026-11-10T01:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/admin-connector-consent-bypass

Current article overview (not a change claim; history unavailable or disabled): When an agent uses a connector for the first time on behalf of a user, the agent presents a consent card in the conversation. Administrators can bypass those consent cards for a specific agent by using the connector consent-bypass setting in the Power Platform API. This article explains the one-time tenant setup and...

17. Microsoft Copilot Studio documentation

Updated (UTC): 2026-11-10T01:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio

Current article overview (not a change claim; history unavailable or disabled): Discover how to build AI-driven agents, workflows, and apps with Microsoft Copilot Studio. Access documentation, implementation guidance, online training, and other resources. Overview What is Microsoft Copilot Studio? What's new What's new in Microsoft Copilot Studio? Overview Review implementation guidance How-To...

18. Connect clients to your agent with the Model Context Protocol (MCP) and Agent2Agent (A2A) channels (GitHub Copilot) (preview)

Updated (UTC): 2026-11-09T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/publication-channels-mcp-agent-to-agent

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] The MCP client and A2A client channels are available only in early release cycle environments. If you don't see these channels in the Add a channel dialog, your environment isn't part of the rollout yet. The MCP client and A2A client channels let you...

19. Model availability and controls (GitHub Copilot)

Updated (UTC): 2026-11-07T07:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/authoring-agent-model-availability

Current article overview (not a change claim; history unavailable or disabled): The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn more in Overview of usage-based billing. Microsoft Copilot Studio supports multiple generative AI models with different capabilities, performance characteristics, and...

20. Upgrade agents to the GitHub Copilot harness (preview)

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/upgrade-to-github-copilot-from-standard-harness

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn more in Overview of usage-based billing. You can ask Copilot Studio to upgrade agents powered by the...

21. Configure NLU+

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/nlu-plus-configure

Current article overview (not a change claim; history unavailable or disabled): NLU+ provides full, repeatable control over your agent's conversations, a customized dialog, and high accuracy for customer's queries. The NLU+ option is ideal for large enterprise-grade applications. These types of applications typically consist of a large number of topics and entities, and use a large number of...

22. Configure confidence thresholds for topic switching

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/nlu-plus-confidence-threshold

Current article overview (not a change claim; history unavailable or disabled): When your agent uses NLU+, you can configure intent confidence thresholds that control when a user's message switches the conversation to another topic. Thresholds help keep conversations on track while still letting users change topics when they intend to. For example, a user's answer to a question might resemble a...

23. Variables overview

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/authoring-variables-about

Current article overview (not a change claim; history unavailable or disabled): This article includes information about Azure Bot Service skills, a code-based way to extend the capabilities of an agent in the standard harness. These skills shouldn't be confused with agentic skills in the GitHub Copilot harness. Learn more about how to use agentic skills in Skills overview for agents. Variables...

24. Use system topics

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/authoring-system-topics

Current article overview (not a change claim; history unavailable or disabled): System topics are common topics used in conversations with an agent. System topics are configured to trigger at appropriate times in response to related events. However, you can manually trigger system topics by redirecting a conversation to them. Some system events have trigger phrases that you can customize to fit...

25. Ask a question

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/authoring-ask-a-question

Current article overview (not a change claim; history unavailable or disabled): A Question node prompts a user for information and stores their response in a variable for use later in the conversation. The node offers options for the type of information to collect, such as a multiple-choice answer, a prebuilt entity, or a custom entity. Question behavior properties let you control the behavior of...

26. Tools overview for agents

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/tools-overview

Current article overview (not a change claim; history unavailable or disabled): Tools extend what your agent can do beyond answering questions from knowledge sources. They let your agent call APIs, run automated flows, interact with external services, and retrieve real-time data. What are tools? Tools are external capabilities your agent can invoke during a conversation. When a user asks the...

27. Available tools for agents (GitHub Copilot)

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/tools-available

Current article overview (not a change claim; history unavailable or disabled): The new agent experience supports several types of tools that you can add to your agent. Each tool type connects your agent to different kinds of external capabilities and data sources. The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot...

28. Access standard harness agents and agent flows

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/switch-experiences

Current article overview (not a change claim; history unavailable or disabled): Copilot Studio supports both the standard harness and the GitHub Copilot harness. This article explains when you might switch harnesses, what changes when you do, and how to move between harnesses based on your authoring goals. This article covers switching between the standard harness and the GitHub Copilot harness....

29. Hooks (GitHub Copilot) (preview)

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/hooks-overview

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] A hook runs one of your workflows automatically when something happens in your agent, such as a session starting, a tool running, or an error occurring. Use hooks when you need something to happen every time, rather than only when the agent decides...

30. Create a test set for an agent (preview)

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/analytics-agent-evaluation-create

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] A test set is a collection of conversations you use to evaluate your agent's performance. Each conversation represents a scenario you want your agent to handle. This is a production-ready preview feature. Production-ready previews are subject to...

31. Add a tool to an agent (GitHub Copilot)

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/add-tools-custom-agent

Current article overview (not a change claim; history unavailable or disabled): You can add tools to your agent from the Build tab. Tools let your agent perform actions, connect to external services, and retrieve real-time data during conversations. The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn...

32. Manage the AI model lifecycle for Copilot Studio agents

Updated (UTC): 2026-11-06T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/plan-agent-model-lifecycle

Current article overview (not a change claim; history unavailable or disabled): Copilot Studio offers different types of models. These model types are based on their intended use and availability. AI model selection isn't a one-time design decision. Models are introduced, updated, made generally available, selected as defaults, and eventually retired. An agent that works well with one model can...

33. Implement your Copilot Studio projects, an overview

Updated (UTC): 2026-11-06T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/implement-overview

Current article overview (not a change claim; history unavailable or disabled): Implementing Copilot Studio projects requires a clear understanding of the core building blocks that shape effective agent behavior. This section guides makers, solution architects, and project teams through the key implementation practices-from designing reliable integrations and using agent tools, to publishing...

34. Design autonomous agent capabilities

Updated (UTC): 2026-11-06T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/autonomous-agents

Current article overview (not a change claim; history unavailable or disabled): Autonomous agents in Microsoft Copilot Studio can act without waiting for a user prompt. They use the instructions, tools, and safeguards you define to make decisions and complete tasks. For example, an agent can respond to a configured event by processing an update, triaging a request, or initiating a follow-up...

35. Design reliable agentic loops

Updated (UTC): 2026-11-06T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/agentic-loops-in-practice

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] GitHub Copilot harness An agentic loop lets an agent evaluate a result and decide whether to continue, correct an error, try another approach, or stop. This flexibility helps agents complete multistep tasks, but it also needs boundaries. Costs can continue to accumulate even when the task is...

36. Microsoft Copilot Studio guidance documentation

Updated (UTC): 2026-11-06T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance

Current article overview (not a change claim; history unavailable or disabled): Microsoft Copilot Studio guidance documentation provides best practices, implementation, and architecture guidance information from the team that works with our enterprise customers. Plan Get started Overview Plan projects with iterative, user-focused methods Define project objectives and success criteria Prioritize...

37. Allow file input from users

Updated (UTC): 2026-11-06T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/image-input-analysis

Current article overview (not a change claim; history unavailable or disabled): You can enable users of your agent to upload files and images. Your agent can analyze these files and use them to provide responses. When to allow file input Allow users to upload files to elicit agent responses in the following scenarios: Questions that require information from your configured knowledge sources....

38. Add Azure SQL tables and views as a knowledge source (GitHub Copilot)

Updated (UTC): 2026-11-06T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/knowledge-add-azure-sql-tables

Current article overview (not a change claim; history unavailable or disabled): You can add Azure SQL tables and views as a knowledge source in Copilot Studio. Your agent can answer questions by reading structured data from your Azure SQL database, using the configured connection and database permissions. Views appear in the same selection list as tables. You don't need a separate knowledge...

39. Add a child agent

Updated (UTC): 2026-11-06T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/add-agent-child-agent

Current article overview (not a change claim; history unavailable or disabled): A child agent is a lightweight agent that exists within the context of your main agent. Child agents let you logically group tools, instructions, and knowledge into clearly defined subagents within a larger agent. They're ideal for single use cases that respond to a single intent or complete a single task. This...

40. Security FAQs for Copilot Studio

Updated (UTC): 2026-11-05T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/security-faq

Current article overview (not a change claim; history unavailable or disabled): These frequently asked questions (FAQs) are focused on security to help you get answers to accelerate your adoption and use of Copilot Studio in your organization. Copilot Studio creates a single-tenant Microsoft Entra ID app registration on new agent creation. Existing agents continue to have multitenant Microsoft...

41. Key concepts - Copilot Studio security and governance

Updated (UTC): 2026-11-05T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/security-and-governance

Current article overview (not a change claim; history unavailable or disabled): Copilot Studio follows a number of security and governance controls and processes, including geographic data residency, data loss prevention (DLP), multiple standards certifications, regulatory compliance, environment routing, and regional customization. For details on data residency and handling practices for Copilot...

42. Quotas and limits

Updated (UTC): 2026-11-05T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/requirements-quotas

Current article overview (not a change claim; history unavailable or disabled): This article includes information about Azure Bot Service skills, a code-based way to extend the capabilities of an agent in the standard harness. These skills shouldn't be confused with agentic skills in the GitHub Copilot harness. Learn more about how to use agentic skills in Skills overview for agents. This article...

43. Unstructured data as a knowledge source

Updated (UTC): 2026-11-05T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/knowledge-unstructured-data

Current article overview (not a change claim; history unavailable or disabled): By using Copilot Studio, you can enhance your agents with domain-specific knowledge powered by the same trusted, familiar data sources you build through Power Platform connectors. When you upload external content from your device, OneDrive, or SharePoint, you can enrich your agents with contextual knowledge tailored...

44. Add unstructured data as a knowledge source

Updated (UTC): 2026-11-05T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/knowledge-add-unstructured-data

Current article overview (not a change claim; history unavailable or disabled): This article provides information to add unstructured data, such as OneDrive, SharePoint, and Power Platform connectors as knowledge sources for your agent. For more information about unstructured data, go to Unstructured data as a knowledge source. Knowledge source types and data policies Copilot Studio treats...

45. Add SharePoint as a knowledge source

Updated (UTC): 2026-11-05T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/knowledge-add-sharepoint

Current article overview (not a change claim; history unavailable or disabled): You can use SharePoint as a knowledge source by pairing your agent with a SharePoint URL or SharePoint lists. This article covers the full SharePoint integration functionality provided by selecting the SharePoint option in the Add knowledge dialog. By using this option, the agent surfaces only content that the user...

46. Monitor operations, compliance, and capacity

Updated (UTC): 2026-11-05T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/sec-gov-phase5

Current article overview (not a change claim; history unavailable or disabled): This article focuses on monitoring and optimization to ensure optimal performance, compliance, and continuous improvement. It suggests tools and strategies for operational monitoring, compliance auditing, and capacity management. By using analytics, dashboards, and real-time telemetry, you gain actionable insights,...

47. Available knowledge sources for agents (GitHub Copilot)

Updated (UTC): 2026-11-05T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/knowledge-sources-overview

Current article overview (not a change claim; history unavailable or disabled): The new agent experience supports several types of knowledge sources. Each type connects your agent to different kinds of content and data. The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn more in Overview of usage-based...

48. Attach files to a conversation (GitHub Copilot)

Updated (UTC): 2026-11-05T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/attachments-overview

Current article overview (not a change claim; history unavailable or disabled): Users can attach files to a message so the agent can read, summarize, or otherwise reason over them for that turn. Attachments are a per-turn input from the user, not a persistent maker-configured data source. The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating...

49. Control how agents are shared

Updated (UTC): 2026-11-05T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/admin-sharing-controls-limits

Current article overview (not a change claim; history unavailable or disabled): You can control and limit how agents are shared in your tenant by applying the Editor and Viewer permission assignments to individuals who need to access Copilot Studio, and then configuring the permissions for who can share with whom. You configure the sharing limits for agents as a Managed Environments control in...