MICROSOFT COPILOT STUDIO

Documentation update digest

Generated (UTC): 2026-11-11T07:34:18.209197+00:00

Observation window: 2026-11-04T07:34:18.209197+00:00 to 2026-11-11T07:34:18.209197+00:00

99 new or updated document candidates

Scope: English Microsoft Learn Copilot Studio documentation and troubleshooting. Documentation changes are not necessarily new product features. Modification timestamps are not feature release dates. No AI interpretation is used.

Every run independently selects articles using their published updated_at timestamp (sitemap lastmod when absent), within the inclusive UTC window above. New and updated articles are combined: a recent modification date alone does not prove that an article is newly created. Summaries use representative public source changes since the window start, not AI interpretation. If history is unavailable, an overview of the current article is explicitly labeled instead of claiming unverified changes.

Attribution: Microsoft and Microsoft Learn contributors. Source text is reproduced or reformatted into short extracts; links identify each original. Public GitHub source history is used only when accessible. Documentation text licensed under CC BY 4.0: https://creativecommons.org/licenses/by/4.0/ . Third-party materials may have separate terms. No images are reproduced.

Text formatting: unsupported font glyphs are represented as [U+XXXX] to preserve their identity. Images are not reproduced. This report does not claim to capture every intermediate edit between scans.

---

1. Add tools and resources from a Model Context Protocol (MCP) server to your agent

Updated (UTC): 2026-11-11T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/mcp-add-components-to-agent

Current article overview (not a change claim; history unavailable or disabled): After you connect an existing MCP server to Copilot Studio, you can add the server to an agent as a tool. You can access the server tools and resources. The process is the same, whether you're adding prebuilt Microsoft MCP connectors or an MCP server to which you configured a connection. To add an MCP server to an...

---

2. Work with variables

Updated (UTC): 2026-11-11T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/authoring-variables

Current article overview (not a change claim; history unavailable or disabled): This article includes information about Azure Bot Service skills, a code-based way to extend the capabilities of an agent in the standard harness. These skills shouldn't be confused with agentic skills in the GitHub Copilot harness. Learn more about how to use agentic skills in Skills overview for agents. Use...

3. Set topic triggers

Updated (UTC): 2026-11-10T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/authoring-triggers

Current article overview (not a change claim; history unavailable or disabled): For agents that use generative orchestration, the default topic trigger is The agent chooses. It activates when the agent determines that the topic's name and the description specified on the Trigger node match the incoming message from the user. For agents that use classic orchestration, the default topic trigger is...

4. What's new in the Copilot Studio guidance hub

Updated (UTC): 2026-11-10T01:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/whats-new

Current article overview (not a change claim; history unavailable or disabled): Get the latest information about what's new and what changed in the Copilot Studio guidance hub. November 2026 New articles Design reliable agentic loops Other updates New reference architecture in the Power Platform and Copilot Studio Architecture Center: Build a multilingual IT self-service agent with Copilot Studio...

5. Send a message

Updated (UTC): 2026-11-10T01:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/authoring-send-message

Current article overview (not a change claim; history unavailable or disabled): The Message node, within the flow of a topic, sends a message from the agent to the user. Messages can be simple text messages, but they can also include richer components, such as images, videos, quick replies, and cards. The Question node has all the capabilities of the Message node. Send a text message Open the...

6. Configure and manage connections

Updated (UTC): 2026-11-10T01:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/authoring-connections

Current article overview (not a change claim; history unavailable or disabled): Agents use tools and knowledge to perform actions on behalf of users and collect relevant contextual information. Developers often store these tools and knowledge sources in external systems, such as Microsoft Dataverse, Microsoft SharePoint, or other APIs. To access these resources securely, agents need to...

7. View agent's billing consumption

Updated (UTC): 2026-11-10T01:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/analytics-consumption

Current article overview (not a change claim; history unavailable or disabled): The Monitor page in Copilot Studio provides consumption data on the billed Copilot Credits or sessions your agent uses. If your billing is based on Copilot Credits consumption, these analytics show how many Copilot Credits your agent consumes and what activity counts toward Copilot Credits consumption over a time...

8. Add a Copilot Studio agent as a connected agent (GitHub Copilot)

Updated (UTC): 2026-11-10T01:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/add-agent-connected

Current article overview (not a change claim; history unavailable or disabled): Use connected agents to let your primary agent delegate specific tasks to specialized agents. This article shows you how to add another published Copilot Studio agent as a connected agent and verify that delegation works as expected. The harness used to build this agent uses usage-based billing. Using, building,...

9. Orchestrate agent behavior with generative AI

Updated (UTC): 2026-11-10T01:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/advanced-generative-actions

Current article overview (not a change claim; history unavailable or disabled): Agents powered by the standard harness can use either generative or classic orchestration. By default, new agents use generative orchestration. An agent that uses generative orchestration can choose the best tools, knowledge, topics, and other agents to answer user queries or respond to event triggers. The alternative...

10. Create an agent flow as a tool

Updated (UTC): 2026-11-10T01:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/advanced-flow-create

Current article overview (not a change claim; history unavailable or disabled): To use an agent flow as a tool that an agent can call, the flow must meet the following requirements: Have the When an agent calls the flow trigger and a response action of Respond to the agent. Be configured to respond in real time, not asynchronously. The Asynchronous response toggle must be set to Off under...

11. Bypass connector consent cards for an agent

Updated (UTC): 2026-11-10T01:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/admin-connector-consent-bypass

Current article overview (not a change claim; history unavailable or disabled): When an agent uses a connector for the first time on behalf of a user, the agent presents a consent card in the conversation. Administrators can bypass those consent cards for a specific agent by using the connector consent-bypass setting in the Power Platform API. This article explains the one-time tenant setup and...

12. Microsoft Copilot Studio documentation

Updated (UTC): 2026-11-10T01:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio

Current article overview (not a change claim; history unavailable or disabled): Discover how to build AI-driven agents, workflows, and apps with Microsoft Copilot Studio. Access documentation, implementation guidance, online training, and other resources. Overview What is Microsoft Copilot Studio? What's new What's new in Microsoft Copilot Studio? Overview Review implementation guidance How-To...

13. Connect clients to your agent with the Model Context Protocol (MCP) and Agent2Agent (A2A) channels (GitHub Copilot) (preview)

Updated (UTC): 2026-11-09T19:07:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/publication-channels-mcp-agent-to-agent

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] The MCP client and A2A client channels are available only in early release cycle environments. If you don't see these channels in the Add a channel dialog, your environment isn't part of the rollout yet. The MCP client and A2A client channels let you...

14. Model availability and controls (GitHub Copilot)

Updated (UTC): 2026-11-07T07:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/authoring-agent-model-availability

Current article overview (not a change claim; history unavailable or disabled): The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn more in Overview of usage-based billing. Microsoft Copilot Studio supports multiple generative AI models with different capabilities, performance characteristics, and...

15. Upgrade agents to the GitHub Copilot harness (preview)

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/upgrade-to-github-copilot-from-standard-harness

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn more in Overview of usage-based billing. You can ask Copilot Studio to upgrade agents powered by the...

16. Configure NLU+

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/nlu-plus-configure

Current article overview (not a change claim; history unavailable or disabled): NLU+ provides full, repeatable control over your agent's conversations, a customized dialog, and high accuracy for customer's queries. The NLU+ option is ideal for large enterprise-grade applications. These types of applications typically consist of a large number of topics and entities, and use a large number of...

17. Configure confidence thresholds for topic switching

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/nlu-plus-confidence-threshold

Current article overview (not a change claim; history unavailable or disabled): When your agent uses NLU+, you can configure intent confidence thresholds that control when a user's message switches the conversation to another topic. Thresholds help keep conversations on track while still letting users change topics when they intend to. For example, a user's answer to a question might resemble a...

18. Variables overview

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/authoring-variables-about

Current article overview (not a change claim; history unavailable or disabled): This article includes information about Azure Bot Service skills, a code-based way to extend the capabilities of an agent in the standard harness. These skills shouldn't be confused with agentic skills in the GitHub Copilot harness. Learn more about how to use agentic skills in Skills overview for agents. Variables...

19. Use system topics

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/authoring-system-topics

Current article overview (not a change claim; history unavailable or disabled): System topics are common topics used in conversations with an agent. System topics are configured to trigger at appropriate times in response to related events. However, you can manually trigger system topics by redirecting a conversation to them. Some system events have trigger phrases that you can customize to fit...

20. Ask a question

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/authoring-ask-a-question

Current article overview (not a change claim; history unavailable or disabled): A Question node prompts a user for information and stores their response in a variable for use later in the conversation. The node offers options for the type of information to collect, such as a multiple-choice answer, a prebuilt entity, or a custom entity. Question behavior properties let you control the behavior of...

21. Tools overview for agents

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/tools-overview

Current article overview (not a change claim; history unavailable or disabled): Tools extend what your agent can do beyond answering questions from knowledge sources. They let your agent call APIs, run automated flows, interact with external services, and retrieve real-time data. What are tools? Tools are external capabilities your agent can invoke during a conversation. When a user asks the...

22. Available tools for agents (GitHub Copilot)

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/tools-available

Current article overview (not a change claim; history unavailable or disabled): The new agent experience supports several types of tools that you can add to your agent. Each tool type connects your agent to different kinds of external capabilities and data sources. The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot...

23. Access standard harness agents and agent flows

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/switch-experiences

Current article overview (not a change claim; history unavailable or disabled): Copilot Studio supports both the standard harness and the GitHub Copilot harness. This article explains when you might switch harnesses, what changes when you do, and how to move between harnesses based on your authoring goals. This article covers switching between the standard harness and the GitHub Copilot harness....

24. Hooks (GitHub Copilot) (preview)

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/hooks-overview

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] A hook runs one of your workflows automatically when something happens in your agent, such as a session starting, a tool running, or an error occurring. Use hooks when you need something to happen every time, rather than only when the agent decides...

25. Create a test set for an agent (preview)

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/analytics-agent-evaluation-create

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] A test set is a collection of conversations you use to evaluate your agent's performance. Each conversation represents a scenario you want your agent to handle. This is a production-ready preview feature. Production-ready previews are subject to...

26. Add a tool to an agent (GitHub Copilot)

Updated (UTC): 2026-11-07T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/add-tools-custom-agent

Current article overview (not a change claim; history unavailable or disabled): You can add tools to your agent from the Build tab. Tools let your agent perform actions, connect to external services, and retrieve real-time data during conversations. The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn...

27. Manage the AI model lifecycle for Copilot Studio agents

Updated (UTC): 2026-11-06T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/plan-agent-model-lifecycle

Current article overview (not a change claim; history unavailable or disabled): Copilot Studio offers different types of models. These model types are based on their intended use and availability. AI model selection isn't a one-time design decision. Models are introduced, updated, made generally available, selected as defaults, and eventually retired. An agent that works well with one model can...

28. Implement your Copilot Studio projects, an overview

Updated (UTC): 2026-11-06T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/implement-overview

Current article overview (not a change claim; history unavailable or disabled): Implementing Copilot Studio projects requires a clear understanding of the core building blocks that shape effective agent behavior. This section guides makers, solution architects, and project teams through the key implementation practices-from designing reliable integrations and using agent tools, to publishing...

29. Design autonomous agent capabilities

Updated (UTC): 2026-11-06T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/autonomous-agents

Current article overview (not a change claim; history unavailable or disabled): Autonomous agents in Microsoft Copilot Studio can act without waiting for a user prompt. They use the instructions, tools, and safeguards you define to make decisions and complete tasks. For example, an agent can respond to a configured event by processing an update, triaging a request, or initiating a follow-up...

30. Design reliable agentic loops

Updated (UTC): 2026-11-06T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/agentic-loops-in-practice

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] GitHub Copilot harness An agentic loop lets an agent evaluate a result and decide whether to continue, correct an error, try another approach, or stop. This flexibility helps agents complete multistep tasks, but it also needs boundaries. Costs can continue to accumulate even when the task is...

31. Microsoft Copilot Studio guidance documentation

Updated (UTC): 2026-11-06T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance

Current article overview (not a change claim; history unavailable or disabled): Microsoft Copilot Studio guidance documentation provides best practices, implementation, and architecture guidance information from the team that works with our enterprise customers. Plan Get started Overview Plan projects with iterative, user-focused methods Define project objectives and success criteria Prioritize...

32. Allow file input from users

Updated (UTC): 2026-11-06T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/image-input-analysis

Current article overview (not a change claim; history unavailable or disabled): You can enable users of your agent to upload files and images. Your agent can analyze these files and use them to provide responses. When to allow file input Allow users to upload files to elicit agent responses in the following scenarios: Questions that require information from your configured knowledge sources....

33. Add Azure SQL tables and views as a knowledge source (GitHub Copilot)

Updated (UTC): 2026-11-06T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/knowledge-add-azure-sql-tables

Current article overview (not a change claim; history unavailable or disabled): You can add Azure SQL tables and views as a knowledge source in Copilot Studio. Your agent can answer questions by reading structured data from your Azure SQL database, using the configured connection and database permissions. Views appear in the same selection list as tables. You don't need a separate knowledge...

34. Add a child agent

Updated (UTC): 2026-11-06T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/add-agent-child-agent

Current article overview (not a change claim; history unavailable or disabled): A child agent is a lightweight agent that exists within the context of your main agent. Child agents let you logically group tools, instructions, and knowledge into clearly defined subagents within a larger agent. They're ideal for single use cases that respond to a single intent or complete a single task. This...

35. Security FAQs for Copilot Studio

Updated (UTC): 2026-11-05T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/security-faq

Current article overview (not a change claim; history unavailable or disabled): These frequently asked questions (FAQs) are focused on security to help you get answers to accelerate your adoption and use of Copilot Studio in your organization. Copilot Studio creates a single-tenant Microsoft Entra ID app registration on new agent creation. Existing agents continue to have multitenant Microsoft...

36. Key concepts - Copilot Studio security and governance

Updated (UTC): 2026-11-05T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/security-and-governance

Current article overview (not a change claim; history unavailable or disabled): Copilot Studio follows a number of security and governance controls and processes, including geographic data residency, data loss prevention (DLP), multiple standards certifications, regulatory compliance, environment routing, and regional customization. For details on data residency and handling practices for Copilot...

37. Quotas and limits

Updated (UTC): 2026-11-05T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/requirements-quotas

Current article overview (not a change claim; history unavailable or disabled): This article includes information about Azure Bot Service skills, a code-based way to extend the capabilities of an agent in the standard harness. These skills shouldn't be confused with agentic skills in the GitHub Copilot harness. Learn more about how to use agentic skills in Skills overview for agents. This article...

38. Unstructured data as a knowledge source

Updated (UTC): 2026-11-05T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/knowledge-unstructured-data

Current article overview (not a change claim; history unavailable or disabled): By using Copilot Studio, you can enhance your agents with domain-specific knowledge powered by the same trusted, familiar data sources you build through Power Platform connectors. When you upload external content from your device, OneDrive, or SharePoint, you can enrich your agents with contextual knowledge tailored...

39. Add unstructured data as a knowledge source

Updated (UTC): 2026-11-05T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/knowledge-add-unstructured-data

Current article overview (not a change claim; history unavailable or disabled): This article provides information to add unstructured data, such as OneDrive, SharePoint, and Power Platform connectors as knowledge sources for your agent. For more information about unstructured data, go to Unstructured data as a knowledge source. Knowledge source types and data policies Copilot Studio treats...

40. Add SharePoint as a knowledge source

Updated (UTC): 2026-11-05T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/knowledge-add-sharepoint

Current article overview (not a change claim; history unavailable or disabled): You can use SharePoint as a knowledge source by pairing your agent with a SharePoint URL or SharePoint lists. This article covers the full SharePoint integration functionality provided by selecting the SharePoint option in the Add knowledge dialog. By using this option, the agent surfaces only content that the user...

41. Monitor operations, compliance, and capacity

Updated (UTC): 2026-11-05T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/sec-gov-phase5

Current article overview (not a change claim; history unavailable or disabled): This article focuses on monitoring and optimization to ensure optimal performance, compliance, and continuous improvement. It suggests tools and strategies for operational monitoring, compliance auditing, and capacity management. By using analytics, dashboards, and real-time telemetry, you gain actionable insights,...

42. Available knowledge sources for agents (GitHub Copilot)

Updated (UTC): 2026-11-05T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/knowledge-sources-overview

Current article overview (not a change claim; history unavailable or disabled): The new agent experience supports several types of knowledge sources. Each type connects your agent to different kinds of content and data. The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating agents might consume Copilot Credits. Learn more in Overview of usage-based...

43. Attach files to a conversation (GitHub Copilot)

Updated (UTC): 2026-11-05T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/agents-experience/attachments-overview

Current article overview (not a change claim; history unavailable or disabled): Users can attach files to a message so the agent can read, summarize, or otherwise reason over them for that turn. Attachments are a per-turn input from the user, not a persistent maker-configured data source. The harness used to build this agent uses usage-based billing. Using, building, testing, and evaluating...

44. Control how agents are shared

Updated (UTC): 2026-11-05T19:04:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/admin-sharing-controls-limits

Current article overview (not a change claim; history unavailable or disabled): You can control and limit how agents are shared in your tenant by applying the Editor and Viewer permission assignments to individuals who need to access Copilot Studio, and then configuring the permissions for who can share with whom. You configure the sharing limits for agents as a Managed Environments control in...

45. Website Q&A

Updated (UTC): 2026-11-05T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/template-website-q-and-a

Current article overview (not a change claim; history unavailable or disabled): Publisher: Microsoft An agent built from the Website Q&A agent template is designed to answer common questions from customers by using the content available on your website. It searches across your website and uses generative AI to formulate a contextual answer for the customer. This agent aims to enhance user...

46. Weather

Updated (UTC): 2026-11-05T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/template-weather

Current article overview (not a change claim; history unavailable or disabled): Publisher: Microsoft An agent built from the Weather agent template is your go-to assistant for getting weather forecasts embedded in Teams or a website. Users can ask about the weather anywhere in the world to get current conditions and future forecasts, pulling real-time data from MSN Weather using MSN Weather...

47. Sustainability Insights

Updated (UTC): 2026-11-05T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/template-sustainability-insights

Current article overview (not a change claim; history unavailable or disabled): Publisher: Microsoft An agent built from the Sustainability Insights agent template helps you uncover insights and data about your company's sustainability goals and progress. You can also compare your company's sustainability efforts year over year and to that of other organizations, while also providing general...

48. Safe Travels

Updated (UTC): 2026-11-05T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/template-safe-travels

Current article overview (not a change claim; history unavailable or disabled): Publisher: Microsoft An agent built from the Safe Travels agent template is a Business-to-Employee (B2E) agent designed to provide employees of a company with travel assistance. This agent helps ensure employees are well-prepared and informed for their next work trip. This agent uses natural language processing to...

49. Benefits

Updated (UTC): 2026-11-05T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/template-m365-ext-benefits

Current article overview (not a change claim; history unavailable or disabled): Publisher: Microsoft An agent built from the Benefits agent template is an invaluable resource designed to assist employees in understanding their company-provided benefits. This agent efficiently sifts through extensive company resources related to benefits and delivers precise answers tailored to the specific needs...

50. IT Helpdesk

Updated (UTC): 2026-11-05T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/template-it-helpdesk

Current article overview (not a change claim; history unavailable or disabled): Publisher: Microsoft An agent built from the IT Helpdesk agent template uses your organization's knowledge base to enhance operational efficiency, improve employee satisfaction, and optimize resource utilization in helpdesk scenarios. Whether you're an employee seeking assistance or a support agent managing inquiries,...

51. Create a custom agent from an agent template

Updated (UTC): 2026-11-05T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/template-fundamentals

Current article overview (not a change claim; history unavailable or disabled): To help you get started with building custom agents, Microsoft Copilot Studio provides various agent templates that you can use to create your own custom agents. These templates are designed to be easily customizable, so you can tailor them to your specific needs and use cases. You're responsible for assessing all...

52. Microsoft MCP management MCP server reference (preview)

Updated (UTC): 2026-11-05T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/mcp-management

Current article overview (not a change claim; history unavailable or disabled): This is a preview feature. Microsoft releases preview features before an official release so that customers can get early access and provide feedback. Preview features have restricted functionality and aren't meant for production use. Microsoft might change preview MCP tool names and parameters. Avoid hard-coded...

53. Licensing for agents powered by the standard harness

Updated (UTC): 2026-11-05T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/billing-licensing

Current article overview (not a change claim; history unavailable or disabled): This article includes information about Azure Bot Service skills, a code-based way to extend the capabilities of an agent in the standard harness. These skills shouldn't be confused with agentic skills in the GitHub Copilot harness. Learn more about how to use agentic skills in Skills overview for agents. This article...

54. Share agents with other users

Updated (UTC): 2026-11-05T01:03:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/admin-share-bots

Current article overview (not a change claim; history unavailable or disabled): You can share your agents with others in either of the following ways: Grant security groups, or your whole organization, permission to chat with the agent. Invite users to collaborate on your agent project. Collaborators always have permission to chat with the agent. You can only share an agent with users who have a...

55. What's new in Copilot Studio

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/whats-new

Current article overview (not a change claim; history unavailable or disabled): This article provides resources to learn about new features in Copilot Studio. Released versions Get an overview of new capabilities in the Roadmap. You can filter for products and specific areas and learn what's coming when. Releases roll out over several days. New or updated functionality might not appear...

56. AI-based agent authoring overview

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/nlu-gpt-overview

Current article overview (not a change claim; history unavailable or disabled): Copilot Studio offers generative AI features to reduce manual authoring and dramatically expand the scope of an agent's knowledge and its ability to interact with users. Generative AI is an artificial intelligence technology that uses language models to generate original content and provide natural language...

57. Triggering topics

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/triggering-topics

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness You can trigger a topic in two main ways: Based on a user query (also called an utterance). When what a user writes or says triggers a topic, it's called intent recognition. The AI uses its natural language understanding (NLU) model to parse the user utterance and finds the...

58. Design effective trigger phrases

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/trigger-phrases-best-practices

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness Trigger phrases are the foundation of effective topic recognition in Copilot Studio. They train your agent's natural language understanding (NLU) model to identify when users ask about specific topics. By using trigger phrases, your agent can route conversations to the right...

59. Follow topic authoring best practices

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/topic-authoring-best-practices

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness Organizing your agent's topics effectively helps ensure your conversations remain manageable and easy to maintain. Understand topic triggering Copilot Studio offers much flexibility when it comes to topic management. While there's no one size fits all, it's a good practice...

60. Choose the right platform

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/technical-readiness

Current article overview (not a change claim; history unavailable or disabled): Before building agents, make sure your project is technically ready. This step is important for aligning platform capabilities with organizational requirements and for minimizing risk during implementation. Selecting the right platform is the first step in building effective agents. Consider the following factors:...

61. Implement slot-filling best practices

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/slot-filling-best-practices

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness Slot filling enables your agent to intelligently gather information from user queries by using entities-special data types that recognize and extract specific pieces of information. What is slot filling? Instead of asking users multiple questions sequentially, slot filling...

62. Implement a zoned governance strategy

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/sec-gov-phase2

Current article overview (not a change claim; history unavailable or disabled): Governance is a set of policies, processes, and strategies designed to manage the use of agents within an organization. Zoned governance refers to segmenting environments and applying different governance policies based on the purpose of an agent and its risk level. You always create and manage Copilot Studio agents...

63. Enhance AI responses by using Retrieval Augmented Generation

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/retrieval-augmented-generation

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness Retrieval Augmented Generation (RAG) in Microsoft Copilot Studio combines the reasoning capabilities of language models with trusted, organization-specific knowledge. It enables agents to produce accurate, contextual, and grounded responses based on the enterprise's content...

64. Pass files to agent flows, connectors, and tools

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/pass-files-to-connectors

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness Pass files from your Copilot Studio agent to downstream systems using agent flows, connectors, and tools. This functionality unlocks powerful automation scenarios such as ticket creation with attachments, document processing, and more. Turn on file input Makers can allow...

65. Microsoft Copilot Studio implementation guidance

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/overview

Current article overview (not a change claim; history unavailable or disabled): Microsoft Copilot Studio is an end-to-end conversational agent platform that empowers organizations to design, build, and deploy custom agents. These agents can answer questions, take actions, and extend knowledge across multiple systems, all through natural conversation. The guidance in these articles helps you...

66. Multi-agent orchestration patterns and best practices

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/multi-agent-patterns

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness Generative orchestration also supports multi-agent systems, where one agent calls other agents. When you break problems into multiple specialized agents, you make your application more modular, scalable, and manageable. Inline agents Inline agents, also known as child...

67. Localize Adaptive Card content

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/localize-adaptive-cards

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness By using Adaptive Cards, you can present rich, structured information to users of Copilot Studio agents. For multilingual agents, be sure to fully localize both your topic content and Adaptive Card text. By using Adaptive Cards, you can design and integrate lightweight UI...

68. Design effective language understanding

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/language-understanding

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness Natural language understanding (NLU) is at the core of how Copilot Studio agents make sense of user queries and provide relevant, contextual responses. A well-defined approach to intent recognition, entity extraction, and fallback handling ensures that agents deliver...

69. Govern Copilot Credit consumption for agents powered by the GitHub Copilot harness

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/govern-credit-consumption

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] GitHub Copilot harness Agents powered by the GitHub Copilot harness consume Copilot Credits while makers build, preview, and evaluate them, before those agents enter a formal production lifecycle. An environment used for maker exploration can incur consumption even if its agents are never...

70. Design topics as mini-agents that avoid duplicate messages

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/generative-orchestration-topics

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness This article focuses on design best practices to avoid duplicate messages. Duplicate messages come from context gaps, so design starts with understanding how context flows. Refer to the diagram in Context distribution in the standard harness to understand how the...

71. Design subagents that avoid duplicate messages

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/generative-orchestration-subagents

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness Duplicate messages come from context gaps. Agent design must account for context at every step. A subagent, either a child agent or a connected agent, runs on its own orchestration layer inside a parent agent's plan. It receives a request from the parent and completes the...

72. Troubleshoot duplicate messages and missed answers

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/generative-orchestration-duplicate-messages-troubleshoot

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness Use this guidance to investigate a standard harness agent that sends more than one answer, misses part of a request, or returns to an old question after a different request was handled. Before troubleshooting, review Context distribution in the standard harness and Design...

73. Design best practices to avoid duplicate messages

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/generative-orchestration-duplicate-messages

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness In the standard harness, several components can handle a user's request, and each one acts from its own point of view. A topic can show a message or an Adaptive Card, a tool can return data, and a child or connected agent can respond from its own context. The orchestration...

74. Context distribution in the standard harness

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/generative-orchestration-context-design

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness The standard harness distributes context across the components that handle a request. Each component works from its own context, and the harness doesn't automatically reconcile context at the top level. This separation provides flexibility, but it can cause duplicate...

75. Apply generative orchestration capabilities

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/generative-orchestration

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness Generative orchestration is the evolution of conversational agent development in Copilot Studio. It introduces a large language model (LLM) driven planning layer that interprets user intent, breaks down complex requests, selects the right tools and knowledge, and executes...

76. Configure high-quality instructions for generative orchestration

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/generative-mode-guidance

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness This article provides guidance on how to write the best instructions for your agent when your agent uses generative orchestration. You define instructions on your agent's Overview page. The agent uses instructions in the following ways: To decide what tool or knowledge to...

77. Use public websites to improve generative answers

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/generative-ai-public-websites

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness When you configure a generative answers node to use public websites as a knowledge source, Copilot Studio retrieves relevant information from the web and generates grounded, cited responses. This article explains how Copilot Studio processes user queries through Bing Custom...

78. Use the Fallback topic

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/fallback-topic

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness The Fallback system topic triggers when a Copilot Studio agent doesn't understand a user utterance and doesn't have enough confidence to trigger any of the existing topics. You can use the Fallback topic in many ways. Offload single question and answer pairs If you have a...

79. Deploy agents in Microsoft Teams

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/deploy-agent-teams

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness Microsoft Teams presents unique deployment challenges for Copilot Studio agents due to its persistent conversation environment. Unlike web-based deployments where sessions reset automatically, Teams maintains conversation threads indefinitely, which can lead to stale...

80. Defining agent topics

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/defining-chatbot-topics

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness Defining the best topics for your agent requires an understanding of the questions users might ask or the tasks they try to accomplish, and the kind of information and automation you need to provide. For example, a retail agent might start by asking the user to choose from...

81. Connect to custom knowledge sources

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/custom-knowledge-sources

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness Copilot Studio includes built-in knowledge sources such as SharePoint and Dataverse. Many organizations also use their own search endpoints, like custom APIs, existing enterprise search systems, or Azure AI Search, while maintaining full control over the query that is...

82. Develop a custom analytics strategy

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/custom-analytics-strategy

Current article overview (not a change claim; history unavailable or disabled): Copilot Studio provides comprehensive analytics that help you understand an agent's usage and key performance indicators. You can also create AI-powered custom metrics by describing the metric in natural language from the agent's Monitor page. Copilot Studio generates classification or numeric scoring criteria and...

83. Performance test reference sample and guidelines

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/conversational-agents-reference-sample

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness Use the reference sample built using Apache JMeter available on GitHub as a starting point to create your own performance tests. The reference sample demonstrates the following principles: Communicating with Direct Line over WebSockets Driving multi-turn conversations...

84. Test conversational agents using Direct Line

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/conversational-agents-performance-testing-direct-line

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness The Direct Line API acts as a communication interface for client applications to interact with conversational agents built with Copilot Studio. The Direct Line API facilitates the transmission of messages between the client application and the agent through either WebSocket...

85. Define your solution architecture

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/architecture-overview

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness A clear solution architecture is essential for understanding how your Copilot Studio agents function within the broader business and technical landscape. The architecture outlines the core components of your agent, its dependencies on other systems, and the way it scales to...

86. Measure and improve agent performance with KPIs and analytics

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/analytics

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness Understanding an agent's performance is important for enhancing user experience and achieving business goals. Copilot Studio agents include built-in analytics and KPIs, along with the option to create custom analytics and reports. You can continuously optimize agent...

87. Explore AI capabilities in Copilot Studio

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/ai-capabilities

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness AI capabilities are what make Copilot Studio more than a scripted chatbot. With generative AI at its core, Copilot Studio isn't designed to be heavily authored, topic by topic. Instead, it's focused on authored business-critical experiences that work side by side with...

88. Use agent tools to extend, automate, and enhance your agents

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/agent-tools

Current article overview (not a change claim; history unavailable or disabled): Only applies to: [Image:] Standard harness Agents become more powerful when you equip them with specialized tools that extend their core capabilities. Copilot Studio provides three primary categories of agent tools: AI prompts for generating intelligent responses Model Context Protocol (MCP) for standardized...

89. Copilot Studio and agent samples

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/agent-samples

Current article overview (not a change claim; history unavailable or disabled): This article provides links to GitHub repositories that help you build, extend, and learn about agents using Copilot Studio and Microsoft Copilot. These samples include low-code and pro-code examples, learning resources, and community-maintained projects. Use this article to find the repository that best matches your...

90. Configure and deploy agents from the Agent Library

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/agent-library-overview

Current article overview (not a change claim; history unavailable or disabled): The Agent Library is a curated, marketplace-style catalog of production-ready AI agent templates and reusable components for Microsoft Copilot Studio and Microsoft Copilot. It provides organizations with a self-service experience for discovering, evaluating, and deploying agents directly into their Power Platform...

91. Use the agent design framework

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/agent-design-canvas-framework

Current article overview (not a change claim; history unavailable or disabled): The agent design framework provides a set of building blocks that guide you through defining your agent's purpose, including triggers, tools, channels, governance requirements, and more. This framework isn't a rigid template-it's a thinking aid that helps your team align on decisions, identify risks early, and avoid...

92. Communicate the value story to stakeholders

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/agent-business-value-tell-value-story

Current article overview (not a change claim; history unavailable or disabled): Metrics become a business case when they reach the right audience in a form they can understand. This article covers three measurement tiers in Copilot Studio, the Microsoft surfaces that extend those tiers, the value curve over time, a five-step operating rhythm, and a one-page scorecard template for your next...

93. Agent metrics reference

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/guidance/agent-business-value-metrics-reference

Current article overview (not a change claim; history unavailable or disabled): This reference library contains every metric named in this series. Each metric includes a plain English definition, common use cases, and where to find it in the Copilot Studio ecosystem. How to read this library Each entry has four parts: Metric name: Use one canonical phrase or standard name throughout your value...

94. Agent flows overview

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/flows-overview

Current article overview (not a change claim; history unavailable or disabled): Agent flows are part of the standard harness experience in Copilot Studio. You create and manage them as classic agents. Flows in Copilot Studio automate repetitive tasks and integrate your apps and services. You can trigger a flow manually, based on other automated events or agents, or on a schedule. Flows consume...

95. Add an agent flow as a tool to an agent

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/flow-agent

Current article overview (not a change claim; history unavailable or disabled): Agent flows can be added to agents as tools to create larger agent-based automation scenarios. To add a flow as a tool to an agent, the flow must satisfy the following criteria: Have the When an agent calls the flow trigger and a Respond to the agent action. Be configured to respond in real time, not asynchronously....

96. FAQ for Monitor

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/faqs-analytics

Current article overview (not a change claim; history unavailable or disabled): This article answers frequently asked questions about the AI capabilities used in analytics features in the Copilot Studio Monitor tab. How is generative AI used for analytics? Copilot Studio uses AI to evaluate the quality of generative answers and to identify patterns in user queries through clustering. These...

97. Event trigger overview

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/authoring-triggers-about

Current article overview (not a change claim; history unavailable or disabled): Use event triggers to make custom agents perform actions or call topics in response to something happening. Unlike topic triggers, which require input from a user, event triggers allow an agent to act autonomously in response to the specified event. Event triggers can affect how billing is calculated. This feature is...

98. Monitor conversational agent effectiveness

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/analytics-improve-agent-effectiveness

Current article overview (not a change claim; history unavailable or disabled): Use the Monitor page in Copilot Studio to review your conversational agent's effectiveness across analytics sessions. Identify where conversations succeed or break down, review user feedback, and find opportunities to improve answers and tool use. Review the following areas: The Summary, Overview, and Savings areas...

99. Monitor your agent with custom metrics (preview)

Updated (UTC): 2026-11-04T19:08:00Z

Official documentation

https://learn.microsoft.com/en-us/microsoft-copilot-studio/analytics-custom-metrics

Current article overview (not a change claim; history unavailable or disabled): [This article is prerelease documentation and is subject to change.] Use custom metrics to measure outcomes that are specific to your agent and business scenario. Describe what you want to measure in natural language, and Copilot Studio generates the metric configuration and evaluates it against your agent's...