

提交

1.创建项目

Search GitLab

Your work

Projects

Groups

Issues

Merge requests

To-Do List

Milestones

Snippets

Activity

Your work

Projects

New project

Create blank project

Create blank project

Create a blank project to store your files, plan your work, and collaborate on code, among other things.

Project name

gmres-cpu1

Must start with a lowercase or uppercase letter, digit, emoji, or underscore. Can also contain dots, pluses, dashes, or spaces.

Project URL

https://gitlab.eduxiji.net/SugonTest02/

Project slug

gmres-cpu1

Want to organize several dependent projects under the same namespace? [Create a group.](#)

Visibility Level

☒ Private

Project access must be granted explicitly to each user. If this project is part of a group, access is granted to members of the group.

☐ Internal

The project can be accessed by any logged in user except external users.

☐ Public

The project can be accessed without any authentication.

Project Configuration

☒ Initialize repository with a README

Allows you to immediately clone this project's repository. Skip this if you plan to push up an existing repository.


☐ Enable Static Application Security Testing (SAST)

Analyze your source code for known security vulnerabilities. [Learn more.](#)


Create project

Cancel

2.删掉readme



3.复制项目地址



4.获得密码

gmres-cpu1

Project information

Repository

Issues0

Merge requests0

CI/CD

Security and Compliance

Deployments

Packages and registries

Infrastructure

Monitor

Analytics

Wiki

Snippets

Settings

General

Integrations

Webhooks

Access Tokens

Repository

Merge requests

CI/CD

Packages and registries

Monitor

Usage Quotas

Search page

Project Access Tokens

Generate project access tokens scoped to this project for your applications that need access to the GitLab API. You can also use project access tokens with Git to authenticate over HTTP(S). [Learn more.](#)

Add a project access token

Enter the name of your application, and we'll return a unique project access token.

Token name

test

Expiration date

2025-08-07

Select a role

Maintainer

Select scopes

Scopes set the permission levels granted to the token. [Learn more.](#)

api

Grants complete read and write access to the scoped project API, including the Package Registry.

read_api

Grants read access to the scoped project API, including the Package Registry.

read_repository

Grants read access (pull) to the repository.

write_repository

Grants read and write access (pull and push) to the repository.

Create project access token

Active project access tokens (0)

Token name	Scopes	Created	Last Used ?	Expires	Role	Action
This project has no active access tokens.						

Your new project access token

project for
b API.
to

Add a project access token

Enter the name of your application, and we'll return a unique project access token.

Token name

Expiration date

```
1 [xdzs2025_bhz@login01 GMRES]$ git clone https://gitlab.eduxiji.net/T202510615996635/gmres-
alg2.git
2 Cloning into 'gmres-alg2'...
3 Username for 'https://gitlab.eduxiji.net': 梦溪湖3队
4 Password for 'https://梦溪湖3队@gitlab.eduxiji.net':
5 remote: Enumerating objects: 5, done.
6 remote: Counting objects: 100% (5/5), done.
7 remote: Compressing objects: 100% (3/3), done.
8 remote: Total 5 (delta 0), reused 0 (delta 0), pack-reused 0
9 Unpacking objects: 100% (5/5), done.
10 # 复制源码到新建gitlab目录
11 [xdzs2025_bhz@login01 GMRES]$ cd gmres-alg2
12 [xdzs2025_bhz@login01 gmres-alg2]$ git add .
13 [xdzs2025_bhz@login01 gmres-alg2]$ git commit -m "initial commit"
14 [main 25d6b39] initial commit
15 13 files changed, 842 insertions(+)
16 create mode 100644 24433646.err
17 create mode 100644 24433646.out
18 create mode 100755 Makefile
19 create mode 100755 README.md
20 create mode 100755 gmres
21 create mode 100644 gmres_time.txt
22 create mode 100755 inc/gmres.hpp
23 create mode 100755 inc/sparseMatrix.hpp
24 create mode 100644 obj/gmres.o
25 create mode 100644 obj/main.o
```

```
26 create mode 100755 src/gmres.cpp
27 create mode 100755 src/main.cpp
28 create mode 100755 test.slurm
29 [xdzs2025_bhz@login01 gmres-alg2]$ git push origin main
30 Username for 'https://gitlab.eduxiji.net': 梦溪湖3队
31 Password for 'https://梦溪湖3队@gitlab.eduxiji.net':
32 Counting objects: 19, done.
33 Delta compression using up to 128 threads.
34 Compressing objects: 100% (17/17), done.
35 Writing objects: 100% (18/18), 41.50 KiB | 0 bytes/s, done.
36 Total 18 (delta 0), reused 0 (delta 0)
37 To https://gitlab.eduxiji.net/T202510615996635/gmres-alg2.git
38    baaal4..25d6b39  main -> main
```

Project information

Repository

Issues0

Merge requests0

CI/CD

Security and Compliance

Deployments

Packages and registries

Infrastructure

Monitor

Analytics

Wiki

Snippets

Settings

gmres-dcu2

Project ID: 33185

1 Commit

1 Branch

0 Tags

0 Bytes Project Storage

initial commit

张涵熙 authored 4 minutes ago

213cc454

main gmres-dcu2 / +

README

Add LICENSE

Add CHANGELOG

Add CONTRIBUTING

Add Kubernetes cluster

Set up CI/CD

Name	Last commit
inc	initial commit
obj	initial commit
src	initial commit
24687552.err	initial commit
24687552.out	initial commit
Makefile	initial commit
README.md	initial commit
gmres	initial commit
gmres_time.txt	initial commit
test_slurm	initial commit

Auto DevOps

It will automatically build, test, and deploy your application based on a predefined CI/CD configuration.

Learn more in the [Auto DevOps documentation](#)

Enable in settings

Find file

Web IDE

213cc454

Clone

Clone with HTTPS

<https://gitlab.eduxiji.net/T202>

Open in your IDE

Visual Studio Code (HTTPS)

IntelliJ IDEA (HTTPS)

```
[xdzs2025_bhz@login01 GMRES]$ git clone https://gitlab.eduxiji.net/T202510615996635/gmres-alg2.git
Cloning into 'gmres-alg2'...
Username for 'https://gitlab.eduxiji.net': 梦溪湖3队
Password for 'https://梦溪湖3队@gitlab.eduxiji.net': GitLab获取
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 5 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (5/5), done.
[xdzs2025_bhz@login01 GMRES]$ cd zhx
[xdzs2025_bhz@login01 zhx]$ cd gmres-cpu
[xdzs2025_bhz@login01 gmres-cpu]$ cd test.slurm
bash: cd: test.slurm: Not a directory
[xdzs2025_bhz@login01 gmres-cpu]$ vim test.slurm
[xdzs2025_bhz@login01 gmres-cpu]$ cd ..
[xdzs2025_bhz@login01 zhx]$ cd ..
[xdzs2025_bhz@login01 GMRES]$ ls
gmres-alg2  gmres-cpu  gmres-cpul  gmres-dcul  gmres-warmup  sparseMatrixSet  zhx
[xdzs2025_bhz@login01 GMRES]$ cd gmres-alg2
[xdzs2025_bhz@login01 gmres-alg2]$ git add .
[xdzs2025_bhz@login01 gmres-alg2]$ git commit -m "initial commit"
[main 25d6b39] initial commit
13 files changed, 842 insertions(+)
create mode 100644 24433646.err
create mode 100644 24433646.out
create mode 100755 Makefile
create mode 100755 README.md
create mode 100755 gmres
create mode 100644 gmres_time.txt
create mode 100755 inc/gmres.hpp
create mode 100755 inc/sparseMatrix.hpp
create mode 100644 obj/gmres.o
create mode 100644 obj/main.o
create mode 100755 src/gmres.cpp
create mode 100755 src/main.cpp
create mode 100755 test.slurm
[xdzs2025_bhz@login01 gmres-alg2]$ git push origin main
Username for 'https://gitlab.eduxiji.net': 梦溪湖3队
Password for 'https://梦溪湖3队@gitlab.eduxiji.net':
Counting objects: 19, done.
Delta compression using up to 128 threads.
Compressing objects: 100% (17/17), done.
Writing objects: 100% (18/18), 41.50 KiB | 0 bytes/s, done.
Total 18 (delta 0), reused 0 (delta 0)
To https://gitlab.eduxiji.net/T202510615996635/gmres-alg2.git
   baaalf4..25d6b39  main -> main
[xdzs2025_bhz@login01 gmres-alg2]$
```