



(a)
Lower-tail P
tail P<0.05: all 6.0%
same-origin 37.6% | cross 5.8%
KS P = 0
Observed P
all pairs
same-origin
cross-origin
(b)
Upper-tail P
tail P<0.05: all 6.8%
same-origin 2.0% | cross 6.9%
KS P = 0
Observed P
all pairs
same-origin
cross-origin


(c)
Shared cell types (n = 15): Spearman r = -0.17, P = 0.55
Mean CKI ω (human, Tabula Sapiens)
Mean CKI ω (mouse, Tabula Muris)
T cell
type II pneumocyte
fibroblast
EC, hepatic sinusoid
dendritic cell
NK cell
smooth muscle cell
monocyte
granulocyte
cardiac muscle cell
macrophage
endothelial cell
B cell
hepatocyte
neutrophil


(d)
Mean CKI ω
Pair-level CKI ω
n=6
n=6
n=6
n=15
n=10
n=1
n=1
n=1
n=1
n=1
n=1
n=1
n=1
n=1
n=3
n=3
CD8 T
plasma cell
neutrophil
macrophage
nk cell
hepatocyte
b cell
HSC
smooth muscle cell
monocyte
CD4 T
class. mono
naive B
interm. mono
memory B
endothelial cell
erythrocyte