

Obsidian

1.

"28"

1.1

2.

3.

3.1

- — *
- —

3.2

- 1.
- 2.
 - 1. A
 - 2. B
- 3.

3.3 Obsidian

- ☐
- ☒ Obsidian

□

4.

4.1

Python `x = 100` JavaScript `let y = 200`

4.2

```
# Python
def fibonacci(n):
    if n <= 1:
        return n
    return fibonacci(n-1) + fibonacci(n-2)

result = [fibonacci(i) for i in range(10)]
print(result)

// JavaScript
const fibonacci = (n) => {
    if (n <= 1) return n;
    return fibonacci(n-1) + fibonacci(n-2);
};

console.log([...Array(10)].map((_, i) => fibonacci(i)));

# Shell/Bash
cd "C:\Users\39173\Desktop\ "
git status
git add .
git commit -m "update notes"

% LaTeX
\[
\mathcal{L} = \int_{\Omega} |\nabla u|^2 \, dx
\]
```

5. LaTeX

5.1

$$p_1 = \frac{1}{3} \quad n \geq 1 \quad 0 < p_n < \frac{1}{2}$$
$$z^{(1)}, z^{(2)}, \dots, z^{(M)}$$

5.2

$$P_n = \frac{2}{3}P_{n+1} + \frac{1}{3}P_{n-1} \quad (1 \leq n \leq 5)$$

$$E_n = \frac{2}{3}(E_{n+1} + 1) + \frac{1}{3}(E_{n-1} + 1) \quad (1 \leq n \leq 5)$$

$$P(X = x) = \sum_{i=1}^n P(A_i) \cdot P(X = x \mid A_i)$$

$$\lim_{n \rightarrow \infty} p_n = \frac{1}{5}$$

$$f(x) = \begin{cases} \frac{1}{5} + \frac{2}{5}\lambda_1^n + \frac{2}{5}\lambda_2^n & \text{if } n \geq 0 \\ 0 & \text{otherwise} \end{cases}$$

6.

6.1

%	
38	25.33
26	17.33
17	11.33
11	7.33

6.2

7.

> »

8.

9.

9.1

MIT OpenCourseWare

9.2

[[]] — Obsidian

10. Obsidian YAML

```
---
uid: 2026-05-21-test
tags:
  -
  -
created: 2026-05-21
modified: 2026-05-21
aliases:
  -
---
```

YAML frontmatter Obsidian

11.

== ==

12.

--- ---

13.

Markdown

- *
-
- #
- ‘

Obsidian -

14.

LaTeX	\$\$		\$\$
---		---	---
Obsidian	[[]]	Obsidian	
YAML frontmatter		key: value	

15.

- 1.md
- .md
-
- Canvas .canvas JSON

Created: 2026-05-21