



Beekeeping Log Book

Track Every Hive, Every Harvest, Every Season

40 HIVE INSPECTIONS

HIVE HEALTH TRACKER

HONEY HARVEST LOG

SEASONAL CALENDAR

FOR BEEKEEPERS & APIARISTS

MORE SHINE PRESS

This Journal Belongs To

HOME REGION

FAVORITE HIVE

YEARS BEEKEEPING

APIARY LOCATION

How to Use This Journal

Make every inspection a learning experience

WHY KEEP A BEEKEEPING JOURNAL?

The difference between having hives and understanding them is attention. A beekeeping journal helps you track patterns — which colonies are thriving, how weather and nectar flows affect production, and which management practices work best. Over time, your journal becomes your personal beekeeping roadmap.

Tips for Better Beekeeping

- 1. Inspect regularly but not too often.** A 7-10 day inspection cycle during active season keeps you informed without disrupting the colony. Each opening sets back their work — be efficient and deliberate.
- 2. Always wear protective gear.** Even gentle colonies can become defensive. A veil at minimum, full suit for new beekeepers. Keep a smoker lit and ready before opening any hive.
- 3. Record what you see, not what you expect.** Note the brood pattern, queen status, stores, temperament, and any irregularities. Honest observations over time reveal which management decisions lead to success.
- 4. Monitor for pests and disease.** Check for varroa mites monthly during active season. Watch for small hive beetles, wax moths, and signs of brood disease. Early detection saves colonies.
- 5. Time your inspections wisely.** Inspect on calm, sunny days between 50-90°F when foragers are out working. Avoid disturbing the colony during rain, high wind, or when neighbors are outdoors.

Pro Tip: *Keep a dedicated hive tool, smoker fuel (pine needles or burlap work well), and a spray bottle of sugar water handy. Sugar water mist calms bees without smoke when you need a gentler approach.*

Hive Anatomy & Components

Know your hive — understanding starts here

Outer Cover (Telescoping)

The roof of the hive. Protects the colony from rain and weather. Typically metal-clad or wooden. Should extend slightly over the edges like a telescoping cover to shed water away from the hive body.

Inner Cover

A flat board with an oval hole that sits between the outer cover and the top super. Provides ventilation, prevents the bees from gluing down the outer cover with propolis, and guides the bees during honey removal.

Honey Super

The upper boxes where bees store surplus honey. These are the boxes you harvest from. Shallow supers are lighter when full; medium supers are versatile. Note the number and size of supers in your inspection log.

Queen Excluder

A screened or slatted barrier between the brood chamber and honey supers. Prevents the queen from laying eggs in the honey supers while allowing worker bees to pass through. Some beekeepers avoid them; others swear by them.

Brood Chamber (Deep)

The lower boxes where the queen lays eggs and the colony raises new bees. Contains brood in all stages: eggs, larvae, and capped pupae. This is the heart of the colony. Note the brood pattern during each inspection.

Frames & Foundation

Removable wooden or plastic frames hold the wax comb. Foundation can be pure beeswax, wax-coated plastic, or drone-sized. Standard Langstroth hives use 10 or 8 frames per box. Inspect frames in order during hive checks.

Bottom Board

The floor of the hive. Can be solid or screened. Screened bottom boards aid ventilation and varroa mite monitoring — fallen mites drop through and cannot climb back. Some have a removable tray for counting mite drop.

Entrance Reducer

A small wooden block that narrows the hive entrance. Used in winter and for new or weak colonies to help them defend against robbers and maintain temperature. Remove during strong nectar flows for maximum ventilation.

Apiary Setup Guide

Location is the most important decision you will make

Sun Exposure	Morning sun is ideal — it warms the hive early, encouraging foraging. Dappled afternoon shade in hot climates prevents overheating. Avoid full deep shade, which can make colonies damp and sluggish. Face the entrance southeast if possible.
Wind Protection	Site hives behind a windbreak — a hedge, fence, or building. Winter winds are the biggest threat to colony survival. A 6-foot barrier reduces wind chill significantly. Avoid exposed hilltops and open fields.
Water Source	Bees need water year-round for cooling and brood food. Provide a shallow water source within 50 feet: a birdbath with rocks, a dripping faucet, or a chicken waterer with marbles. Without a nearby source, bees will visit neighbor's pools.
Forage Availability	Assess nectar and pollen sources within a 2-mile radius. Diversity is key: flowering trees (maples, locusts, lindens), wildflowers, clover fields, and gardens all contribute. Note bloom times in your journal to anticipate nectar flows and potential dearth periods.
Ground & Elevation	Place hives on level, well-drained ground. Elevate on stands (cinder blocks or pallets) to keep the bottom board dry and deter skunks. Slight forward tilt prevents rain from blowing into the entrance. Avoid low-lying frost pockets.
Flight Path Safety	Direct bee flight paths away from high-traffic areas. A 10-foot buffer from walkways, patios, and property lines is courteous and often legally required. Tall plants or a fence force bees to fly upward, keeping them above head height as they leave the hive.
Pest & Predator Defense	Elevated stands deter skunks and raccoons. Fencing keeps livestock away. Watch for bears in rural areas — electric fencing is the only reliable deterrent. Ant and small hive beetle management starts with proper siting.
Accessibility	You will visit your hives often, carrying heavy boxes of honey. Ensure year-round access: a gravel path, paved walkway, or firm mowed strip. Consider vehicle access for moving equipment and harvested supers. Avoid muddy or steep sites that become treacherous in wet weather.

Beekeeping Safety Rules

Respect the bees, protect yourself, protect your neighbors

Allergy Warning

Know your allergy status before opening any hive. Bee venom can cause severe allergic reactions including anaphylaxis. If you have a known allergy, consult your doctor about an EpiPen before keeping bees. Even without a known allergy, a beekeeper should know the signs of anaphylaxis and keep emergency contact information nearby.

- 1. Always suit up.** Wear at minimum a veil and gloves. New beekeepers should use a full suit. As you gain confidence you may reduce protection, but never skip the veil — a sting to the face or eye is always serious.
- 2. Use your smoker correctly.** Light the smoker 10 minutes before opening the hive. Puffs of cool smoke mask alarm pheromones and trigger feeding behavior. Never use hot smoke or blow smoke directly onto bees — it burns their wings.
- 3. Move slowly and deliberately.** Quick movements and vibrations alarm bees. Frame each action: lift slowly, examine calmly, replace gently. If bees become aggressive, close the hive and return another day.
- 4. Inform your neighbors.** A jar of honey goes a long way. Let neighbors know you keep bees, share your harvest, and provide your phone number for any swarming concerns. Good relations prevent complaints and zoning issues.
- 5. Keep an emergency plan.** Have antihistamines on hand. Know the location of the nearest emergency room. If stung and you feel dizzy, have trouble breathing, or develop hives away from the sting site, seek emergency care immediately.
- 6. Register your apiary.** Many states require apiary registration for disease tracking. Check your local agricultural extension office for regulations. Registration also connects you with local inspectors and resources.

This journal is a record-keeping tool. It is not a beekeeping manual and cannot replace hands-on training. Always consult experienced local beekeepers and your state extension service for region-specific guidance.

Seasonal Beekeeping Calendar

What to do and when — timing is everything

Spring (Mar – May)

The critical season. Queens begin laying rapidly as days lengthen. Inspect for queen health and brood pattern. Reverse brood boxes if the cluster has moved up. Add supers before the first nectar flow. Watch for swarming — create splits or add space to prevent it. This is when you set up the colony's success for the entire year.

KEY MONITORING

Monitor: Queen status, swarm cells, brood pattern, varroa mites, food stores

Summer (Jun – Aug)

Peak honey production and nectar flows. Check supers every 7-10 days during heavy flows and add space as needed. Monitor for robbing during dearth periods. Keep water sources full. Extract honey when frames are capped at least 80%. Watch for small hive beetles and wax moths in hot weather. Do your varroa mite treatments after honey harvest.

KEY MONITORING

Monitor: Honey supers, mite levels, robbing, beetles, queen performance

Fall (Sep – Nov)

Prepare for winter. Ensure colonies have 50-60 lbs of honey stores. Treat for varroa mites after harvesting honey. Combine weak colonies with stronger ones. Install entrance reducers. Check for adequate bee numbers — a winter cluster needs at least a full deep box of bees. Feed syrup (2:1) if stores are light.

KEY MONITORING

Monitor: Honey stores, mite levels, colony strength, winter weight, mouse guards

Winter (Dec – Feb)

Do not open hives unless temperature is above 50°F. Heft hives by tilting the back to gauge honey stores — heavy is good. Check entrances are clear of dead bees and snow. Ensure ventilation to prevent condensation. Order new packages and queens for spring delivery. Read, plan, and maintain equipment for the coming season.

KEY MONITORING

Monitor: Hive weight, entrance clearance, wind damage, food emergency stores

01

PART ONE

Hive Inspection Logs

40 inspections — your beekeeping journey

Inspection #01

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #02

Colony Details & Conditions

DATE	TIME	TEMP
WEATHER	WIND	FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD	FRAMES
HONEY	POLLEN
BOXES	
MITES	FEED?

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #03

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #04

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #05

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #06

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #07

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #08

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #09

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #10

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #11

Colony Details & Conditions

DATE	TIME	TEMP
WEATHER	WIND	FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD	FRAMES
HONEY	POLLEN
BOXES	
MITES	FEED?

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #12

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #13

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #14

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #15

Colony Details & Conditions

DATE	TIME	TEMP
WEATHER	WIND	FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD	FRAMES
HONEY	POLLEN
BOXES	
MITES	FEED?

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #16

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy ☐ Queenless ☐ Laying Workers ☐ Varroa Seen ☐ SHB Seen ☐ Wax Moth
☐ Chilled Brood ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention ☐ Reinspect Soon ☐ Ready to Harvest ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #17

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #18

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #19

Colony Details & Conditions

DATE	TIME	TEMP
WEATHER	WIND	FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD	FRAMES
HONEY	POLLEN
BOXES	
MITES	FEED?

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #20

Colony Details & Conditions

DATE	TIME	TEMP
WEATHER	WIND	FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD	FRAMES
HONEY	POLLEN
BOXES	
MITES	FEED?

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #21

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy ☐ Queenless ☐ Laying Workers ☐ Varroa Seen ☐ SHB Seen ☐ Wax Moth
☐ Chilled Brood ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention ☐ Reinspect Soon ☐ Ready to Harvest ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #22

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy ☐ Queenless ☐ Laying Workers ☐ Varroa Seen ☐ SHB Seen ☐ Wax Moth
☐ Chilled Brood ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention ☐ Reinspect Soon ☐ Ready to Harvest ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #23

Colony Details & Conditions

DATE	TIME	TEMP
WEATHER	WIND	FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD	FRAMES
HONEY	POLLEN
BOXES	
MITES	FEED?

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #24

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #25

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #26

Colony Details & Conditions

DATE	TIME	TEMP
WEATHER	WIND	FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD	FRAMES
HONEY	POLLEN
BOXES	
MITES	FEED?

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #27

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #28

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #29

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy ☐ Queenless ☐ Laying Workers ☐ Varroa Seen ☐ SHB Seen ☐ Wax Moth
☐ Chilled Brood ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention ☐ Reinspect Soon ☐ Ready to Harvest ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #30

Colony Details & Conditions

DATE	TIME	TEMP
WEATHER	WIND	FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD	FRAMES
HONEY	POLLEN
BOXES	
MITES	FEED?

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #31

Colony Details & Conditions

DATE	TIME	TEMP
WEATHER	WIND	FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD	FRAMES
HONEY	POLLEN
BOXES	
MITES	FEED?

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #32

Colony Details & Conditions

DATE	TIME	TEMP
WEATHER	WIND	FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD	FRAMES
HONEY	POLLEN
BOXES	
MITES	FEED?

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy ☐ Queenless ☐ Laying Workers ☐ Varroa Seen ☐ SHB Seen ☐ Wax Moth
☐ Chilled Brood ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention ☐ Reinspect Soon ☐ Ready to Harvest ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #33

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #34

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #35

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #36

Colony Details & Conditions

DATE	TIME	TEMP
WEATHER	WIND	FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD	FRAMES
HONEY	POLLEN
BOXES	
MITES	FEED?

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #37

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #38

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #39

Colony Details & Conditions

DATE _____	TIME _____	TEMP _____
WEATHER _____	WIND _____	FORAGE _____

HIVE ID _____

APIARY _____

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER _____

INSPECTION DETAILS

BROOD _____	FRAMES _____
HONEY _____	POLLEN _____
BOXES _____	
MITES _____	FEED? _____

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

Inspection #40

Colony Details & Conditions

DATE

TIME

TEMP

WEATHER

WIND

FORAGE

HIVE ID

APIARY

COLONY STATUS

- ☐ Queen Seen
- ☐ Eggs Present
- ☐ Larvae
- ☐ Capped Brood
- ☐ Swarm Cells
- ☐ Queen Cells
- ☐ Drones Seen

TEMPER

INSPECTION DETAILS

BROOD

FRAMES

HONEY

POLLEN

BOXES

FEED?

MITES

ACTIONS TAKEN

- ☐ Added Super
- ☐ Removed Super
- ☐ Fed Syrup
- ☐ Requeened
- ☐ Split
- ☐ Treated Mites
- ☐ Combined
- ☐ Harvested

HEALTH & CONCERNS

- ☐ Healthy
- ☐ Queenless
- ☐ Laying Workers
- ☐ Varroa Seen
- ☐ SHB Seen
- ☐ Wax Moth
- ☐ Chilled Brood
- ☐ Deformed Wing

NECTAR FLOW _____

BLOOM SEEN _____

OVERALL COLONY RATING



- ☐ Needs Attention
- ☐ Reinspect Soon
- ☐ Ready to Harvest
- ☐ Swarm Risk

OBSERVATIONS & NOTES

NEXT STEPS / TO DO

02

PART TWO

Forage Checklist

Track nectar & pollen plants

Nectar & Pollen Plant Checklist

Track which plants your bees visit throughout the year

#	PLANT NAME	BLOOM DATE	RATING	✓
1	Red Maple (<i>Acer rubrum</i>)			
2	Silver Maple (<i>Acer saccharinum</i>)			
3	Black Locust (<i>Robinia pseudoacacia</i>)			
4	Tulip Poplar (<i>Liriodendron</i>)			
5	Black Tupelo / Tupelo Gum			
6	American Linden / Basswood			
7	Sourwood (<i>Oxydendrum</i>)			
8	Willow (<i>Salix</i> spp.)			
9	Apple / Crabapple (<i>Malus</i>)			
10	Blackberry / Raspberry (<i>Rubus</i>)			
11	Clethra / Sweet Pepperbush			
12	Sumac (<i>Rhus</i> spp.)			

Track bloom dates to anticipate nectar flows and plan your honey harvest timing.

Nectar & Pollen Plant Checklist

Track which plants your bees visit throughout the year

#	PLANT NAME	BLOOM DATE	RATING	✓
13	White Clover (<i>Trifolium repens</i>)			
14	Crimson Clover (<i>Trifolium incarnatum</i>)			
15	Alsike Clover			
16	Sweet Clover (<i>Melilotus</i>)			
17	Vetch (<i>Vicia spp.</i>)			
18	Birds-foot Trefoil			
19	Goldenrod (<i>Solidago</i>)			
20	Aster (<i>Symphyotrichum</i>)			
21	Buckwheat (<i>Fagopyrum</i>)			
22	Sage (<i>Salvia spp.</i>)			
23	Lavender (<i>Lavandula</i>)			
24	Rosemary (<i>Rosmarinus</i>)			

Track bloom dates to anticipate nectar flows and plan your honey harvest timing.

Nectar & Pollen Plant Checklist

Track which plants your bees visit throughout the year

#	PLANT NAME	BLOOM DATE	RATING	✓
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				

Track bloom dates to anticipate nectar flows and plan your honey harvest timing.

03

PART THREE

Hive & Apiary Inventory

Track your colonies and locations

Hive & Apiary Inventory

Track your colonies, locations, and equipment

#	HIVE ID / NAME	LOCATION	TYPE	NOTES
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				

Type: Langstroth, Top Bar, Warre, Nuc, etc.

Hive & Apiary Inventory

Track your colonies, locations, and equipment

#	HIVE ID / NAME	LOCATION	TYPE	NOTES
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				

Type: Langstroth, Top Bar, Warre, Nuc, etc.

Hive & Apiary Inventory

Track your colonies, locations, and equipment

#	HIVE ID / NAME	LOCATION	TYPE	NOTES
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				

Type: Langstroth, Top Bar, Warre, Nuc, etc.

04

PART FOUR

Equipment Checklist

What you need for each season

Beekeeping Equipment Checklist

What you need for each season

Hive Components

- ☐ Deep brood boxes (10-frame or 8-frame)
- ☐ Medium or shallow supers
- ☐ Bottom boards (solid or screened)
- ☐ Inner covers and telescoping outer covers
- ☐ Frames with foundation (wax or plastic)
- ☐ Queen excluders

Tools & Gear

- ☐ Smoker and fuel (pine needles, burlap, pellets)
- ☐ Hive tool (standard or J-hook)
- ☐ Frame grip / frame lifter
- ☐ Bee brush
- ☐ Entrance reducers
- ☐ Queen marking kit

Protective Wear

- ☐ Full bee suit or jacket with veil
- ☐ Goat-skin or nitrile beekeeping gloves
- ☐ High-top boots (duct-tape ankles)

Feeding & Health

- ☐ Boardman or top feeder
- ☐ Sugar syrup (1:1 spring, 2:1 fall)
- ☐ Pollen substitute patties
- ☐ Varroa mite treatment (per local recommendations)
- ☐ Fume board for honey removal

Harvest Equipment

- ☐ Honey extractor (radial or tangential)
- ☐ Uncapping knife or fork
- ☐ Strainer / filter bags
- ☐ Food-grade buckets with gate valves
- ☐ Jars and labels

05

PART FIVE

Harvest & Year Summary

Track your honey harvest and reflect

Honey Harvest & Year Summary

Track your season's bounty

TOTAL HONEY
____ lbs

HIVES

INSPECTIONS

SWARMS

HARVEST LOG

#	DATE	HIVE ID	WEIGHT	NOTES
1				
2				
3				
4				
5				
6				
7				
8				

BEST DECISIONS THIS YEAR

LESSONS LEARNED & GOALS FOR NEXT YEAR

Sketch Pad

Draw colonies, map locations, plan forays



06

PART SIX

Notes

Observations, plans, and reminders

Species to research, recipes, and reminders

Beekeeping Notes

Species to research, recipes, and reminders

Species to research, recipes, and reminders

Species to research, recipes, and reminders

Species to research, recipes, and reminders

Species to research, recipes, and reminders

Beekeeping Notes

Species to research, recipes, and reminders

Species to research, recipes, and reminders

Species to research, recipes, and reminders

Species to research, recipes, and reminders