

(12) United States Patent

US 7,504,193 B2 (10) **Patent No.:** (45) **Date of Patent:**

Mar. 17, 2009

(54) POSITIVE RESIST COMPOSITION AND PATTERN FORMING METHOD USING THE **SAME**

- (75) Inventor: Tomoya Sasaki, Shizuoka (JP)
- Assignee: FUJIFILM Corporation, Tokyo (JP)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35

U.S.C. 154(b) by 176 days.

- Appl. No.: 11/217,422
- (22)Filed: Sep. 2, 2005

Prior Publication Data (65)

US 2006/0046195 A1 Mar. 2, 2006

(30)Foreign Application Priority Data

Sep. 2, 2004 P.2004-255473

(51) Int. Cl.

G03F 7/039 (2006.01)

- (52)**U.S. Cl.** 430/270.1; 430/326
- Field of Classification Search 430/270.1, 430/907, 326, 176 See application file for complete search history.

(56)**References Cited**

U.S. PATENT DOCUMENTS

5.695,910 A * 12/1997 Urano et al. 430/270.1 1/2003 Lee et al. 2003/0013036 A1

FOREIGN PATENT DOCUMENTS

EP	0 440 374	A2	8/1991
EP	1367439	A1 *	12/2003
JP	6-41221	A	2/1994
JP	2000-122291	A	4/2000
JP	3173368	B2	3/2001
JP	2001-114825	A	4/2001
JP	2001-206917	A	7/2001
JP	2002-323768	A	11/2002

OTHER PUBLICATIONS

Patent Abstracts of Japan (JP-A-11-282163), Shiro Tan, "Positive Photosensitive Composition" copyrighted 1999. European Search Report dated Feb. 1, 2006.

* cited by examiner

Primary Examiner—Cynthia Hamilton (74) Attorney, Agent, or Firm—Sughrue Mion PLLC

ABSTRACT

A positive resist composition satisfying high sensitivity, high resolution and good line edge roughness at the same time, and a pattern forming method using the resist composition are provided, which are a positive resist composition comprising (A) a resin which becomes soluble in alkali developer increases under the action of an acid, the resin having two kinds of repeating units each having a specific styrene skeleton, (B) a compound of generating an acid upon irradiation with actinic rays or radiation, and (C) an organic basic compound, and a pattern forming method using the resist composition.

17 Claims, No Drawings