classex

Wurongyan Zhang

9/17/2019

```
library(tidyverse)
## -- Attaching packages -----
                                     ----- tidyverse 1.2.1 --
## v ggplot2 3.2.1
                    v purrr
                               0.3.2
## v tibble 2.1.3 v dplyr 0.8.3
## v tidyr 0.8.3 v stringr 1.4.0
          1.3.1
## v readr
                    v forcats 0.4.0
## -- Conflicts ------ tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()
                   masks stats::lag()
#reads in data set
getwd()
## [1] "/Users/zhangwurongyan/Desktop/data science/20190917-class"
litters_data = read_csv(file = "./data_import_examples/FAS_litters.csv")
## Parsed with column specification:
## cols(
## Group = col_character(),
   `Litter Number` = col_character(),
    `GDO weight` = col_double(),
##
    `GD18 weight` = col_double(),
##
    `GD of Birth` = col_double(),
##
    `Pups born alive` = col_double(),
##
    `Pups dead @ birth` = col_double(),
##
##
    `Pups survive` = col_double()
## )
litters_data = janitor::clean_names(litters_data)
names(litters_data)
## [1] "group"
                        "litter_number" "gd0_weight"
                                                          "gd18_weight"
                       "pups_born_alive" "pups_dead_birth" "pups_survive"
## [5] "gd_of_birth"
```