

第十八章：Spring 注解

小马哥 · mercyblitz



扫码试看/订阅

《小马哥讲 Spring 核心编程思想》视频课程

Spring 注解

1. Spring 注解驱动编程发展历程
2. Spring 核心注解场景分类
3. Spring 注解编程模型
4. Spring 元注解（Meta-Annotations）
5. Spring 模式注解（Stereotype Annotations）
6. Spring 组合注解（Composed Annotations）
7. Spring 注解属性别名（Attribute Aliases）
8. Spring 注解属性覆盖（Attribute Overrides）
9. Spring @Enable 模块驱动
10. Spring 条件注解



Spring 注解

11. 课外资料

12. 面试题精选



Spring 注解驱动编程发展历程

- 注解驱动启蒙时代：Spring Framework 1.x
- 注解驱动过渡时代：Spring Framework 2.x
- 注解驱动黄金时代：Spring Framework 3.x
- 注解驱动完善时代：Spring Framework 4.x
- 注解驱动当下时代：Spring Framework 5.x

Spring 核心注解场景分类

- Spring 模式注解

Spring 注解	场景说明	起始版本
@Repository	数据仓储模式注解	2.0
@Component	通用组件模式注解	2.5
@Service	服务模式注解	2.5
@Controller	Web 控制器模式注解	2.5
@Configuration	配置类模式注解	3.0

Spring 核心注解场景分类

- 装配注解

Spring 注解	场景说明	起始版本
@ImportResource	替换 XML 元素 <import>	2.5
@Import	导入 Configuration 类	2.5
@ComponentScan	扫描指定 package 下标注 Spring 模式注解的类	3.1

- 依赖注入注解

Spring 注解	场景说明	起始版本
@Autowired	Bean 依赖注入，支持多种依赖查找方式	2.5
@Qualifier	细粒度的 @Autowired 依赖查找	2.5

Spring 注解编程模型

- 编程模型
 - 元注解 (Meta-Annotations)
 - Spring 模式注解 (Stereotype Annotations)
 - Spring 组合注解 (Composed Annotations)
 - Spring 注解属性别名和覆盖 (Attribute Aliases and Overrides)

<https://github.com/spring-projects/spring-framework/wiki/Spring-Annotation-Programming-Model>

Spring 元注解 (Meta-Annotations)

- 官方 Wiki 原文

A meta-annotation is an annotation that is declared on another annotation. An annotation is therefore meta-annotated if it is annotated with another annotation. For example, any annotation that is declared to be documented is meta-annotated with `@Documented` from the `java.lang.annotation` package.

- 举例说明

- `java.lang.annotation.Documented`
- `java.lang.annotation.Inherited`
- `java.lang.annotation.Repeatable`

Spring 模式注解 (Stereotype Annotations)

- 官方 Wiki 原文

A **stereotype annotation** is an annotation that is used to declare the role that a component plays within the application. For example, the `@Repository` annotation in the Spring Framework is a marker for any class that fulfills the role or stereotype of a repository (also known as Data Access Object or DAO).

`@Component` is a generic stereotype for any Spring-managed component. Any component annotated with `@Component` is a candidate for component scanning. Similarly, any component annotated with an annotation that is itself meta-annotated with `@Component` is also a candidate for component scanning. For example, `@Service` is meta-annotated with `@Component`.

Core Spring provides several stereotype annotations out of the box, including but not limited to: `@Component`, `@Service`, `@Repository`, `@Controller`, `@RestController`, and `@Configuration`. `@Repository`, `@Service`, etc. are specializations of `@Component`.

Spring 模式注解 (Stereotype Annotations)

- 理解 @Component “派生性”

元标注 @Component 的注解在 XML 元素 <context:component-scan> 或注解 @ComponentScan 扫描中 “派生” 了 @Component 的特性，并且从 Spring Framework 4.0 开始支持多层次 “派生性”。

- 举例说明

- @Repository
- @Service
- @Controller
- @Configuration
- @SpringBootConfiguration (Spring Boot)

Spring 模式注解 (Stereotype Annotations)

- @Component “派生性” 原理
 - 核心组件 - org.springframework.context.annotation.ClassPathBeanDefinitionScanner
 - org.springframework.context.annotation.ClassPathScanningCandidateComponentProvider
 - 资源处理 - org.springframework.core.io.support.ResourcePatternResolver
 - 资源-类元信息
 - org.springframework.core.type.classreading.MetadataReaderFactory
 - 类元信息 - org.springframework.core.type.ClassMetadata
 - ASM 实现 - org.springframework.core.type.classreading.ClassMetadataReadingVisitor
 - 反射实现 - org.springframework.core.type.StandardAnnotationMetadata
 - 注解元信息 - org.springframework.core.type.AnnotationMetadata
 - ASM 实现 - org.springframework.core.type.classreading.AnnotationMetadataReadingVisitor
 - 反射实现 - org.springframework.core.type.StandardAnnotationMetadata

Spring 组合注解 (Composed Annotations)

- 官方 Wiki 原文

A composed annotation is an annotation that is meta-annotated with one or more annotations with the intent of combining the behavior associated with those meta-annotations into a single custom annotation. For example, an annotation named `@TransactionalService` that is meta-annotated with Spring's `@Transactional` and `@Service` annotations is a composed annotation that combines the semantics of `@Transactional` and `@Service`. `@TransactionalService` is technically also a custom stereotype annotation.

- 基本定义

Spring 组合注解 (Composed Annotations) 中的元注允许是 Spring 模式注解 (Stereotype Annotation) 与其他 Spring 功能性注解的任意组合。

Spring 注解属性别名 (Attribute Aliases)

- 官方 Wiki 原文

An attribute alias is an alias from one annotation attribute to another annotation attribute. Attributes within a set of aliases can be used interchangeably and are treated as equivalent. Attribute aliases can be categorized as follows.

- Explicit Aliases: if two attributes in one annotation are declared as aliases for each other via `@AliasFor`, they are explicit aliases.
- Implicit Aliases: if two or more attributes in one annotation are declared as explicit overrides for the same attribute in a meta-annotation via `@AliasFor`, they are implicit aliases.
- Transitive Implicit Aliases: given two or more attributes in one annotation that are declared as explicit overrides for attributes in meta-annotations via `@AliasFor`, if the attributes effectively override the same attribute in a meta-annotation following the law of transitivity, they are transitive implicit aliases.

Spring 注解属性覆盖 (Attribute Overrides)

- 官方 Wiki 原文

An attribute override is an annotation attribute that overrides (or shadows) an annotation attribute in a meta-annotation. Attribute overrides can be categorized as follows.

- Implicit Overrides: given attribute A in annotation @One and attribute A in annotation @Two, if @One is meta-annotated with @Two, then attribute A in annotation @One is an implicit override for attribute A in annotation @Two based solely on a naming convention (i.e., both attributes are named A).
- Explicit Overrides: if attribute A is declared as an alias for attribute B in a meta-annotation via @AliasFor, then A is an explicit override for B.
- Transitive Explicit Overrides: if attribute A in annotation @One is an explicit override for attribute B in annotation @Two and B is an explicit override for attribute C in annotation @Three, then A is a transitive explicit override for C following the law of transitivity.

Spring @Enable 模块驱动

- @Enable 模块驱动

@Enable 模块驱动是以 @Enable 为前缀的注解驱动编程模型。所谓“模块”是指具备相同领域的功能组件集合，组合所形成一个独立的单元。比如 Web MVC 模块、AspectJ 代理模块、Caching（缓存）模块、JMX（Java 管理扩展）模块、Async（异步处理）模块等。

- 举例说明

- @EnableWebMvc
- @EnableTransactionManagement
- @EnableCaching
- @EnableMBeanExport
- @EnableAsync

Spring @Enable 模块驱动

- @Enable 模块驱动编程模式
 - 驱动注解：@EnableXXX
 - 导入注解：@Import 具体实现
 - 具体实现
 - 基于 Configuration Class
 - 基于 ImportSelector 接口实现
 - 基于 ImportBeanDefinitionRegistrar 接口实现

Spring 条件注解

- 基于配置条件注解 - `@org.springframework.context.annotation.Profile`
 - 关联对象 - `org.springframework.core.env.Environment` 中的 Profiles
 - 实现变化：从 Spring 4.0 开始，`@Profile` 基于 `@Conditional` 实现
- 基于编程条件注解 - `@org.springframework.context.annotation.Conditional`
 - 关联对象 - `org.springframework.context.annotation.Condition` 具体实现

Spring 条件注解

- @Conditional 实现原理
 - 上下文对象 - `org.springframework.context.annotation.ConditionContext`
 - 条件判断 - `org.springframework.context.annotation.ConditionEvaluator`
 - 配置阶段 -
`org.springframework.context.annotation.ConfigurationCondition.ConfigurationPhase`
 - 判断入口 - `org.springframework.context.annotation.ConfigurationClassPostProcessor`
 - `org.springframework.context.annotation.ConfigurationClassParser`

课外资料

- Spring Boot 注解

注解	场景说明	起始版本
@SpringBootConfiguration	Spring Boot 配置类	1.4.0
@SpringBootApplication	Spring Boot 应用引导注解	1.2.0
@EnableAutoConfiguration	Spring Boot 激活自动转配	1.0.0

课外资料

- Spring Cloud 注解

注解	场景说明	起始版本
@SpringCloudApplication	Spring Cloud 应用引导注解	1.0.0
@EnableDiscoveryClient	Spring Cloud 激活服务发现客户端注解	1.0.0
@EnableCircuitBreaker	Spring Cloud 激活熔断注解	1.0.0

面试题

沙雕面试题 - Spring 模式注解有哪些？

答：

- `@org.springframework.stereotype.Component`
- `@org.springframework.stereotype.Repository`
- `@org.springframework.stereotype.Service`
- `@org.springframework.stereotype.Controller`
- `@org.springframework.context.annotation.Configuration`



我真的没笑

面试题

996 面试题 - @EventListener 的工作原理?



答:

- 源码导读 - `org.springframework.context.event.EventListenerMethodProcessor`

面试题

劝退面试题 - @PropertySource 的工作原理?

答：答案下章揭晓





扫码试看/订阅

《小马哥讲 Spring 核心编程思想》视频课程