

Project 4—UNIX Shell and History Feature

Submission to GitHub: your **code** and **screenshots** of testing your shell

Submission to Canvas: a text indicating your project is ready

This project consists of designing a C program to serve as a shell interface that accepts user commands and then executes each command in a separate process. A shell interface gives the user a prompt, after which the next command is entered. The example below illustrates the prompt **osh>** and the user's next command: **ls** (This command displays the items in the current folder on the terminal using the UNIX **ls** command.)

```
osh> ls
```

One technique for implementing a shell interface is to have the parent process first read what the user enters on the command line (in this case, **ls**), and then create a separate child process that performs the command. Unless otherwise specified, the parent process waits for the child to exit before continuing. However, UNIX shells typically also allow the child process to run in the background, or concurrently. To accomplish this, we add an ampersand (&) at the end of the command. Thus, if we rewrite the above command as

```
osh> ls &
```

the parent and child processes will run concurrently.

The separate child process is created using the **fork()** system call, and the user's command is executed using one of the system calls in the **exec()** family (as described in Section 3.3.1).

A C program that provides the general operations of a command-line shell. The **main()** function presents the prompt **osh->** and outlines the steps to be taken after input from the user has been read. The **main()** function continually loops as long as **shouldrun** equals 1; when the user enters **exit** at the prompt, your program will set **shouldrun** to 0 and terminate.

This project is organized into two parts: (1) creating the child process and executing the command in the child, and (2) modifying the shell to allow a history feature.

Part I—Creating a Child Process

The first task is to modify the **main()** function so that a child process is forked and executes the command specified by the user. This will require parsing what the user has entered into separate tokens and storing the tokens in an array of character strings. For example, if the user enters the command **ps -ael** at the **osh>** prompt, the values stored in the

args array are:

```
args[0] = "ps"
```

```
args[1] = "-ael"
```

```
args[2] = NULL
```

This **args** array will be passed to the **execvp()** function, which has the following prototype:

```
execvp(char *command, char *params[]);
```

Here, **command** represents the command to be performed and **params** stores the parameters to this command. For this project, the **execvp()** function should be invoked as **execvp(args[0], args)**. Be sure to check whether the user included an & to determine whether or not the parent process is to wait for the child to exit.

Part II—Creating a History Feature

The next task is to modify the shell interface program so that it provides a *history* feature that allows the user to access the most recently entered commands. The user will be able to access up to 9 commands by using the feature.

The user will be able to list the command history by entering the command **history**

at the **osh>** prompt. As an example, assume that the history consists of the commands (from most to least recent):

ps, top, cal, who, date

The command history will output:

```
1      ps
2      top
3      cal
4      who
5      date
```

Eventually, there will be more history commands than the “history” buffer size in your program. Your program needs to maintain the most recent commands and display them in the right order.

Your program should support two techniques for retrieving commands from the command history:

1. When the user enters **!!**, the most recent command in the history is executed.
2. When the user enters a single **!** followed by an integer N , the N_{th} command in the history array is executed.

Continuing our example from above, if the user enters **!!**, the **ps** command will be performed; if the user enters **!3**, the command **cal** will be executed. Any command executed in this fashion should be echoed on the user’s screen. The command should also be placed in the history buffer as the next command.

The program should also manage basic error handling. If there are no commands in the history, entering **!!** should result in a message “**No commands in history.**” If there is no command corresponding to the number entered with the single **!**, the program should output “**No such command in history.**” In such cases, the program should not place the user input in the history buffer.

Implementation Guideline

This project implements a simple version of the Unix shell. A start code is provided. You need to fill in the blanks in the C file.

Part I

To implement Part I, you need to work on the following functions.

1. `int setup(char inputBuffer[], char *args[], int *background)`

Function description: The setup function will **read** in the next command line; **separate** it into distinct arguments (using blanks as delimiters), and set the `args` array entries to point to the beginning of what will become null-terminated, C-style strings.

Return value: When it returns **1**, it means the user input is in the right format and the shell program will continue to create a process. Otherwise, the shell program will simply terminate.

1.1 `read` is provided for you.

```
length = read(STDIN_FILENO, inputBuffer, MAX_LINE);
```

`read()` reads from the given file descriptor into the buffer. It returns the number of characters being read and advances the file position by that many bytes, or returns `-1` if an error occurred. Check and use this return value. It is otherwise impossible to safely use the buffer contents.

When reading from standard input, `read()` returns when the user types enter or CTRL-D. These situations can be distinguished by examining the contents of the buffer: typing enter causes a new-line character (`\n`) to be written at the end of the line, whereas typing CTRL-D does not cause any special character to appear in the buffer. If a user types CTRL-D on a line by itself, `read` will return `0`, indicating that no more data is available to be read—a condition called the end of file. In this case, your shell should exit.

The code for “read” from user input is provided for you. Everything typed in from the keyboard will be stored in ‘`inputBuffer`’.

1.2 `parse` the contents of `inputBuffer`.

- a. As provided in the start code, to parse the `inputBuffer`, your program needs to identify whitespace ‘’ and ‘`\t`’ as the argument separators. Your program needs to identify ‘`\n`’ as the final character of the input. Since whitespace ‘’ and ‘`\t`’ are separators, you want to use ‘`\0`’ to replace them to make sure that’s the end of a string. Each argument is a string, which ends with ‘`\0`’.
- b. For all other characters (**default** in the C file), your program needs to identify the first character after ‘’ or ‘`\t`’. It is the beginning (the first character) of a string. You will need the address of this character to fill in the array `args[x]`, which holds the address of the first character of the *x-th* string. You may consider using a flag to mark the beginning character of each string (argument).
- c. In the **default** case, your program also needs to identify ‘`&`’, which means to set the new process running ‘`*background`’.

1.3 `return`

Now it is time to return, before you return, make sure that '&' is not written into the argument list **args**.

2. **int main()**

Function description: This is your shell program. Your shell program will always wait for reading from the standard input (the keyboard). In the implementation, the shell program will call the “**setup**” function in a while loop.

```
shouldrun = setup(inputBuffer,args,&background);
```

2.1 If the user input is ‘**exit**’, the user wants to stop using the shell. Simply return **0**.

Use the function ‘**strncmp**’ to compare **inputBuffer** and ‘**exit**’

2.2 The return value **shouldrun** from “**setup**” is used like a flag.

If **shouldrun** is true, the shell will continue to create a child process and call **execvp** to run the command from the user. Otherwise, the shell will terminate.

Part II

To implement Part II, you need to work on the following functions.

1. **addtohistory**

```
void addTohistory(char inputBuffer[]);
```

Function description: This function maintains the history of commands. In the implementation, this function will update three global values:

```
char history[MAX_COMMANDS][MAX_LINE];  
char display_history[MAX_COMMANDS][MAX_LINE];
```

```
int command_count = 0;
```

Your program should save the most recent commands. You may consider using a circular array and tracking the “first” (or “oldest”) command.

1.1 update the array **history** and **command_count**

Your program needs to call the function **strcpy**(str1, str2) to copy the string **inputBuffer** into the array **history**. You also need to be careful with the index of **history**. It won’t be larger than **MAX_COMMANDS**. The **history** buffer will only store the most recent commands.

1.2 update the array **display_history**

Your program also needs to update another array: **display_history**. Since your program needs to call **printf** to print out the history of commands. You don’t want to keep the characters like ‘\n’ and ‘\0’ in the **display-history**.

2. **int setup(char inputBuffer[], char *args[],int *background)**

We revisit this function to deal with **history**.

2.1 check if the command is **history**

If the user input starts with ‘!’ (inputBuffer[0]=='!'), it means the user wants to use the history commands in the array **history**.

Your program needs to find the corresponding command from the array **history** and put it in the **inputBuffer**.

- a. You want to first check whether there is no history. In this case, print out an error message and **return**. What return value do you want to put here? If it returns **1**, the program will continue to wait for input from the user. If it returns **0**, it will cause your program to terminate.
- b. Your program will continue to check the second character. If the second character is also **'!'**, (`inputBuffer[1]=='!'`), the most recent history will be used to replace **inputBuffer**. Don't forget to update the **length**.
- c. User input asks for the ***nth*** command, for example **'!5'**. You need first check whether the second character of **inputBuffer** is a digit. The function **isdigit(inputBuffer[1])** returns true if it is a digit. If it is a digit, continue to replace **inputBuffer** with the history command and update **length**.

2.2 Add the command to history

Call the function `addtohistory(inputBuffer);`
Implement 2.1 first and then 2.2

3. `int main(void)`

We revisit this function to support a new command **"history"**. This project requires your shell to print out all stored commands when a user inputs **'history'** as a command. Your program will **printf** every item in the array **display_history** in the order defined in this document. After that, do you still need to create a process or call `execvp`? If not, how to skip the child process part and continue your shell program with the **while** loop.