PS:ins_pa	rams的字段为空串时,表示该槽位在当前用户	¹ 表达中不存在值		
场景	指令	指令格式	示例	备注
摄像	DeviceSettings.TurnOn	<pre>{ "ins_name": "action_turn_on_settings", "ins_params": { "device.name": (str) } }</pre>		device.name的取值范围 AIRPLANE BLUETOOTH WIFI FLASHLIGHT DATA_CONNECTION BIKE_MODE GAME_MODE DARK_THEME EYE_CARE
	DeviceSettings.TurnOff	<pre>{ "ins_name": "action_turn_off_settings", "ins_params": { "device.name": (str) } }</pre>		device.name的取值范围 AIRPLANE BLUETOOTH WIFI FLASHLIGHT DATA_CONNECTION BIKE_MODE GAME_MODE DARK_THEME EYE_CARE
	Volume.Decrease	<pre>{ "ins_name": "action_volume_down", "ins_params": {} }</pre>		app.name支持有限个应用列表
	Volume.Increase	<pre>{ "ins_name": "action_volume_up", "ins_params": {} }</pre>		app.name支持有限个应用列表
	Volume.SetTo	<pre>{ "ins_name": "action_volume_to", "ins_params": { "volume.num": (str, 1-100 integer) } }</pre>		app.name支持有限个应用列表
	Volume.Mute	<pre>{ "ins_name": "action_volume_mute", "ins_params": {} }</pre>		
	Volume.Unmute	<pre>{ "ins_name": "action_volume_unmute", "ins_params": {} }</pre>		
	Volume.Max	<pre>{ "ins_name": "action_volume_max", "ins_params": {} }</pre>		
	Volume.Min	<pre>{ "ins_name": "action_volume_min", "ins_params": {} }</pre>		
	Brightness.Decrease	<pre>{ "ins_name": "action_brightness_down", "ins_params": {} }</pre>		
	Brightness.Increase	<pre>{ "ins_name": "action_brightness_up", "ins_params": {} }</pre>		
	Brightness.SetTo	<pre>{ "ins_name": "action_brightness_to", "ins_params": { "brightness.num": (str, 1-100 integer) } }</pre>		
	Brightness.Max	<pre>{ "ins_name": "action_brightness_max", "ins_params": {} }</pre>		
	Brightness.Min	<pre>{ "ins_name": "action_brightness_min", "ins_params": {} }</pre>		
	DoNotDisturb.TurnOn	<pre>{ "ins_name": "action_donotdisturb_on", "ins_params": {} }</pre>		
	DoNotDisturb.TurnOff	<pre>{ "ins_name": "action_donotdisturb_off", "ins_params": {} }</pre>		
	Power.off	<pre>{ "ins_name": "action_power_off", "ins_params": {} }</pre>		