

Prototype Revision Instructions

Please update all four prototype groups using the instructions below. Keep the visual design and interaction style consistent with the existing Voya X prototype.

Important experimental requirement

- **Group 1 and Group 2 must use the same Ride + Courier scenario.**
- **Group 3 and Group 4 must use the same Ride + Eat scenario.**
- Do not create different stories between the low- and high-interrelatedness conditions.
- The experimental difference should come from the app flow and service integration, not from different addresses, prices, or task descriptions.

1. Update the participant scenarios

Group 1 — Ride + Courier · L × L

Your Scenario

You are meeting a friend at **1000 Saint-Catherine Street West**. First, use Voya X to book a ride to this address. After you arrive, use the Courier service to send a package **from 1000 Saint-Catherine Street West to 3008 Rue McGill**.

Group 2 — Ride + Courier · L × H

Your Scenario

You are meeting a friend at **1000 Saint-Catherine Street West**. First, use Voya X to book a ride to this address. After you arrive, use the Courier service to send a package **from 1000 Saint-Catherine Street West to 3008 Rue McGill**.

Group 3 — Ride + Eat · H × L

Your Scenario

You are meeting a friend at **1000 Saint-Catherine Street West**. First, use Voya X to book a ride to this address. After you arrive, order food for you and your friend and have it delivered to **1000 Saint-Catherine Street West**.

Group 4 — Ride + Eat · H × H

Your Scenario

You are meeting a friend at **1000 Saint-Catherine Street West**. First, use Voya X to book a ride to this address. After you arrive, order food for you and your friend and have it delivered to **1000 Saint-Catherine Street West**.

Make sure the addresses displayed inside the prototype match these scenario instructions exactly.

Your Scenario

You will now complete two short tasks in a fictional web-based super app prototype called "Voya X."

The super app and all tasks are simulated. No real ride, delivery, food order, payment, or commercial transaction will take place.

1 RIDE TASK

Book a ride to 1000 Saint-Catherine Street West.

2 EATS TASK


After completing the ride task, use the suggested "Eat" option to order food near the same destination.

When both tasks are complete, you will return to the questionnaire and answer the questions based on your experience.

Continue

Change " near the same destination" to " for 1000 saint-catherine street"

Change destination Rue Saint laurent to " 100 saint charting and change the price to match of what user selected."



2. Make all addresses consistent

Update every relevant screen so that the prototype matches the scenarios exactly.

Ride task

Use this destination everywhere:

1000 Saint-Catherine Street West

Remove or replace any incorrect destination, including:

- Rue Saint-Laurent
- 100 Saint-Catherine Street
- 1000 Saint-Catherine Street without "West"
- Any other address shown as the ride destination

The trip-progress and trip-completion screens must both show:

1000 Saint-Catherine Street West

Courier task

Use these addresses consistently:

Pickup address

1000 Saint-Catherine Street West

Delivery address

3008 Rue McGill

Update the sender, pickup, recipient, destination, confirmation, and delivery-completion screens accordingly.

Food task

Use this delivery address everywhere:

1000 Saint-Catherine Street West

Remove **3008 Rue McGill** or any other address from the food-ordering flows.

3. Update the contextual recommendation text

Replace:

Near the same destination

with:

For 1000 Saint-Catherine Street West

For the courier recommendation, use natural wording such as:

Need to send a package?

Courier services are available for pickup at 1000 Saint-Catherine Street West.

For the food recommendation, use:

Ready to order food?

Restaurants are available for delivery to 1000 Saint-Catherine Street West.

4. Correct prices

Update the prices shown on all later screens so they match the option selected by the participant.

For example:

- If the participant selects a specific ride option, the trip-completion screen must show that ride option's price.
- The order-confirmation screen must show the same restaurant items and

total selected during the food-ordering flow.

- The courier confirmation and completion screens must show the same courier fee selected earlier.

Do not display a different price after the participant has completed the selection.

ADD A PACKAGE DETAILS PAGE AFTER USER ENTER ADDRESS, AND DO REMOVE

5. Add a delivery-details page to the courier flow

Add a new page after the participant enters the courier pickup and delivery addresses and before the final pickup confirmation.

Remove the temporary placeholder:

Add Package Details Page

Replace it with a fully designed page.

Page title

Add delivery details

Helper text

Tell us what you're sending and add any handling instructions.

Use **delivery details** instead of **package details**, because the participant may send a package, keys, or documents.

9:41

×

TASK 2 OF 2

Add package details

Tell us what you are sending so we can match you with the right courier service.

What are you sending?

 Package

 Keys

 Document

Package size

Small

Medium

Large

Estimated weight (optional)

 Enter weight (optional)

kg

Fragile item ☐

Delivery notes (optional)

 Add any special handling or pickup details

0/250

7. Final prototype flow

Groups 1 and 2 — Courier

1. Read the scenario
2. Book a ride to **1000 Saint-Catherine Street West**
3. Complete the ride
4. Open the Courier service
5. Enter pickup address: **1000 Saint-Catherine Street West**
6. Enter delivery address: **3008 Rue McGill**
7. Complete the new **Add delivery details** page
8. Confirm the courier pickup
9. Show delivery completion

Groups 3 and 4 — Food

1. Read the scenario
2. Book a ride to **1000 Saint-Catherine Street West**
3. Complete the ride
4. Open the food-ordering service
5. Select a restaurant and food
6. Deliver the order to **1000 Saint-Catherine Street West**
7. Confirm the order
8. Show order completion