
a
1 km residential buffer
500 m residential buffer
Adjusted marginal mean BAA (years)
2
1
0
-1
-2
-3
Low EVI
low O3
Low EVI
high O3
High EVI
low O3
High EVI
high O3
Low EVI / low O3
Low EVI / high O3
High EVI / low O3
High EVI / high O3
b
1 km residential buffer
DiD interaction (departure from additivity)
+0.51 [-1.42, +2.44] (MDE=2.8y)
O□ contrast within high EVI
+1.35 [-0.13, +2.83]
High EVI / high O□ vs. Low EVI / low O□
-0.04 [-1.33, +1.24]
High EVI / low O□ vs. Low EVI / low O□
-1.39 [-2.66, -0.13] *
Low EVI / high O□ vs. Low EVI / low O□
+0.84 [-0.35, +2.03]
500 m residential buffer
DiD interaction (departure from additivity)
+0.35 [-2.08, +2.78] (MDE=3.5y)
O□ contrast within high EVI
+1.28 [-0.92, +3.48]
High EVI / high O□ vs. Low EVI / low O□
-0.11 [-1.77, +1.55]
High EVI / low O□ vs. Low EVI / low O□
-1.39 [-3.07, +0.29]
Low EVI / high O□ vs. Low EVI / low O□
+0.93 [-0.10, +1.96]
0
5
Contrast estimate (years of BAA)
Contrast type
Pairwise vs. reference
Within-stratum
Interaction