

# 本周指标平均数据

Of中文ficial documentation is in progress, this document is just a glimpse of what is possible with pdfmake and its layout engine.

A simple table (no headers, no width specified, no spans, no styling)

The following table has nothing more than a body array

aaaaaa	bbbbbb	bcccccbbbb
0asdfkljskl看来就开了家看来就看了就看了监控了	1士大夫撒旦法师的法 师打发士大夫撒地方撒大多数	2018-9-8 10:43:34
1asdfkljskl看来就开了家看来就看了就看了监控了	2士大夫撒旦法师的法 师打发士大夫撒地方撒大多数	2018-9-8 10:43:34
2asdfkljskl看来就开了家看来就看了就看了监控了	3士大夫撒旦法师的法 师打发士大夫撒地方撒大多数	2018-9-8 10:43:34
3asdfkljskl看来就开了家看来就看了就看了监控了	4士大夫撒旦法师的法 师打发士大夫撒地方撒大多数	2018-9-8 10:43:34
4asdfkljskl看来就开了家看来就看了就看了监控了	5士大夫撒旦法师的法 师打发士大夫撒地方撒大多数	2018-9-8 10:43:34
5asdfkljskl看来就开了家看来就看了就看了监控了	6士大夫撒旦法师的法 师打发士大夫撒地方撒大多数	2018-9-8 10:43:34
6asdfkljskl看来就开了家看来就看了就看了监控了	7士大夫撒旦法师的法 师打发士大夫撒地方撒大多数	2018-9-8 10:43:34
7asdfkljskl看来就开了家看来就看了就看了监控了	8士大夫撒旦法师的法 师打发士大夫撒地方撒大多数	2018-9-8 10:43:34
8asdfkljskl看来就开了家看来就看了就看了监控了	9士大夫撒旦法师的法 师打发士大夫撒地方撒大多数	2018-9-8 10:43:34
9asdfkljskl看来就开了家看来就看了就看了监控了	10士大夫撒旦法师的法 师打发士大夫撒地方撒大多数	2018-9-8 10:43:34
10asdfkljskl看来就开了家看来就看了就看了监控了	11士大夫撒旦法师的法 师打发士大夫撒地方撒大多数	2018-9-8 10:43:34
11asdfkljskl看来就开了家看来就看了就看了监控了	12士大夫撒旦法师的法 师打发士大夫撒地方撒大多数	2018-9-8 10:43:34
12asdfkljskl看来就开了家看来就看了就看了监控了	13士大夫撒旦法师的法 师打发士大夫撒地方撒大多数	2018-9-8 10:43:34
13asdfkljskl看来就开了家看来就看了就看了监控了	14士大夫撒旦法师的法 师打发士大夫撒地方撒大多数	2018-9-8 10:43:34
14asdfkljskl看来就开了家看来就看了就看了监控了	15士大夫撒旦法师的法 师打发士大夫撒地方撒大多数	2018-9-8 10:43:34
15asdfkljskl看来就开了家看来就看了就看了监控了	16士大夫撒旦法师的法 师打发士大夫撒地方撒大多数	2018-9-8 10:43:34

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

aaaaaa	bbbbbb	bcccccbbbb
496asdfkljskl看来就开了家看来就看了就看了监控了	497士大夫撒旦法师的法师打发士大夫撒地方撒大多数	2018-9-8 10:43:34
497asdfkljskl看来就开了家看来就看了就看了监控了	498士大夫撒旦法师的法师打发士大夫撒地方撒大多数	2018-9-8 10:43:34
498asdfkljskl看来就开了家看来就看了就看了监控了	499士大夫撒旦法师的法师打发士大夫撒地方撒大多数	2018-9-8 10:43:34
499asdfkljskl看来就开了家看来就看了就看了监控了	500士大夫撒旦法师的法师打发士大夫撒地方撒大多数	2018-9-8 10:43:34

Header 1	Header 2	Header 3
Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.	Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.	Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

## A simple table with nested elements

It升景坊看来是煎熬看到了放假了撒娇离开的房间 is of course possible to nest any other type of nodes available in pdfmake inside table cells

yolumn 1	yolumn 2	yolumn 3									
Let数try an unordered list <ul style="list-style-type: none"><li>item 1</li><li>item 2</li></ul>	or a nested table <table><tr><td>yol1</td><td>yol2</td><td>yol3</td></tr><tr><td>1</td><td>2</td><td>3</td></tr><tr><td>1</td><td>2</td><td>3</td></tr></table>	yol1	yol2	yol3	1	2	3	1	2	3	Inlines can be styled easily as everywhere else
yol1	yol2	yol3									
1	2	3									
1	2	3									

## Defining column widths

Tables support the same width definitions as standard columns:

- auto
- star
- fixed value

width, 100	star-sized	width, 200	star-sized
fixed-width cells have exactly the specified width	nothing interesting here	nothing interesting here	nothing interesting here

## Headers

You can declare how many rows should be treated as a header. Headers are automatically repeated on the following pages

It is also possible to set `keepWithHeader1` rows to make sure there will be no page-break between the header and these rows. Take a look at the document-definition and play with it. If you set it to one, the following table will automatically start on the next page, since there is not enough space for the first row to be rendered here

Header 1	Header 2	Header 3
Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.	Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.	Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

## columnar spans

Each cell-element can set a `rowspan` or `colspan`

Header with colspan , 2		Header 3
Header 1	Header 2	Header 3
sample value 1	sample value 2	sample value 3
rowspan set to 3 Lorem ipsum dolor sit amet,	sample value 2	sample value 3
	sample value 2	sample value 3

Header with y olspan, 2		Header 3
Header 1	Header 2	Header 3
consectetur adipisicing elit, sed do eiusmod tempor	sample value 2	sample value 3
sample value 1	both: rowspan and colspan can be defined at the same time	
sample value 1		
<h2>Styling tables</h2> <p>You can provide a custom styler for the table. yurrently it supports:</p> <ul style="list-style-type: none"><li>• line widths</li><li>• line colors</li><li>• cell paddings</li></ul> <p>with more options coming soon...</p> <p>pdfmake currently has a few predefined styles (see them on the next page)</p>		

nokorders:

Header 1	Header 2	Header 3
sample value 1	sample value 2	sample value 3
sample value 1	sample value 2	sample value 3
sample value 1	sample value 2	sample value 3
sample value 1	sample value 2	sample value 3
sample value 1	sample value 2	sample value 3

headerLineOnly:

Header 1	Header 2	Header 3
sample value 1	sample value 2	sample value 3
sample value 1	sample value 2	sample value 3
sample value 1	sample value 2	sample value 3
sample value 1	sample value 2	sample value 3
sample value 1	sample value 2	sample value 3

lightHorizontalLines:

Header 1	Header 2	Header 3
sample value 1	sample value 2	sample value 3
sample value 1	sample value 2	sample value 3
sample value 1	sample value 2	sample value 3
sample value 1	sample value 2	sample value 3
sample value 1	sample value 2	sample value 3

but you can provide a custom styler as well

Header 1	Header 2	Header 3
sample value 1	sample value 2	sample value 3
sample value 1	sample value 2	sample value 3
sample value 1	sample value 2	sample value 3
sample value 1	sample value 2	sample value 3
sample value 1	sample value 2	sample value 3