



Windows 下 Github 使用教程

1) 到 github 申请账号




2) 到[这里](#)下载最新版 msysgit。安装的时候最好还是允许在 shell 中嵌入 git 命令，相对比较方便的。



3) 开始菜单->打开 Git Bash->git 的初始设置。用户名随便，邮箱名为刚才申请用的邮箱。

```
git config --global user.name "Your Real Name"
git config --global user.email you@email.address
```




```
MINGW32:~
zhangzhensong@JASON ~
$ git config --global user.name Jason
zhangzhensong@JASON ~
$ git config --global user.email zhensongzhang@gmail.com
zhangzhensong@JASON ~
$
```

- 4) 开始菜单->打开 Git Bash->创建 SSH 密钥，输入以下命令：

```
ssh-keygen -C 'your@email.address' -t rsa
```

确认使用默认路径，然后输入两次密码就行。



```
MINGW32:~
pull      Fetch from and merge with another repository or a local branch
push      Update remote refs along with associated objects
rebase    Forward-port local commits to the updated upstream head
reset     Reset current HEAD to the specified state
rm        Remove files from the working tree and from the index
show      Show various types of objects
status    Show the working tree status
tag       Create, list, delete or verify a tag object signed with GPG

See 'git help <command>' for more information on a specific command.

zhangzhensong@JASON ~
$ ssh-keygen -C 'zhensongzhang@gmail.com' -t rsa
Generating public/private rsa key pair.
Enter file in which to save the key (/c/Users/zhangzhensong/.ssh/id_rsa):
Created directory '/c/Users/zhangzhensong/.ssh'.
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /c/Users/zhangzhensong/.ssh/id_rsa.
Your public key has been saved in /c/Users/zhangzhensong/.ssh/id_rsa.pub.
The key fingerprint is:
bb:cb:69:ca:79:b1:2e:de:a2:a2:16:93:83:0e:bf:e8 zhensongzhang@gmail.com

zhangzhensong@JASON ~
$
```



可以使用以下命令测试连接：

```
SSH -v git@github.com
```



会要求输入你刚才设置的密码(空密码除外)，如果成功的话可以看到这样的
ERROR:

```
ERROR: Hi Arthraim! You've successfully authenticated, but GitHub does not
provide shell access
```



- 5) 提交密钥。回到 github 的页面上，在右上方工具栏里找到 Account Settings。在这个页面上有一个 SSH Public Keys 标签，选择 Add another public key。Title 可以任意填写，Key 是刚才生成的 ssh public key。在刚才创建密钥的那个目录下（默认是 C:\Users\windows 用户名\.ssh）找到 id_rsa.pub 文件，把文件内容拷贝并粘贴到 github 页面 key 的空白处。然后 Add key，就好了。



- 6) 创建项目



7) 然后就可以看到一些基本的常用命令了！



Firefox | OpenCV - WikiStart - OpenCV De... | zhangzhensong/hci11 | 新标签页

GitHub, Inc. (US) | https://github.com/zhangzhensong/hci11

访问最多 火狐官方网站 新手上路 常用网址

Search or type a command | Explore | Gist | Blog | Help | zhangzhensong

PUBLIC **zhangzhensong / hci11** | Pull Request | Unwatch | Star | Fork | 0

Code | Network | Pull Requests | 0 | Issues | 0 | Wiki | Graphs | Admin

算法讨论框 — Read more

Clone in Windows | ZIP | HTTP | SSH | Git Read-Only | git@github.com:zhangzhensong/hci11.git | Read-Write access

branch: master | Files | Commits | Branches | 1 | Tags | Downloads

hci11 / | 1 commit

first commit

zhangzhensong authored 2 minutes ago | latest commit b830714e44

README.md | 2 minutes ago | first commit [zhangzhensong]

刚刚提交的文件 | 第一次提交的评论

README.md

GitHub | Applications | Services | Documentation | More

About us | GitHub for Mac | Gauges: Web analytics | GitHub Help | Training

Blog | GitHub for Windows | Speaker Deck: Presentations | Developer API | Students & teachers

Contact & support | GitHub for Eclipse | Gist: Code snippets | GitHub Flavored Markdown | The Shop

GitHub Enterprise | GitHub mobile apps | Job board | GitHub Pages | The Octodex

https://github.com/zhangzhensong/hci11/admin.jluis