Mean diagonal shape response $(R_{11} + R_{22})/2$

Circularized grid flows · 6 × 6 × 6 cells · λ = 1

Measured
Grid λ=1 with covariance · epoch146
Grid λ=1 without covariance · epoch182
Previous grid-free λ=10 · epoch154

True magnitude
True semi-major radius (arcsec)
Circularized radius (arcsec)
Intrinsic |e|
Sérsic *n*
Intrinsic e_1
Intrinsic e_2
Neighbour flux: near
Neighbour flux: far
Neighbour flux: maximum

response
model − data

1,708,854 validation pairs · 40 cases · identical feature bins · forward 0 → 0.05 · no measured cuts
Bars / bands: 1 case-jackknife SE; lower panels use paired errors · 16 × 64 draws with CRN
Radius response is in pixels per unit shear (0.2 arcsec/pixel). λ=1 has different effective strength under the two losses.

Radius response $R_{r,\parallel}$

Circularized grid flows · 6 × 6 × 6 cells · λ = 1

Measured
Grid λ=1 with covariance · epoch146
Grid λ=1 without covariance · epoch182
Previous grid-free λ=10 · epoch154

True magnitude
True semi-major radius (arcsec)
Circularized radius (arcsec)
Intrinsic |e|
Sérsic *n*
Intrinsic e_1
Intrinsic e_2
Neighbour flux: near
Neighbour flux: far
Neighbour flux: maximum

pixels / unit shear
model − data

1,708,854 validation pairs · 40 cases · identical feature bins · forward 0 → 0.05 · no measured cuts
Bars / bands: 1 case-jackknife SE; lower panels use paired errors · 16 × 64 draws with CRN
Radius response is in pixels per unit shear (0.2 arcsec/pixel). λ=1 has different effective strength under the two losses.

Shape response R_{11}

Circularized grid flows · 6 × 6 × 6 cells · λ = 1

Measured
Grid λ=1 with covariance · epoch146
Grid λ=1 without covariance · epoch182
Previous grid-free λ=10 · epoch154

True magnitude
True semi-major radius (arcsec)
Circularized radius (arcsec)
Intrinsic |e|
Sérsic *n*
Intrinsic e_1
Intrinsic e_2
Neighbour flux: near
Neighbour flux: far
Neighbour flux: maximum

response
model − data

1,708,854 validation pairs · 40 cases · identical feature bins · forward 0 → 0.05 · no measured cuts
Bars / bands: 1 case-jackknife SE; lower panels use paired errors · 16 × 64 draws with CRN
Radius response is in pixels per unit shear (0.2 arcsec/pixel). λ=1 has different effective strength under the two losses.

Shape response R_{12}

Circularized grid flows · 6 × 6 × 6 cells · λ = 1

Measured
Grid λ=1 with covariance · epoch146
Grid λ=1 without covariance · epoch182
Previous grid-free λ=10 · epoch154

True magnitude
True semi-major radius (arcsec)
Circularized radius (arcsec)
Intrinsic |e|
Sérsic *n*
Intrinsic e_1
Intrinsic e_2
Neighbour flux: near
Neighbour flux: far
Neighbour flux: maximum

response
model − data

1,708,854 validation pairs · 40 cases · identical feature bins · forward 0 → 0.05 · no measured cuts
Bars / bands: 1 case-jackknife SE; lower panels use paired errors · 16 × 64 draws with CRN
Radius response is in pixels per unit shear (0.2 arcsec/pixel). λ=1 has different effective strength under the two losses.

Shape response R_{21}

Circularized grid flows · 6 × 6 × 6 cells · λ = 1

Measured
Grid λ=1 with covariance · epoch146
Grid λ=1 without covariance · epoch182
Previous grid-free λ=10 · epoch154

True magnitude
True semi-major radius (arcsec)
Circularized radius (arcsec)
Intrinsic |e|
Sérsic *n*
Intrinsic e_1
Intrinsic e_2
Neighbour flux: near
Neighbour flux: far
Neighbour flux: maximum

response
model − data

1,708,854 validation pairs · 40 cases · identical feature bins · forward 0 → 0.05 · no measured cuts
Bars / bands: 1 case-jackknife SE; lower panels use paired errors · 16 × 64 draws with CRN
Radius response is in pixels per unit shear (0.2 arcsec/pixel). λ=1 has different effective strength under the two losses.

Shape response R_{22}

Circularized grid flows · 6 × 6 × 6 cells · λ = 1

Measured
Grid λ=1 with covariance · epoch146
Grid λ=1 without covariance · epoch182
Previous grid-free λ=10 · epoch154

True magnitude
True semi-major radius (arcsec)
Circularized radius (arcsec)
Intrinsic |e|
Sérsic *n*
Intrinsic e_1
Intrinsic e_2
Neighbour flux: near
Neighbour flux: far
Neighbour flux: maximum

response
model − data

1,708,854 validation pairs · 40 cases · identical feature bins · forward 0 → 0.05 · no measured cuts
Bars / bands: 1 case-jackknife SE; lower panels use paired errors · 16 × 64 draws with CRN
Radius response is in pixels per unit shear (0.2 arcsec/pixel). λ=1 has different effective strength under the two losses.

Radius response $R_{r,\times}$

Circularized grid flows · 6 × 6 × 6 cells · λ = 1

Measured
Grid λ=1 with covariance · epoch146
Grid λ=1 without covariance · epoch182
Previous grid-free λ=10 · epoch154

True magnitude
True semi-major radius (arcsec)
Circularized radius (arcsec)
Intrinsic $|e|$
Sérsic n
Intrinsic e_1
Intrinsic e_2
Neighbour flux: near
Neighbour flux: far
Neighbour flux: maximum

pixels / unit shear
model − data

1,708,854 validation pairs · 40 cases · identical feature bins · forward 0 → 0.05 · no measured cuts
Bars / bands: 1 case-jackknife SE; lower panels use paired errors · 16 × 64 draws with CRN
Radius response is in pixels per unit shear (0.2 arcsec/pixel). λ=1 has different effective strength under the two losses.