

RBAC

1. Создаем пользователя

```
CREATE USER jhon IDENTIFIED WITH plaintext_password BY 'qwerty';
```

```
CREATE USER jhon IDENTIFIED WITH plaintext_password BY 'qwerty'
```

Query id: 2f33afd6-f7f2-4728-b87b-8673e4075c54

Connecting to localhost:9000 as user default.
Connected to ClickHouse server version 25.3.5.

Ok.

0 rows in set. Elapsed: 0.003 sec.

2. Создаем роль

```
CREATE ROLE devs;
```

```
CREATE ROLE devs
```

Query id: 5ef0a89d-8f36-465f-8eb1-dc187c30e602

Ok.

0 rows in set. Elapsed: 0.002 sec.

3. Выдаем роли права на выборку данных

```
GRANT SELECT ON *.* TO devs;
```

```
GRANT SELECT ON *.* TO devs
```

Query id: 97a6410d-ebe2-4d96-b475-08e2c9556471

Ok.

0 rows in set. Elapsed: 0.003 sec.

4. Назначаем роль на пользователя

```
GRANT devs TO jhon;
```

```
GRANT devs TO jhon
```

Query id: c39b0a38-9d6d-4ea6-a8a8-4545f84eeefc

Ok.

0 rows in set. Elapsed: 0.002 sec.

5. Проверяем наличие пользователя

```
SELECT name, storage, auth_type FROM system.users WHERE name = 'jhon';
```

```
SELECT  
  name,  
  storage,  
  auth_type
```

```
FROM system.users
WHERE name = 'jhon'
```

Query id: a2e4cfac-4fa7-4609-b728-866fc53911ec

1.	name	storage	auth_type
	jhon	local_directory	['plaintext_password']

1 row in set. Elapsed: 0.011 sec.

6. Проверяем роль

```
SELECT name FROM system.roles WHERE name = 'devs';

SELECT name
FROM system.roles
WHERE name = 'devs'
```

Query id: 501f7ffa-9be8-4864-a80a-064e7d778e99

1.	name
	devs

1 row in set. Elapsed: 0.003 sec.

7. Проверяем права роли

```
SELECT role_name, access_type, database, table FROM system.grants WHERE role_name = 'devs';

SELECT
    role_name,
    access_type,
    database,
    `table`
FROM system.grants
WHERE role_name = 'devs'
```

Query id: b6f97cb6-d1b9-44e2-a1d1-10c18b911653

1.	role_name	access_type	database	table
	devs	SELECT	NULL	NULL

1 row in set. Elapsed: 0.003 sec.

8. Проверяем что роль назначена пользователю

```
SELECT * FROM system.role_grants WHERE user_name = 'jhon';

SELECT *
FROM system.role_grants
WHERE user_name = 'jhon'
```

Query id: 43274d39-6c68-4a60-bfaf-5c7ff5789f9e

1.	user_name	role_name	granted_role_name	granted_role_id	granted_role_is_default	with_admin_option
	jhon	NULL	devs	1144a986-876e-8aa1-9b60-156e8c3419a5	1	0

1 row in set. Elapsed: 0.003 sec.

```
Проверяем права на select
clickhouse-client --user jhon --password qwerty --query="SELECT 1"
1
```

```
clickhouse-client --user jhon --password qwerty --query="SELECT * from sales limit 10"
54451 1 0.1 2024-11-24 11:07:44
53195 1 1 0.1 2024-11-24 11:07:44
58137 1 1 0.1 2024-11-24 11:07:44
```

50949	1	1	0.1	2024-11-29	11:07:44
51673	1	1	0.1	2024-11-29	11:07:44
89891	1	1	0.1	2024-12-04	11:07:44
50041	1	0.1		2024-12-09	11:07:44
53085	1	1	0.1	2024-12-09	11:07:44
13466	1	1	0.1	2024-12-19	11:07:44
63051	1	1	0.1	2024-12-24	11:07:44

```
[yc-user@clickhouse-node:/etc/clickhouse-server$ clickhouse-client --user jhon --password qwerty --query="SELECT * from sales limit 10"
5445 1 1 0.1 2024-11-24 11:07:44
53195 1 1 0.1 2024-11-24 11:07:44
58137 1 1 0.1 2024-11-24 11:07:44
50949 1 1 0.1 2024-11-29 11:07:44
51673 1 1 0.1 2024-11-29 11:07:44
89891 1 1 0.1 2024-12-04 11:07:44
5004 1 1 0.1 2024-12-09 11:07:44
53085 1 1 0.1 2024-12-09 11:07:44
13466 1 1 0.1 2024-12-19 11:07:44
63051 1 1 0.1 2024-12-24 11:07:44
[yc-user@clickhouse-node:/etc/clickhouse-server$ clickhouse-client --user jhon --password qwerty --query="SELECT 1"
1
[yc-user@clickhouse-node:/etc/clickhouse-server$
```

Заголовок