[Magic Stones] Plots for Experiment 1

Bonan Zhao (b.zhao@ed.ac.uk)

December 10, 2019




Figure 1: Participant data per group per trial. Each figure is for one group - at the top is a summary of the magic effect participants watched, and below is a complete visualization of participant selections. In the selection part, each row is for one trial: the first two icons are the magic stone and normal stone that a participant is asked to make a prediction for, and the rest are participant selections.




Figure 2: Participant raw selections summary. Each row is for one trial, and each column is for one task. For each sub-figure, y-axis is percentage, and x-axis from left to right is: bc, bd, bs, rc, rd, rs, yc, yd, ys.




Figure 3: Relative selections summary. Each row is for one trial, and each column is for one task. For each sub-figure, y-axis is percentage, and x-axis from left to right is: aa, ad, ar, da, dd, dr, ra, rd, rr.




Figure 4: Aggregated relative selections per task. For each sub-figure, y-axis is percentage, and x-axis from left to right is: aa, ad, ar, da, dd, dr, ra, rd, rr.




Figure 5: Aggregated relative selections per trial. For each sub-figure, y-axis is percentage, and x-axis from left to right is: aa, ad, ar, da, dd, dr, ra, rd, rr.




Figure 6: Order does not effect generalization predictions.