Here We explicitly show the expressions of scalar integrals $\{\widetilde{I}_p\}_{p=1}^{198}$ and their reduction coefficients $\{C_{1,p}\}_{p=1}^{198}$. For convenience the constant factor $\imath g_{49}g_{10}^2g_{11}^3$ is factorized out in the results. And the scalar integral can be

written as

$$I_p \equiv \int \mathbb{D}^2 q \frac{\mathcal{N}_p}{\mathcal{D}_1 \mathcal{D}_2 \mathcal{D}_3 \mathcal{D}_4 \mathcal{D}_5 \mathcal{D}_6 \mathcal{D}_7}.$$
 (1)

Then we have

$\mathcal{N}_1 = 1,$	$\mathcal{N}_2 = (k_1 \cdot q_2),$
$\mathcal{N}_3 = (k_2 \cdot q_2),$	$\mathcal{N}_4 = (k_3 \cdot q_2),$
$\mathcal{N}_5 = (k_1 \cdot q_1),$	$\mathcal{N}_6 = (k_2 \cdot q_1),$
$\mathcal{N}_7 = (k_3 \cdot q_1),$	$\mathcal{N}_8 = (q_2 \cdot q_2),$
$\mathcal{N}_9 = (k_1 \cdot q_2)^2,$	$\mathcal{N}_{10} = (k_1 \cdot q_2)(k_2 \cdot q_2),$
$\mathcal{N}_{11} = (k_2 \cdot q_2)^2,$	$\mathcal{N}_{12} = (k_1 \cdot q_2)(k_3 \cdot q_2),$
$\mathcal{N}_{13} = (k_2 \cdot q_2)(k_3 \cdot q_2),$	$\mathcal{N}_{14} = (k_3 \cdot q_2)^2,$
$\mathcal{N}_{15} = (q_1 \cdot q_2),$	$\mathcal{N}_{16} = (k_1 \cdot q_1)(k_1 \cdot q_2),$
$\mathcal{N}_{17} = (k_1 \cdot q_2)(k_2 \cdot q_1),$	$\mathcal{N}_{18} = (k_1 \cdot q_2)(k_3 \cdot q_1),$
$\mathcal{N}_{19} = (k_1 \cdot q_1)(k_2 \cdot q_2),$	$\mathcal{N}_{20} = (k_2 \cdot q_1)(k_2 \cdot q_2),$
$\mathcal{N}_{21} = (k_2 \cdot q_2)(k_3 \cdot q_1),$	$\mathcal{N}_{22} = (k_1 \cdot q_1)(k_3 \cdot q_2),$
$\mathcal{N}_{23} = (k_2 \cdot q_1)(k_3 \cdot q_2),$	$\mathcal{N}_{24} = (k_3 \cdot q_1)(k_3 \cdot q_2),$
$\mathcal{N}_{25} = (q_1 \cdot q_1),$	$\mathcal{N}_{26} = (k_1 \cdot q_1)^2,$
$\mathcal{N}_{27} = (k_1 \cdot q_1)(k_2 \cdot q_1),$	$\mathcal{N}_{28} = (k_2 \cdot q_1)^2,$
$\mathcal{N}_{29} = (k_1 \cdot q_1)(k_3 \cdot q_1),$	$\mathcal{N}_{30} = (k_2 \cdot q_1)(k_3 \cdot q_1),$
$\mathcal{N}_{31} = (k_3 \cdot q_1)^2,$	$\mathcal{N}_{32} = (k_1 \cdot q_2)(q_1 \cdot q_2),$
$\mathcal{N}_{33} = (k_2 \cdot q_2)(q_1 \cdot q_2),$	$\mathcal{N}_{34} = (k_3 \cdot q_2)(q_1 \cdot q_2),$
$\mathcal{N}_{35} = (k_1 \cdot q_1)(q_2 \cdot q_2),$	$\mathcal{N}_{36} = (k_2 \cdot q_1)(q_2 \cdot q_2),$
$\mathcal{N}_{37} = (k_3 \cdot q_1)(q_2 \cdot q_2),$	$\mathcal{N}_{38} = (k_1 \cdot q_1)(k_1 \cdot q_2)^2,$
$\mathcal{N}_{39} = (k_1 \cdot q_1)(k_1 \cdot q_2)(k_2 \cdot q_2),$	$\mathcal{N}_{40} = (k_1 \cdot q_1)(k_2 \cdot q_2)^2,$
$\mathcal{N}_{41} = (k_1 \cdot q_1)(k_1 \cdot q_2)(k_3 \cdot q_2),$	$\mathcal{N}_{42} = (k_1 \cdot q_1)(k_2 \cdot q_2)(k_3 \cdot q_2),$
$\mathcal{N}_{43} = (k_1 \cdot q_1)(k_3 \cdot q_2)^2,$	$\mathcal{N}_{44} = (k_1 \cdot q_2)^2 (k_2 \cdot q_1),$
$\mathcal{N}_{45} = (k_1 \cdot q_2)(k_2 \cdot q_1)(k_2 \cdot q_2),$	$\mathcal{N}_{46} = (k_2 \cdot q_1)(k_2 \cdot q_2)^2,$
$\mathcal{N}_{47} = (k_1 \cdot q_2)(k_2 \cdot q_1)(k_3 \cdot q_2),$	$\mathcal{N}_{48} = (k_2 \cdot q_1)(k_2 \cdot q_2)(k_3 \cdot q_2),$
$\mathcal{N}_{49} = (k_2 \cdot q_1)(k_3 \cdot q_2)^2,$	$\mathcal{N}_{50} = (k_1 \cdot q_2)^2 (k_3 \cdot q_1),$
$\mathcal{N}_{51} = (k_1 \cdot q_2)(k_2 \cdot q_2)(k_3 \cdot q_1),$	$\mathcal{N}_{52} = (k_2 \cdot q_2)^2 (k_3 \cdot q_1),$
$\mathcal{N}_{53} = (k_1 \cdot q_2)(k_3 \cdot q_1)(k_3 \cdot q_2),$	$\mathcal{N}_{54} = (k_2 \cdot q_2)(k_3 \cdot q_1)(k_3 \cdot q_2),$
$\mathcal{N}_{55} = (k_1 \cdot q_1)(q_1 \cdot q_2),$	$\mathcal{N}_{56} = (k_2 \cdot q_1)(q_1 \cdot q_2),$
$\mathcal{N}_{57} = (k_3 \cdot q_1)(q_1 \cdot q_2),$	$\mathcal{N}_{58} = (k_1 \cdot q_2)(q_1 \cdot q_1),$
$\mathcal{N}_{59} = (k_2 \cdot q_2)(q_1 \cdot q_1),$	$\mathcal{N}_{60} = (k_3 \cdot q_2)(q_1 \cdot q_1),$
$\mathcal{N}_{61} = (k_1 \cdot q_1)^2 (k_1 \cdot q_2),$	$\mathcal{N}_{62} = (k_1 \cdot q_1)(k_1 \cdot q_2)(k_2 \cdot q_1),$
$\mathcal{N}_{63} = (k_1 \cdot q_2)(k_2 \cdot q_1)^2,$	$\mathcal{N}_{64} = (k_1 \cdot q_1)(k_1 \cdot q_2)(k_3 \cdot q_1),$
$\mathcal{N}_{65} = (k_1 \cdot q_2)(k_2 \cdot q_1)(k_3 \cdot q_1),$	$\mathcal{N}_{66} = (k_1 \cdot q_2)(k_3 \cdot q_1)^2,$
$\mathcal{N}_{67} = (k_1 \cdot q_1)^2 (k_2 \cdot q_2),$	$\mathcal{N}_{68} = (k_1 \cdot q_1)(k_2 \cdot q_1)(k_2 \cdot q_2),$
$\mathcal{N}_{69} = (k_2 \cdot q_1)^2 (k_2 \cdot q_2),$	$\mathcal{N}_{70} = (k_1 \cdot q_1)(k_2 \cdot q_2)(k_3 \cdot q_1),$
$\mathcal{N}_{71} = (k_2 \cdot q_1)(k_2 \cdot q_2)(k_3 \cdot q_1),$	$\mathcal{N}_{72} = (k_2 \cdot q_2)(k_3 \cdot q_1)^2,$
$\mathcal{N}_{73} = (k_1 \cdot q_1)^2 (k_3 \cdot q_2),$	$\mathcal{N}_{74} = (k_1 \cdot q_1)(k_2 \cdot q_1)(k_3 \cdot q_2),$

$\mathcal{N}_{75} = (k_2 \cdot q_1)^2 (k_3 \cdot q_2),$	$\mathcal{N}_{76} = (k_1 \cdot q_1)(k_3 \cdot q_1)(k_3 \cdot q_2),$
$\mathcal{N}_{77} = (k_2 \cdot q_1)(k_3 \cdot q_1)(k_3 \cdot q_2),$	$\mathcal{N}_{78} = (k_3 \cdot q_1)^2 (k_3 \cdot q_2),$
$\mathcal{N}_{79} = (k_1 \cdot q_1)^2 (k_3 \cdot q_1),$	$\mathcal{N}_{80} = (k_1 \cdot q_1)(k_2 \cdot q_1)(k_3 \cdot q_1),$
$\mathcal{N}_{81} = (k_2 \cdot q_1)^2 (k_3 \cdot q_1),$	$\mathcal{N}_{82} = (k_1 \cdot q_1)(k_3 \cdot q_1)^2,$
$\mathcal{N}_{83} = (k_2 \cdot q_1)(k_3 \cdot q_1)^2,$	$\mathcal{N}_{84} = (k_3 \cdot q_1)^3,$
$\mathcal{N}_{85} = (k_1 \cdot q_1)(q_1 \cdot q_1),$	$\mathcal{N}_{86} = (k_2 \cdot q_1)(q_1 \cdot q_1),$
$\mathcal{N}_{87} = (k_3 \cdot q_1)(q_1 \cdot q_1),$	$\mathcal{N}_{88} = (k_1 \cdot q_2)(k_2 \cdot q_2)(q_1 \cdot q_2),$
$\mathcal{N}_{89} = (k_2 \cdot q_2)^2 (q_1 \cdot q_2),$	$\mathcal{N}_{90} = (k_2 \cdot q_2)(k_3 \cdot q_2)(q_1 \cdot q_2),$
$\mathcal{N}_{91} = (k_1 \cdot q_1)(k_1 \cdot q_2)(k_2 \cdot q_2)^2,$	$\mathcal{N}_{92} = (k_1 \cdot q_1)(k_2 \cdot q_2)^3,$
$\mathcal{N}_{93} = (k_1 \cdot q_1)(k_2 \cdot q_2)^2(k_3 \cdot q_2),$	$\mathcal{N}_{94} = (k_1 \cdot q_1)(k_2 \cdot q_2)(q_2 \cdot q_2),$
$\mathcal{N}_{95} = (k_1 \cdot q_2)^2 (k_2 \cdot q_1) (k_2 \cdot q_2),$	$\mathcal{N}_{96} = (k_1 \cdot q_2)(k_2 \cdot q_1)(k_2 \cdot q_2)^2,$
$\mathcal{N}_{97} = (k_1 \cdot q_2)(k_2 \cdot q_1)(k_2 \cdot q_2)(k_3 \cdot q_2),$	$\mathcal{N}_{98} = (k_2 \cdot q_1)(k_2 \cdot q_2)(q_2 \cdot q_2),$
$\mathcal{N}_{99} = (k_1 \cdot q_2)(k_2 \cdot q_2)^2(k_3 \cdot q_1),$	$\mathcal{N}_{100} = (k_2 \cdot q_2)(k_3 \cdot q_1)(q_2 \cdot q_2),$
$\mathcal{N}_{101} = (q_1 \cdot q_1)(q_2 \cdot q_2),$	$\mathcal{N}_{102} = (q_1 \cdot q_2)^2,$
$\mathcal{N}_{103} = (k_1 \cdot q_1)(k_1 \cdot q_2)(q_1 \cdot q_2),$	$\mathcal{N}_{104} = (k_1 \cdot q_2)(k_2 \cdot q_1)(q_1 \cdot q_2),$
$\mathcal{N}_{105} = (k_1 \cdot q_2)(k_3 \cdot q_1)(q_1 \cdot q_2),$	$\mathcal{N}_{106} = (k_1 \cdot q_1)(k_1 \cdot q_2)^2(k_2 \cdot q_1),$
$\mathcal{N}_{107} = (k_1 \cdot q_2)^2 (k_2 \cdot q_1)^2,$	$\mathcal{N}_{108} = (k_1 \cdot q_2)^2 (k_2 \cdot q_1) (k_3 \cdot q_1),$
$\mathcal{N}_{109} = (k_1 \cdot q_2)^2 (q_1 \cdot q_1),$	$\mathcal{N}_{110} = (k_1 \cdot q_1)(k_2 \cdot q_2)(q_1 \cdot q_2),$
$\mathcal{N}_{111} = (k_2 \cdot q_1)(k_2 \cdot q_2)(q_1 \cdot q_2),$	$\mathcal{N}_{112} = (k_2 \cdot q_2)(k_3 \cdot q_1)(q_1 \cdot q_2),$
$\mathcal{N}_{113} = (k_1 \cdot q_1)^2 (k_1 \cdot q_2) (k_2 \cdot q_2),$	$\mathcal{N}_{114} = (k_1 \cdot q_1)(k_1 \cdot q_2)(k_2 \cdot q_1)(k_2 \cdot q_2),$
$\mathcal{N}_{115} = (k_1 \cdot q_2)(k_2 \cdot q_1)^2(k_2 \cdot q_2),$	$\mathcal{N}_{116} = (k_1 \cdot q_1)(k_1 \cdot q_2)(k_2 \cdot q_2)(k_3 \cdot q_1),$
$\mathcal{N}_{117} = (k_1 \cdot q_2)(k_2 \cdot q_1)(k_2 \cdot q_2)(k_3 \cdot q_1),$	$\mathcal{N}_{118} = (k_1 \cdot q_2)(k_2 \cdot q_2)(k_3 \cdot q_1)^2,$
$\mathcal{N}_{119} = (k_1 \cdot q_2)(k_2 \cdot q_2)(q_1 \cdot q_1),$	$\mathcal{N}_{120} = (k_1 \cdot q_1)^2 (k_2 \cdot q_2)^2,$
$\mathcal{N}_{121} = (k_1 \cdot q_1)(k_2 \cdot q_1)(k_2 \cdot q_2)^2,$	$\mathcal{N}_{122} = (k_1 \cdot q_1)(k_2 \cdot q_2)^2(k_3 \cdot q_1),$
$\mathcal{N}_{123} = (k_2 \cdot q_2)^2 (q_1 \cdot q_1),$	$\mathcal{N}_{124} = (k_1 \cdot q_1)(k_3 \cdot q_2)(q_1 \cdot q_2),$
$\mathcal{N}_{125} = (k_2 \cdot q_1)(k_3 \cdot q_2)(q_1 \cdot q_2),$	$\mathcal{N}_{126} = (k_3 \cdot q_1)(k_3 \cdot q_2)(q_1 \cdot q_2),$
$\mathcal{N}_{127} = (k_1 \cdot q_1)(k_1 \cdot q_2)(k_2 \cdot q_1)(k_3 \cdot q_2),$	$\mathcal{N}_{128} = (k_1 \cdot q_2)(k_2 \cdot q_1)^2(k_3 \cdot q_2),$
$\mathcal{N}_{129} = (k_1 \cdot q_2)(k_2 \cdot q_1)(k_3 \cdot q_1)(k_3 \cdot q_2),$	$\mathcal{N}_{130} = (k_1 \cdot q_2)(k_3 \cdot q_2)(q_1 \cdot q_1),$
$\mathcal{N}_{131} = (k_1 \cdot q_1)^2 (k_2 \cdot q_2) (k_3 \cdot q_2),$	$\mathcal{N}_{132} = (k_1 \cdot q_1)(k_2 \cdot q_1)(k_2 \cdot q_2)(k_3 \cdot q_2),$
$\mathcal{N}_{133} = (k_1 \cdot q_1)(k_2 \cdot q_2)(k_3 \cdot q_1)(k_3 \cdot q_2),$	$\mathcal{N}_{134} = (k_2 \cdot q_2)(k_3 \cdot q_2)(q_1 \cdot q_1),$
$\mathcal{N}_{135} = (k_1 \cdot q_1)(k_2 \cdot q_1)(k_3 \cdot q_2)^2,$	$\mathcal{N}_{136} = (k_3 \cdot q_2)^2 (q_1 \cdot q_1),$
$\mathcal{N}_{137} = (k_1 \cdot q_1)^2 (q_2 \cdot q_2),$	$\mathcal{N}_{138} = (k_1 \cdot q_1)(k_2 \cdot q_1)(q_2 \cdot q_2),$
$\mathcal{N}_{139} = (k_2 \cdot q_1)^2 (q_2 \cdot q_2),$	$\mathcal{N}_{140} = (k_1 \cdot q_1)(k_3 \cdot q_1)(q_2 \cdot q_2),$
$\mathcal{N}_{141} = (k_2 \cdot q_1)(k_3 \cdot q_1)(q_2 \cdot q_2),$	$\mathcal{N}_{142} = (k_3 \cdot q_1)^2 (q_2 \cdot q_2),$
$\mathcal{N}_{143} = (k_1 \cdot q_1)(k_3 \cdot q_1)(q_1 \cdot q_2),$	$\mathcal{N}_{144} = (k_2 \cdot q_1)(k_3 \cdot q_1)(q_1 \cdot q_2),$
$\mathcal{N}_{145} = (k_3 \cdot q_1)^2 (q_1 \cdot q_2),$	$\mathcal{N}_{146} = (k_1 \cdot q_1)(k_1 \cdot q_2)(k_2 \cdot q_1)(k_3 \cdot q_1),$
$\mathcal{N}_{147} = (k_1 \cdot q_2)(k_2 \cdot q_1)^2(k_3 \cdot q_1),$	$\mathcal{N}_{148} = (k_1 \cdot q_2)(k_2 \cdot q_1)(k_3 \cdot q_1)^2,$
$\mathcal{N}_{149} = (k_1 \cdot q_1)(k_1 \cdot q_2)(q_1 \cdot q_1),$	$\mathcal{N}_{150} = (k_1 \cdot q_2)(k_2 \cdot q_1)(q_1 \cdot q_1),$ $\mathcal{N}_{152} = (k_1 \cdot q_1)^2(k_2 \cdot q_2)(k_3 \cdot q_1),$
$\mathcal{N}_{151} = (k_1 \cdot q_2)(k_3 \cdot q_1)(q_1 \cdot q_1),$ $\mathcal{N}_{151} = (k_1 \cdot q_1)(k_2 \cdot q_1)(k_3 \cdot q_1)(k_4 \cdot q_2)(k_4 \cdot q_3)$	$\mathcal{N}_{152} = (k_1 \cdot q_1)^{-} (k_2 \cdot q_2)(k_3 \cdot q_1),$ $\mathcal{N}_{154} = (k_1 \cdot q_1)(k_2 \cdot q_2)(k_3 \cdot q_1)^{2},$
$\mathcal{N}_{153} = (k_1 \cdot q_1)(k_2 \cdot q_1)(k_2 \cdot q_2)(k_3 \cdot q_1),$ $\mathcal{N}_{155} = (k_1 \cdot q_1)(k_2 \cdot q_2)(q_1 \cdot q_1),$	$\mathcal{N}_{154} = (k_1 \cdot q_1)(k_2 \cdot q_2)(k_3 \cdot q_1)^{-},$ $\mathcal{N}_{156} = (k_2 \cdot q_1)(k_2 \cdot q_2)(q_1 \cdot q_1),$
$\mathcal{N}_{155} = (k_1 \cdot q_1)(k_2 \cdot q_2)(q_1 \cdot q_1),$ $\mathcal{N}_{157} = (k_2 \cdot q_2)(k_3 \cdot q_1)(q_1 \cdot q_1),$	$\mathcal{N}_{156} = (\kappa_2 \cdot q_1)(\kappa_2 \cdot q_2)(q_1 \cdot q_1), \mathcal{N}_{158} = (k_1 \cdot q_1)(k_2 \cdot q_1)(k_3 \cdot q_1)(k_3 \cdot q_2),$
$\mathcal{N}_{157} = (k_2 q_2)(k_3 q_1)(q_1 q_1),$ $\mathcal{N}_{159} = (k_1 \cdot q_1)(k_3 \cdot q_2)(q_1 \cdot q_1),$	$\mathcal{N}_{160} = (k_1 \cdot q_1)(k_2 \cdot q_1)(k_3 \cdot q_1)(k_3 \cdot q_2),$ $\mathcal{N}_{160} = (k_2 \cdot q_1)(k_3 \cdot q_2)(q_1 \cdot q_1),$
- 100 (-1 11/(-0 12/(11 11/)	- 100 (-2 11)(-0 12)(41 41);

$$\begin{array}{lll} \mathcal{N}_{161} = (k_3 \cdot q_1)(k_3 \cdot q_2)(q_1 \cdot q_1), & \mathcal{N}_{162} = (q_1 \cdot q_1)(q_1 \cdot q_2), \\ \mathcal{N}_{163} = (k_1 \cdot q_2)(q_1 \cdot q_2)^2, & \mathcal{N}_{164} = (k_2 \cdot q_2)(q_1 \cdot q_2)^2, \\ \mathcal{N}_{165} = (k_3 \cdot q_2)(q_1 \cdot q_2)^2, & \mathcal{N}_{166} = (k_1 \cdot q_1)(k_1 \cdot q_2)(k_2 \cdot q_2)(q_1 \cdot q_2), \\ \mathcal{N}_{167} = (k_1 \cdot q_1)(k_2 \cdot q_2)^2(q_1 \cdot q_2), & \mathcal{N}_{168} = (k_1 \cdot q_1)(k_2 \cdot q_2)(q_1 \cdot q_2), \\ \mathcal{N}_{169} = (k_1 \cdot q_1)(q_1 \cdot q_2), & \mathcal{N}_{170} = (k_1 \cdot q_1)^2(k_2 \cdot q_2)(q_2 \cdot q_2), \\ \mathcal{N}_{171} = (k_1 \cdot q_2)^2(k_2 \cdot q_1)(q_1 \cdot q_2), & \mathcal{N}_{172} = (k_1 \cdot q_2)(k_2 \cdot q_1)(k_3 \cdot q_2)(q_1 \cdot q_2), \\ \mathcal{N}_{173} = (k_1 \cdot q_1)(k_1 \cdot q_2)(k_2 \cdot q_1)(q_2 \cdot q_2), & \mathcal{N}_{174} = (k_2 \cdot q_1)(q_1 \cdot q_2)(q_2 \cdot q_2), \\ \mathcal{N}_{177} = (k_1 \cdot q_1)(k_2 \cdot q_1)(k_3 \cdot q_2)(q_2 \cdot q_2), & \mathcal{N}_{178} = (k_1 \cdot q_1)(k_2 \cdot q_1)(k_2 \cdot q_1)(k_2 \cdot q_2)(q_2 \cdot q_2), \\ \mathcal{N}_{179} = (k_1 \cdot q_1)(k_2 \cdot q_1)(k_3 \cdot q_1)(q_1 \cdot q_2), & \mathcal{N}_{180} = (k_3 \cdot q_1)(q_1 \cdot q_2)(q_2 \cdot q_2), \\ \mathcal{N}_{181} = (k_1 \cdot q_1)(k_2 \cdot q_2)(k_3 \cdot q_1)(q_2 \cdot q_2), & \mathcal{N}_{182} = (k_1 \cdot q_2)(k_2 \cdot q_1)^2(q_2 \cdot q_2), \\ \mathcal{N}_{183} = (k_1 \cdot q_2)(k_2 \cdot q_2)(k_3 \cdot q_1)(q_2 \cdot q_2), & \mathcal{N}_{184} = (k_2 \cdot q_2)(q_1 \cdot q_1)(q_2 \cdot q_2), \\ \mathcal{N}_{187} = (k_1 \cdot q_2)^2(k_2 \cdot q_1)(q_1 \cdot q_1), & \mathcal{N}_{188} = (k_1 \cdot q_2)(q_1 \cdot q_1)(q_1 \cdot q_2), \\ \mathcal{N}_{187} = (k_1 \cdot q_2)^2(k_2 \cdot q_1)(q_1 \cdot q_1), & \mathcal{N}_{188} = (k_2 \cdot q_2)(q_1 \cdot q_1)(q_1 \cdot q_2), \\ \mathcal{N}_{189} = (k_1 \cdot q_1)(k_1 \cdot q_2)(k_2 \cdot q_2)(q_1 \cdot q_1), & \mathcal{N}_{190} = (k_1 \cdot q_2)(k_2 \cdot q_1)(k_2 \cdot q_2)^2(q_1 \cdot q_1), \\ \mathcal{N}_{191} = (k_1 \cdot q_2)(k_2 \cdot q_2)(k_3 \cdot q_1)(q_1 \cdot q_1), & \mathcal{N}_{192} = (k_1 \cdot q_1)(k_2 \cdot q_2)^2(q_1 \cdot q_1), \\ \mathcal{N}_{193} = (k_3 \cdot q_2)(q_1 \cdot q_1)(q_1 \cdot q_2), & \mathcal{N}_{194} = (k_1 \cdot q_2)(k_2 \cdot q_1)(k_3 \cdot q_2)(q_1 \cdot q_1), \\ \mathcal{N}_{195} = (k_1 \cdot q_1)(k_2 \cdot q_2)(k_3 \cdot q_2)(q_1 \cdot q_1), & \mathcal{N}_{196} = (k_1 \cdot q_1)(q_1 \cdot q_1)(q_2 \cdot q_2), \\ \mathcal{N}_{197} = (k_2 \cdot q_1)(q_1 \cdot q_1)(q_2 \cdot q_2), & \mathcal{N}_{198} = (k_3 \cdot q_1)(q_1 \cdot q_1)(q_2 \cdot q_2), \\ \mathcal{N}_{199} = (k_2 \cdot q_1)(q_1 \cdot q_1)(q_2 \cdot q_2), & \mathcal{N}_{198} = (k_3 \cdot q_1)(q_1 \cdot q_1)(q_2 \cdot q_2), \\ \mathcal{N}_{199} = (k$$

By using the in-house package SERA.JL, the reduction coefficients can be obtained and shown in the following

$$C_{1,1} = 2s_1 m_t \left(m_t^2 - m_W^2 + 2s_1 - 2s_2 \right),$$

$$C_{1,2} = \frac{2m_t s_1 \left(m_t^2 - s_1 - s_2\right) \left(m_t^2 - m_W^2 + 2s_1 - 2s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,3} = -\frac{2m_t s_1 \left(m_W^2 - s_2\right) \left(m_t^2 - m_W^2 + 2s_1 - 2s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,4} = - \; \frac{2 m_t s_1 \left(2 m_W^2 m_t^2 - s_1 m_t^2 - 2 s_2 m_t^2 - 2 s_1^2 + 2 s_2^2 + m_W^2 s_1 - 2 m_W^2 s_2 + 4 s_1 s_2\right)}{\left(m_W^2 - s_2\right) m_t^2 + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$\begin{split} C_{1,5} = & \frac{m_t}{\left(m_W^2 - s_2\right) m_t^2 + s_2 \left(-m_W^2 + s_1 + s_2\right)} \{-m_t^6 + \left(3 - 4\epsilon\right) m_W^2 m_t^4 + 2 s_1 m_t^4 + 2 \left(\epsilon + 3\right) s_2 m_t^4 \\ & - 2 m_W^4 m_t^2 - s_1^2 m_t^2 + \left(-4\epsilon - 7\right) s_2^2 m_t^2 + 13 m_W^2 s_1 m_t^2 + \left(8\epsilon - 6\right) m_W^2 s_2 m_t^2 - 2 \left(\epsilon + 9\right) s_1 s_2 m_t^2 \\ & + 2 \left(\epsilon + 1\right) s_2^3 + \left(3 - 4\epsilon\right) m_W^2 s_2^2 + 2 \left(\epsilon + 7\right) s_1 s_2^2 + 2 m_W^4 s_2 + 12 s_1^2 s_2 - 15 m_W^2 s_1 s_2 \}, \end{split}$$

$$\begin{split} C_{1,6} = & \frac{m_t}{\left(m_W^2 - s_2\right) m_t^2 + s_2 \left(-m_W^2 + s_1 + s_2\right)} \{-3 m_W^2 m_t^4 + 3 s_2 m_t^4 + m_W^4 m_t^2 + \left(-2 \epsilon - 7\right) s_2^2 m_t^2 - 9 m_W^2 s_1 m_t^2 \\ & + 2 \left(\epsilon + 3\right) m_W^2 s_2 m_t^2 + 5 s_1 s_2 m_t^2 + 2 \left(\epsilon + 2\right) s_2^3 + \left(-2 \epsilon - 3\right) m_W^2 s_2^2 + 4 s_1 s_2^2 - m_W^4 s_2 \\ & - 8 s_1^2 s_2 + 8 m_W^2 s_1 s_2\}, \end{split}$$

$$C_{1,7} = \frac{m_t(-s_1m_t^4 + s_1^2m_t^2 - 5m_W^2s_1m_t^2 + (13 - 2\epsilon)s_1s_2m_t^2 + 2(\epsilon - 6)s_1s_2^2 - 4s_1^2s_2 + 5m_W^2s_1s_2)}{(m_W^2 - s_2)\,m_t^2 + s_2\,(-m_W^2 + s_1 + s_2)},$$

$$C_{1,8} = -8s_1m_t \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right),$$

$$C_{1,9} = -s_1 C_{1,38} = -2s_1 C_{1,109} = \frac{8s_1 m_t \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right) \left(-m_t^2 + s_1 + s_2\right)^2}{s_1 \left(m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)\right)},$$

$$C_{1,10} = -2s_1C_{1,119} = \frac{16s_1m_t\left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right)\left(m_t^2\left(m_W^2 - s_2\right) + \left(s_1 - s_2\right)m_W^2 + s_2\left(s_1 + s_2\right)\right)}{s_1\left(m_t^2\left(m_W^2 - s_2\right) + s_2\left(-m_W^2 + s_1 + s_2\right)\right)},$$

$$C_{1,11} = -2s_1C_{1,123} = \frac{8s_1m_t\left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right)\left(m_W^2 - s_2\right)^2}{s_1\left(m_t^2\left(m_W^2 - s_2\right) + s_2\left(-m_W^2 + s_1 + s_2\right)\right)},$$

$$C_{1,12} = \frac{4s_1m_t\left(3 + 8\epsilon + 16\epsilon^2 + 32\epsilon^3 + 64\epsilon^4\right)\left(m_t^2 - s_1 - s_2\right)}{m_t^2\left(m_W^2 - s_2\right) + s_2\left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,13} = - \; \frac{4 s_1 m_t \left(3 + 8 \epsilon + 16 \epsilon^2 + 32 \epsilon^3 + 64 \epsilon^4\right) \left(m_W^2 - s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,14} = s_1 C_{1,43} = \frac{-s_1 C_{1,49}}{2} = \frac{4s_1^2 m_t \left(1 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,15} = 2m_t ((3 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4) m_t^2 + 4 (1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4) m_W^2 + 4 (1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4) s_1 + (-7 - 10\epsilon - 20\epsilon^2 - 40\epsilon^3 - 80\epsilon^4) s_2),$$

$$\begin{split} C_{1,16} &= -\frac{2m_t}{s_1 \left((m_W^2 - s_2) \, m_t^2 + s_2 \, (-m_W^2 + s_1 + s_2) \right)} \big\{ 2 \, \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) \, m_t^6 \\ &\quad + 4 \, \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4 \right) \, m_W^2 m_t^4 + 8 \, \left(\epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) s_1 m_t^4 \\ &\quad - 2 \, \left(5 + 7\epsilon + 14\epsilon^2 + 28\epsilon^3 + 56\epsilon^4 \right) s_2 m_t^4 - 2 \, \left(3 + 11\epsilon + 22\epsilon^2 + 44\epsilon^3 + 88\epsilon^4 \right) s_1^2 m_t^2 \\ &\quad + 2 \, \left(7 + 11\epsilon + 22\epsilon^2 + 44\epsilon^3 + 88\epsilon^4 \right) s_2^2 m_t^2 + \left(-7 - 16\epsilon - 32\epsilon^2 - 64\epsilon^3 - 128\epsilon^4 \right) m_W^2 s_1 m_t^2 \\ &\quad - 8 \, \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4 \right) m_W^2 s_2 m_t^2 + 9 s_1 s_2 m_t^2 + 4 \, \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) s_1^3 \\ &\quad - 2 \, \left(3 + 5\epsilon + 10\epsilon^2 + 20\epsilon^3 + 40\epsilon^4 \right) s_2^3 + \left(3 + 8\epsilon + 16\epsilon^2 + 32\epsilon^3 + 64\epsilon^4 \right) m_W^2 s_1^2 \\ &\quad + 4 \, \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4 \right) m_W^2 s_2^2 + \left(-9 - 8\epsilon - 16\epsilon^2 - 32\epsilon^3 - 64\epsilon^4 \right) s_1 s_2^2 \\ &\quad + \left(1 + 14\epsilon + 28\epsilon^2 + 56\epsilon^3 + 112\epsilon^4 \right) s_1^2 s_2 + \left(7 + 16\epsilon + 32\epsilon^2 + 64\epsilon^3 + 128\epsilon^4 \right) m_W^2 s_1 s_2 \}, \end{split}$$

$$\begin{split} C_{1,17} &= -\frac{4m_t}{s_1 \left((m_W^2 - s_2) \, m_t^2 + s_2 \, (-m_W^2 + s_1 + s_2) \right)} \big\{ \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) \, m_W^2 m_t^4 \\ &+ s_1 m_t^4 + \left(-1 - \epsilon - 2\epsilon^2 - 4\epsilon^3 - 8\epsilon^4 \right) s_2 m_t^4 + \left(2 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4 \right) \, m_W^4 m_t^2 + s_1^2 m_t^2 \\ &+ \left(4 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) \, s_2^2 m_t^2 + \left(3 + 8\epsilon + 14\epsilon^2 + 28\epsilon^3 + 56\epsilon^4 \right) \, m_W^2 s_1 m_t^2 \\ &- 2 \left(3 + 5\epsilon + 10\epsilon^2 + 20\epsilon^3 + 40\epsilon^4 \right) \, m_W^2 s_2 m_t^2 - 2 \left(2 + 3\epsilon + 5\epsilon^2 + 10\epsilon^3 + 20\epsilon^4 \right) \, s_1 s_2 m_t^2 \\ &- 2s_1^3 + \left(-3 - 5\epsilon - 10\epsilon^2 - 20\epsilon^3 - 40\epsilon^4 \right) \, s_2^3 + \left(-1 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) \, m_W^2 s_1^2 \\ &+ \left(5 + 9\epsilon + 18\epsilon^2 + 36\epsilon^3 + 72\epsilon^4 \right) \, m_W^2 s_2^2 + \left(1 + 2\epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) \, s_1 s_2^2 \\ &+ \left(2 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4 \right) \, m_W^4 s_1 - 2 \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4 \right) \, m_W^4 s_2 \\ &+ 6 \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) \, s_1^2 s_2 + \left(-3 - 8\epsilon - 14\epsilon^2 - 28\epsilon^3 - 56\epsilon^4 \right) \, m_W^2 s_1 s_2 \big\}, \end{split}$$

$$\begin{split} C_{1,18} &= -\frac{4m_t}{\left(m_W^2 - s_2\right)m_t^2 + s_2\left(-m_W^2 + s_1 + s_2\right)} \big\{ \left(2 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4\right)m_t^4 \\ &\quad + \left(2 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4\right)m_W^2m_t^2 + \left(2 + 4\epsilon + 10\epsilon^2 + 20\epsilon^3 + 40\epsilon^4\right)s_1m_t^2 \\ &\quad - 6\left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4\right)s_2m_t^2 - 6\epsilon\left(8\epsilon^3 + 4\epsilon^2 + 2\epsilon + 1\right)s_1^2 \\ &\quad + \left(4 + 5\epsilon + 10\epsilon^2 + 20\epsilon^3 + 40\epsilon^4\right)s_2^2 - 2\left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right)m_W^2s_1 \\ &\quad - 2\left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right)m_W^2s_2 - 2\epsilon^2\left(4\epsilon^2 + 2\epsilon + 1\right)s_1s_2 \big\}, \end{split}$$

$$\begin{split} C_{1,19} &= -\frac{2m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(- m_W^2 + s_1 + s_2 \right) \right)} \{ 2 \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) m_W^2 m_t^4 \\ &- s_1 m_t^4 - 2 \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) s_2 m_t^4 + 4 \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4 \right) m_W^4 m_t^2 \\ &+ s_1^2 m_t^2 + 4 \left(2 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) s_2^2 m_t^2 + \left(6 + 8\epsilon + 28\epsilon^2 + 56\epsilon^3 + 112\epsilon^4 \right) m_W^2 s_1 m_t^2 \\ &- 4 \left(3 + 5\epsilon + 10\epsilon^2 + 20\epsilon^3 + 40\epsilon^4 \right) m_W^2 s_2 m_t^2 + \left(3 - 6\epsilon - 20\epsilon^2 - 40\epsilon^3 - 80\epsilon^4 \right) s_1 s_2 m_t^2 \\ &- 2 \left(3 + 5\epsilon + 10\epsilon^2 + 20\epsilon^3 + 40\epsilon^4 \right) s_2^3 + 2 \left(5 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) m_W^2 s_1^2 \\ &+ 2 \left(5 + 9\epsilon + 18\epsilon^2 + 36\epsilon^3 + 72\epsilon^4 \right) m_W^2 s_2^2 + \left(-5 - 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4 \right) s_1 s_2^2 \\ &+ \left(3 + 8\epsilon + 16\epsilon^2 + 32\epsilon^3 + 64\epsilon^4 \right) m_W^4 s_1 - 4 \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4 \right) m_W^4 s_2 \\ &+ \left(-8 + 10\epsilon + 24\epsilon^2 + 48\epsilon^3 + 96\epsilon^4 \right) s_1^2 s_2 - 2 \left(3 + 4\epsilon + 14\epsilon^2 + 28\epsilon^3 + 56\epsilon^4 \right) m_W^2 s_1 s_2 \}, \end{split}$$

$$\begin{split} C_{1,20} &= -\frac{2m_t}{s_1 \left((m_W^2 - s_2) \, m_t^2 + s_2 \, (-m_W^2 + s_1 + s_2) \right)} \big\{ 4 \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4 \right) \, m_W^6 \\ &\quad + 2 \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) \, m_t^2 \, m_W^4 + 4 \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) \, s_1 m_W^4 \\ &\quad - 2 \left(7 + 13\epsilon + 26\epsilon^2 + 52\epsilon^3 + 104\epsilon^4 \right) \, s_2 m_W^4 - 4s_1^2 m_W^2 + 4 \left(4 + 7\epsilon + 14\epsilon^2 + 28\epsilon^3 + 56\epsilon^4 \right) \, s_2^2 m_W^2 \\ &\quad - m_t^2 \, s_1 m_W^2 - 4 \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) \, m_t^2 \, s_2 m_W^2 - 2 \left(4 + 11\epsilon + 24\epsilon^2 + 48\epsilon^3 + 96\epsilon^4 \right) \, s_1 s_2 m_W^2 \\ &\quad - 2 \left(3 + 5\epsilon + 10\epsilon^2 + 20\epsilon^3 + 40\epsilon^4 \right) \, s_2^3 + 2 \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) \, m_t^2 \, s_2^2 \\ &\quad + \left(4 + 10\epsilon + 24\epsilon^2 + 48\epsilon^3 + 96\epsilon^4 \right) \, s_1 s_2^2 + 4s_1^2 s_2 + m_t^2 s_1 s_2 \big\}, \end{split}$$

$$\begin{split} C_{1,21} = & \frac{2m_t}{\left(m_W^2 - s_2\right) m_t^2 + s_2 \left(-m_W^2 + s_1 + s_2\right)} \{4 \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right) m_W^4 \\ & + 2 \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4\right) m_t^2 m_W^2 + 6 \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right) s_1 m_W^2 \\ & - 2 \left(5 + 9\epsilon + 18\epsilon^2 + 36\epsilon^3 + 72\epsilon^4\right) s_2 m_W^2 + \left(6 + 10\epsilon + 20\epsilon^2 + 40\epsilon^3 + 80\epsilon^4\right) s_2^2 \\ & + m_t^2 s_1 - 2 \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4\right) m_t^2 s_2 - 2 \left(6 + 5\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4\right) s_1 s_2 \}, \end{split}$$

$$\begin{split} C_{1,22} &= -\frac{2m_t}{\left(m_W^2 - s_2\right)m_t^2 + s_2\left(-m_W^2 + s_1 + s_2\right)} \{ \left(-3 + 4\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right)m_t^4 \\ &\quad + \left(6 + 8\epsilon + 16\epsilon^2 + 32\epsilon^3 + 64\epsilon^4\right)m_W^2m_t^2 + \left(-1 + 10\epsilon + 20\epsilon^2 + 40\epsilon^3 + 80\epsilon^4\right)s_1m_t^2 \\ &\quad - 8\left(2\epsilon + 3\epsilon^2 + 6\epsilon^3 + 12\epsilon^4\right)s_2m_t^2 - 4\left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4\right)s_1^2 \\ &\quad + \left(3 + 12\epsilon + 20\epsilon^2 + 40\epsilon^3 + 80\epsilon^4\right)s_2^2 + \left(-3 - 8\epsilon - 16\epsilon^2 - 32\epsilon^3 - 64\epsilon^4\right)m_W^2s_1 \\ &\quad - 2\left(3 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4\right)m_W^2s_2 - 2\left(-4 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4\right)s_1s_2 \}, \end{split}$$

$$C_{1,23} = \frac{2m_t}{(m_W^2 - s_2) m_t^2 + s_2 (-m_W^2 + s_1 + s_2)} \left\{ 4 \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4 \right) m_W^4 + \left(3 + 4\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4 \right) m_t^2 m_W^2 + \left(-2 + 12\epsilon + 24\epsilon^2 + 48\epsilon^3 + 96\epsilon^4 \right) s_1 m_W^2 + \left(-11 - 20\epsilon - 36\epsilon^2 - 72\epsilon^3 - 144\epsilon^4 \right) s_2 m_W^2 - 4s_1^2 + \left(7 + 12\epsilon + 20\epsilon^2 + 40\epsilon^3 + 80\epsilon^4 \right) s_2^2 - 2m_t^2 s_1 + \left(-3 - 4\epsilon - 4\epsilon^2 - 8\epsilon^3 - 16\epsilon^4 \right) m_t^2 s_2 - 12 \left(-1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) s_1 s_2 \right\},$$

$$\begin{split} C_{1,24} &= -\frac{2m_t}{\left(m_W^2 - s_2\right)m_t^2 + s_2\left(-m_W^2 + s_1 + s_2\right)} \{ \left(-1 + 4\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right)s_1m_t^2 \\ &\quad + 12\left(\epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4\right)s_1^2 + 4\left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right)m_W^2s_1 \\ &\quad + \left(-3 - 12\epsilon - 20\epsilon^2 - 40\epsilon^3 - 80\epsilon^4\right)s_1s_2 \}, \end{split}$$

$$C_{1,25} = m_t ((1 + 12\epsilon + 24\epsilon^2 + 48\epsilon^3 + 96\epsilon^4) m_t^2 - 8 (1 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4) m_W^2 + 20 (1 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4) s_1 + (13 + 8\epsilon + 16\epsilon^2 + 32\epsilon^3 + 64\epsilon^4) s_2),$$

$$\begin{split} C_{1,26} &= -\frac{2m_t}{s_1 \left((m_W^2 - s_2) \, m_t^2 + s_2 \, (-m_W^2 + s_1 + s_2) \right)} \big\{ \left(2 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) \, m_t^6 \\ &\quad + \left(-5 - 16\epsilon - 32\epsilon^2 - 64\epsilon^3 - 128\epsilon^4 \right) \, m_W^2 \, m_t^4 + 4 \left(3 + 7\epsilon + 14\epsilon^2 + 28\epsilon^3 + 56\epsilon^4 \right) s_1 m_t^4 \\ &\quad - 8\epsilon \left(8\epsilon^3 + 4\epsilon^2 + 2\epsilon + 1 \right) \, s_2 m_t^4 - 2 \left(15 + 37\epsilon + 74\epsilon^2 + 148\epsilon^3 + 296\epsilon^4 \right) \, s_1^2 m_t^2 \\ &\quad - 2 \left(3 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) \, s_2^2 m_t^2 + \left(2 + 28\epsilon + 64\epsilon^2 + 128\epsilon^3 + 256\epsilon^4 \right) \, m_W^2 s_1 m_t^2 \\ &\quad + 2 \left(5 + 16\epsilon + 32\epsilon^2 + 64\epsilon^3 + 128\epsilon^4 \right) \, m_W^2 s_2 m_t^2 - 2 \left(16 + 37\epsilon + 76\epsilon^2 + 152\epsilon^3 + 304\epsilon^4 \right) \, s_1 s_2 m_t^2 \\ &\quad + 8 \left(2 + 5\epsilon + 10\epsilon^2 + 20\epsilon^3 + 40\epsilon^4 \right) \, s_1^3 + 4 \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) \, s_2^3 \\ &\quad + \left(-5 - 16\epsilon - 32\epsilon^2 - 64\epsilon^3 - 128\epsilon^4 \right) \, m_W^2 s_1^2 + \left(-5 - 16\epsilon - 32\epsilon^2 - 64\epsilon^3 - 128\epsilon^4 \right) \, m_W^2 s_2^2 \\ &\quad + \left(20 + 46\epsilon + 96\epsilon^2 + 192\epsilon^3 + 384\epsilon^4 \right) \, s_1 s_2^2 + \left(32 + 82\epsilon + 168\epsilon^2 + 336\epsilon^3 + 672\epsilon^4 \right) \, s_1^2 s_2 \\ &\quad - 2 \left(1 + 14\epsilon + 32\epsilon^2 + 64\epsilon^3 + 128\epsilon^4 \right) \, m_W^2 s_1 s_2 \right\}, \end{split}$$

$$\begin{split} C_{1,27} &= -\frac{4m_t}{s_1 \left((m_W^2 - s_2) \, m_t^2 + s_2 \, (-m_W^2 + s_1 + s_2) \right)} \big\{ \left(2 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) \, m_W^2 \, m_t^4 \\ &- 2 \, \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) \, s_2 m_t^4 + \left(-5 - 16\epsilon - 32\epsilon^2 - 64\epsilon^3 - 128\epsilon^4 \right) \, m_W^4 m_t^2 \\ &+ 2 \, \left(-1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) \, s_2^2 m_t^2 + 2 \, \left(7 + 22\epsilon + 46\epsilon^2 + 92\epsilon^3 + 184\epsilon^4 \right) \, m_W^2 s_1 m_t^2 \\ &+ 7 \, \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4 \right) \, m_W^2 s_2 m_t^2 + \left(-12 - 33\epsilon - 68\epsilon^2 - 136\epsilon^3 - 272\epsilon^4 \right) \, s_1 s_2 m_t^2 \\ &+ 4 \, \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) \, s_2^3 + 8 \, \left(2 + 5\epsilon + 10\epsilon^2 + 20\epsilon^3 + 40\epsilon^4 \right) \, m_W^2 s_1^2 \\ &+ \left(-9 - 20\epsilon - 40\epsilon^2 - 80\epsilon^3 - 160\epsilon^4 \right) \, m_W^2 s_2^2 + 2 \, \left(8 + 21\epsilon + 44\epsilon^2 + 88\epsilon^3 + 176\epsilon^4 \right) \, s_1 s_2^2 \\ &+ \left(-5 - 16\epsilon - 32\epsilon^2 - 64\epsilon^3 - 128\epsilon^4 \right) \, m_W^4 s_1 + \left(5 + 16\epsilon + 32\epsilon^2 + 64\epsilon^3 + 128\epsilon^4 \right) \, m_W^4 s_2 \\ &+ \left(14 + 39\epsilon + 80\epsilon^2 + 160\epsilon^3 + 320\epsilon^4 \right) \, s_1^2 s_2 + \left(-11 - 49\epsilon - 104\epsilon^2 - 208\epsilon^3 - 416\epsilon^4 \right) \, m_W^2 s_1 s_2 \big\}, \end{split}$$

$$\begin{split} C_{1,28} = & \frac{2m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(- m_W^2 + s_1 + s_2 \right) \right)} \left\{ \left(5 + 16\epsilon + 32\epsilon^2 + 64\epsilon^3 + 128\epsilon^4 \right) m_W^6 \right. \\ & - 2 \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) m_t^2 m_W^4 - 8 \left(2 + 5\epsilon + 10\epsilon^2 + 20\epsilon^3 + 40\epsilon^4 \right) s_1 m_W^4 \\ & - 2 \left(7 + 18\epsilon + 36\epsilon^2 + 72\epsilon^3 + 144\epsilon^4 \right) s_2 m_W^4 + \left(13 + 24\epsilon + 48\epsilon^2 + 96\epsilon^3 + 192\epsilon^4 \right) s_2^2 m_W^2 \\ & + 4 \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) m_t^2 s_2 m_W^2 + \left(28 + 78\epsilon + 160\epsilon^2 + 320\epsilon^3 + 640\epsilon^4 \right) s_1 s_2 m_W^2 \\ & - 4 \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) s_2^3 - 2 \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) m_t^2 s_2^2 \\ & - 2 \left(6 + 19\epsilon + 40\epsilon^2 + 80\epsilon^3 + 160\epsilon^4 \right) s_1 s_2^2 \right\}, \end{split}$$

$$\begin{split} C_{1,29} &= -\frac{4m_t}{\left(m_W^2 - s_2\right)m_t^2 + s_2\left(-m_W^2 + s_1 + s_2\right)} \left\{ \left(-2 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4\right)m_t^4 \right. \\ &\quad - 2\left(1 + 7\epsilon + 16\epsilon^2 + 32\epsilon^3 + 64\epsilon^4\right)m_W^2m_t^2 + 2\left(9 + 17\epsilon + 34\epsilon^2 + 68\epsilon^3 + 136\epsilon^4\right)s_1m_t^2 \\ &\quad + \left(7 - 3\epsilon - 4\epsilon^2 - 8\epsilon^3 - 16\epsilon^4\right)s_2m_t^2 - 8\left(2 + 5\epsilon + 10\epsilon^2 + 20\epsilon^3 + 40\epsilon^4\right)s_1^2 \\ &\quad + \left(-5 - 3\epsilon - 8\epsilon^2 - 16\epsilon^3 - 32\epsilon^4\right)s_2^2 + \left(5 + 16\epsilon + 32\epsilon^2 + 64\epsilon^3 + 128\epsilon^4\right)m_W^2s_1 \\ &\quad + 2\left(1 + 7\epsilon + 16\epsilon^2 + 32\epsilon^3 + 64\epsilon^4\right)m_W^2s_2 + \left(-23 - 44\epsilon - 88\epsilon^2 - 176\epsilon^3 - 352\epsilon^4\right)s_1s_2 \right\}, \end{split}$$

$$\begin{split} C_{1,30} = & \frac{4m_t}{(m_W^2 - s_2) \, m_t^2 + s_2 \, (-m_W^2 + s_1 + s_2)} \{ \left(-5 - 16\epsilon - 32\epsilon^2 - 64\epsilon^3 - 128\epsilon^4 \right) m_W^4 \\ & + \left(2 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) m_t^2 m_W^2 + 8 \left(2 + 5\epsilon + 10\epsilon^2 + 20\epsilon^3 + 40\epsilon^4 \right) s_1 m_W^2 \\ & + \left(9 + 21\epsilon + 40\epsilon^2 + 80\epsilon^3 + 160\epsilon^4 \right) s_2 m_W^2 + \left(-4 - 5\epsilon - 8\epsilon^2 - 16\epsilon^3 - 32\epsilon^4 \right) s_2^2 \\ & - 2 \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) m_t^2 s_2 + \left(-10 - 39\epsilon - 80\epsilon^2 - 160\epsilon^3 - 320\epsilon^4 \right) s_1 s_2 \}, \end{split}$$

$$C_{1,31} = -\frac{2m_t}{(m_W^2 - s_2) m_t^2 + s_2 (-m_W^2 + s_1 + s_2)} \{ 6 \left(-1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) s_1 m_t^2 + 8 \left(2 + 5\epsilon + 10\epsilon^2 + 20\epsilon^3 + 40\epsilon^4 \right) s_1^2 + \left(-5 - 16\epsilon - 32\epsilon^2 - 64\epsilon^3 - 128\epsilon^4 \right) m_W^2 s_1 + 2 \left(6 + 3\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4 \right) s_1 s_2 \},$$

$$\begin{split} C_{1,32} &= -\frac{4m_t}{\left(m_W^2 - s_2\right)m_t^2 + s_2\left(-m_W^2 + s_1 + s_2\right)} \left\{ \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4\right)m_t^4 \right. \\ &- 4\left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right)m_W^2m_t^2 + \left(-7 - 17\epsilon - 34\epsilon^2 - 68\epsilon^3 - 136\epsilon^4\right)s_1m_t^2 \\ &+ 2\left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4\right)s_2m_t^2 + 2\left(3 + 7\epsilon + 14\epsilon^2 + 28\epsilon^3 + 56\epsilon^4\right)s_1^2 \\ &+ \left(-3 - 5\epsilon - 10\epsilon^2 - 20\epsilon^3 - 40\epsilon^4\right)s_2^2 + 4\left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right)m_W^2s_2 \\ &+ \left(3 + 9\epsilon + 18\epsilon^2 + 36\epsilon^3 + 72\epsilon^4\right)s_1s_2 \right\}, \end{split}$$

$$\begin{split} C_{1,33} &= -\frac{4m_t}{\left(m_W^2 - s_2\right)m_t^2 + s_2\left(-m_W^2 + s_1 + s_2\right)} \big\{ \left(6 + 7\epsilon + 14\epsilon^2 + 28\epsilon^3 + 56\epsilon^4\right)m_W^2 m_t^2 \\ &\quad + \left(-6 - 7\epsilon - 14\epsilon^2 - 28\epsilon^3 - 56\epsilon^4\right)s_2 m_t^2 + \left(6 + 7\epsilon + 14\epsilon^2 + 28\epsilon^3 + 56\epsilon^4\right)s_2^2 \\ &\quad + 2\left(3 + 7\epsilon + 14\epsilon^2 + 28\epsilon^3 + 56\epsilon^4\right)m_W^2 s_1 + \left(-6 - 7\epsilon - 14\epsilon^2 - 28\epsilon^3 - 56\epsilon^4\right)m_W^2 s_2 \\ &\quad + \left(1 - 4\epsilon - 8\epsilon^2 - 16\epsilon^3 - 32\epsilon^4\right)s_1 s_2 \big\}, \end{split}$$

$$\begin{split} C_{1,34} = & \frac{4m_t}{\left(m_W^2 - s_2\right)m_t^2 + s_2\left(-m_W^2 + s_1 + s_2\right)} \{ \left(-1 - 3\epsilon - 6\epsilon^2 - 12\epsilon^3 - 24\epsilon^4\right)s_1m_t^2 \\ & + 2\left(3 + 7\epsilon + 14\epsilon^2 + 28\epsilon^3 + 56\epsilon^4\right)s_1^2 + \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4\right)s_1s_2 \}, \end{split}$$

$$\begin{split} C_{1,35} = & \frac{m_t}{\left(m_W^2 - s_2\right) m_t^2 + s_2 \left(-m_W^2 + s_1 + s_2\right)} \left\{ \left(6 + 10\epsilon + 24\epsilon^2 + 48\epsilon^3 + 96\epsilon^4\right) m_t^4 \right. \\ & - 8 \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right) m_W^2 m_t^2 + \left(-19 - 66\epsilon - 136\epsilon^2 - 272\epsilon^3 - 544\epsilon^4\right) s_1 m_t^2 \\ & - 4 \left(1 + \epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right) s_2 m_t^2 + \left(13 + 56\epsilon + 112\epsilon^2 + 224\epsilon^3 + 448\epsilon^4\right) s_1^2 \\ & - 2 \left(1 + 3\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right) s_2^2 + 8 \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right) m_W^2 s_2 \\ & + \left(11 + 50\epsilon + 104\epsilon^2 + 208\epsilon^3 + 416\epsilon^4\right) s_1 s_2 \right\}, \end{split}$$

$$\begin{split} C_{1,36} = & \frac{m_t}{\left(m_W^2 - s_2\right) m_t^2 + s_2 \left(-m_W^2 + s_1 + s_2\right)} \{ 2 \left(5 + 11\epsilon + 20\epsilon^2 + 40\epsilon^3 + 80\epsilon^4\right) m_W^2 m_t^2 \\ & - 2 \left(5 + 11\epsilon + 20\epsilon^2 + 40\epsilon^3 + 80\epsilon^4\right) s_2 m_t^2 + 2 \left(5 + 11\epsilon + 20\epsilon^2 + 40\epsilon^3 + 80\epsilon^4\right) s_2^2 \\ & + \left(13 + 56\epsilon + 112\epsilon^2 + 224\epsilon^3 + 448\epsilon^4\right) m_W^2 s_1 - 2 \left(5 + 11\epsilon + 20\epsilon^2 + 40\epsilon^3 + 80\epsilon^4\right) m_W^2 s_2 \\ & - 3 \left(-1 + 8\epsilon + 16\epsilon^2 + 32\epsilon^3 + 64\epsilon^4\right) s_1 s_2 \}, \end{split}$$

$$\begin{split} C_{1,37} &= -\frac{m_t}{\left(m_W^2 - s_2\right)m_t^2 + s_2\left(-m_W^2 + s_1 + s_2\right)} \{-2\left(3 + 5\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4\right)s_1m_t^2 \\ &\quad + \left(13 + 56\epsilon + 112\epsilon^2 + 224\epsilon^3 + 448\epsilon^4\right)s_1^2 + \left(6 + 10\epsilon + 24\epsilon^2 + 48\epsilon^3 + 96\epsilon^4\right)s_1s_2\}, \end{split}$$

$$\begin{split} C_{1,39} = & \frac{8m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(-m_W^2 + s_1 + s_2 \right) \right)} \left\{ 2 \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) m_t^4 \right. \\ & + \left(1 + 7\epsilon + 14\epsilon^2 + 28\epsilon^3 + 56\epsilon^4 \right) s_1 m_t^2 - 4 \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) s_2 m_t^2 \\ & - 3 \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) s_1^2 + 2 \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) s_2^2 \\ & + \left(-1 - 7\epsilon - 14\epsilon^2 - 28\epsilon^3 - 56\epsilon^4 \right) s_1 s_2 \right\}, \end{split}$$

$$\begin{split} C_{1,40} = & \frac{8m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(- m_W^2 + s_1 + s_2 \right) \right)} \left\{ \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4 \right) m_W^4 \right. \\ & + 2 \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) m_t^2 m_W^2 + 2 \left(4 + 9\epsilon + 19\epsilon^2 + 38\epsilon^3 + 76\epsilon^4 \right) s_1 m_W^2 \\ & - 2 \left(2 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) s_2 m_W^2 + \left(3 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4 \right) s_2^2 \\ & - 2 \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) m_t^2 s_2 + \left(-3 - 8\epsilon - 18\epsilon^2 - 36\epsilon^3 - 72\epsilon^4 \right) s_1 s_2 \right\}, \end{split}$$

$$C_{1,41} = \frac{4m_t \left(-m_t^2 + s_1 + s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,42} = \frac{4m_t}{\left(m_W^2 - s_2\right) m_t^2 + s_2 \left(-m_W^2 + s_1 + s_2\right)} \left\{2\left(2 + 9\epsilon + 16\epsilon^2 + 32\epsilon^3 + 64\epsilon^4\right) m_t^2 + \left(-3 - 8\epsilon - 16\epsilon^2 - 32\epsilon^3 - 64\epsilon^4\right) m_W^2 - 2\left(7 + 19\epsilon + 38\epsilon^2 + 76\epsilon^3 + 152\epsilon^4\right) s_1 + \left(-1 - 10\epsilon - 16\epsilon^2 - 32\epsilon^3 - 64\epsilon^4\right) s_2\right\},$$

$$\begin{split} C_{1,44} &= -\frac{8m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(- m_W^2 + s_1 + s_2 \right) \right)} \left\{ \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) m_t^4 \right. \\ &\quad + \left(2 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4 \right) m_W^2 m_t^2 + \left(3 + 9\epsilon + 18\epsilon^2 + 36\epsilon^3 + 72\epsilon^4 \right) s_1 m_t^2 \\ &\quad - 2 \left(2 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) s_2 m_t^2 - 2 \left(2 + 5\epsilon + 10\epsilon^2 + 20\epsilon^3 + 40\epsilon^4 \right) s_1^2 \\ &\quad + \left(3 + 5\epsilon + 10\epsilon^2 + 20\epsilon^3 + 40\epsilon^4 \right) s_2^2 + \left(2 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4 \right) m_W^2 s_1 \\ &\quad - 2 \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4 \right) m_W^2 s_2 + \left(-1 - 5\epsilon - 10\epsilon^2 - 20\epsilon^3 - 40\epsilon^4 \right) s_1 s_2 \right\}, \end{split}$$

$$\begin{split} C_{1,45} &= -\frac{8m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(-m_W^2 + s_1 + s_2 \right) \right)} \big\{ \left(2 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4 \right) m_W^4 \\ &\quad + 2 \left(3 + 8\epsilon + 17\epsilon^2 + 34\epsilon^3 + 68\epsilon^4 \right) s_1 m_W^2 - 4 \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4 \right) s_2 m_W^2 \\ &\quad + \left(2 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4 \right) s_2^2 + \left(-5 - 10\epsilon - 22\epsilon^2 - 44\epsilon^3 - 88\epsilon^4 \right) s_1 s_2 \big\}, \end{split}$$

$$C_{1,46} = C_{1,69} = \frac{-C_{1,81}}{2} = \frac{8m_t \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4\right) \left(m_W^2 - s_2\right)^2}{s_1 \left(m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)\right)},$$

$$\begin{split} C_{1,47} &= -\frac{8m_t}{\left(m_W^2 - s_2\right)m_t^2 + s_2\left(-m_W^2 + s_1 + s_2\right)} \{ \left(2 + 5\epsilon + 10\epsilon^2 + 20\epsilon^3 + 40\epsilon^4\right)m_t^2 \\ &- 2\left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right)m_W^2 + 3\left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right)s_1 \\ &- \left(\epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4\right)s_2 \}, \end{split}$$

$$C_{1,48} = \frac{8m_t \left(1 + 2\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4\right) \left(m_W^2 - s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,50} = \frac{16m_t \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right) \left(-m_t^2 + s_1 + s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,51} = -\frac{8m_t}{\left(m_W^2 - s_2\right)m_t^2 + s_2\left(-m_W^2 + s_1 + s_2\right)} \left\{ \left(-2 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4\right)m_t^2 - 2\left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right)m_W^2 - 2\left(4 + 11\epsilon + 23\epsilon^2 + 46\epsilon^3 + 92\epsilon^4\right)s_1 + \left(4 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4\right)s_2 \right\},$$

$$C_{1,52} = - \; \frac{8 m_t \left(3 + 5\epsilon + 10\epsilon^2 + 20\epsilon^3 + 40\epsilon^4\right) \left(m_W^2 - s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,53} = -\frac{16s_1m_t\left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right)}{m_t^2\left(m_W^2 - s_2\right) + s_2\left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,54} = \frac{16s_1m_t\left(1 + 3\epsilon + 5\epsilon^2 + 10\epsilon^3 + 20\epsilon^4\right)}{m_t^2\left(m_W^2 - s_2\right) + s_2\left(-m_W^2 + s_1 + s_2\right)},$$

$$\begin{split} C_{1,55} = & \frac{4m_t}{\left(m_W^2 - s_2\right) m_t^2 + s_2 \left(-m_W^2 + s_1 + s_2\right)} \big\{ \left(3 + 5\epsilon + 10\epsilon^2 + 20\epsilon^3 + 40\epsilon^4\right) m_t^4 \\ & + \left(5 + 16\epsilon + 36\epsilon^2 + 72\epsilon^3 + 144\epsilon^4\right) m_W^2 m_t^2 - 11 \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4\right) s_1 m_t^2 \\ & + \left(-9 - 18\epsilon - 38\epsilon^2 - 76\epsilon^3 - 152\epsilon^4\right) s_2 m_t^2 + 4 \left(2 + 7\epsilon + 14\epsilon^2 + 28\epsilon^3 + 56\epsilon^4\right) s_1^2 \\ & + \left(6 + 13\epsilon + 28\epsilon^2 + 56\epsilon^3 + 112\epsilon^4\right) s_2^2 + \left(-5 - 14\epsilon - 28\epsilon^2 - 56\epsilon^3 - 112\epsilon^4\right) m_W^2 s_1 \\ & + \left(-5 - 16\epsilon - 36\epsilon^2 - 72\epsilon^3 - 144\epsilon^4\right) m_W^2 s_2 + \left(14 + 41\epsilon + 84\epsilon^2 + 168\epsilon^3 + 336\epsilon^4\right) s_1 s_2 \big\}, \end{split}$$

$$\begin{split} C_{1,56} = & \frac{4m_t}{\left(m_W^2 - s_2\right) m_t^2 + s_2 \left(-m_W^2 + s_1 + s_2\right)} \{ \left(-5 - 14\epsilon - 28\epsilon^2 - 56\epsilon^3 - 112\epsilon^4\right) m_W^4 \\ & + \left(2 + 9\epsilon + 18\epsilon^2 + 36\epsilon^3 + 72\epsilon^4\right) m_t^2 m_W^2 + 4 \left(2 + 7\epsilon + 14\epsilon^2 + 28\epsilon^3 + 56\epsilon^4\right) s_1 m_W^2 \\ & + \left(6 + 11\epsilon + 20\epsilon^2 + 40\epsilon^3 + 80\epsilon^4\right) s_2 m_W^2 + \left(-1 + 3\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4\right) s_2^2 \\ & + \left(-2 - 9\epsilon - 18\epsilon^2 - 36\epsilon^3 - 72\epsilon^4\right) m_t^2 s_2 + \left(-3 - 14\epsilon - 28\epsilon^2 - 56\epsilon^3 - 112\epsilon^4\right) s_1 s_2 \}, \end{split}$$

$$\begin{split} C_{1,57} &= -\frac{4m_t}{\left(m_W^2 - s_2\right)m_t^2 + s_2\left(-m_W^2 + s_1 + s_2\right)} \{ \left(1 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4\right)m_W^2 m_t^2 \\ &\quad + \left(-3 - 5\epsilon - 10\epsilon^2 - 20\epsilon^3 - 40\epsilon^4\right)s_1 m_t^2 + \left(-1 - 6\epsilon - 12\epsilon^2 - 24\epsilon^3 - 48\epsilon^4\right)s_2 m_t^2 \\ &\quad + 4\left(2 + 7\epsilon + 14\epsilon^2 + 28\epsilon^3 + 56\epsilon^4\right)s_1^2 + \left(1 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4\right)s_2^2 \\ &\quad + \left(-5 - 14\epsilon - 28\epsilon^2 - 56\epsilon^3 - 112\epsilon^4\right)m_W^2 s_1 + \left(-1 - 6\epsilon - 12\epsilon^2 - 24\epsilon^3 - 48\epsilon^4\right)m_W^2 s_2 \\ &\quad + \left(7 + 17\epsilon + 32\epsilon^2 + 64\epsilon^3 + 128\epsilon^4\right)s_1 s_2 \}, \end{split}$$

$$\begin{split} C_{1,58} = & \frac{m_t}{\left(s_2 - m_W^2\right) m_t^2 + \left(m_W^2 - s_1 - s_2\right) s_2} \{ 5 \left(3 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4\right) m_t^4 \\ & + 4 \left(5 + 14\epsilon + 28\epsilon^2 + 56\epsilon^3 + 112\epsilon^4\right) m_W^2 m_t^2 - 3 \left(17 + 44\epsilon + 88\epsilon^2 + 176\epsilon^3 + 352\epsilon^4\right) s_1 m_t^2 \\ & - 4 \left(11 + 15\epsilon + 30\epsilon^2 + 60\epsilon^3 + 120\epsilon^4\right) s_2 m_t^2 + 4 \left(9 + 28\epsilon + 56\epsilon^2 + 112\epsilon^3 + 224\epsilon^4\right) s_1^2 \\ & + \left(29 + 40\epsilon + 80\epsilon^2 + 160\epsilon^3 + 320\epsilon^4\right) s_2^2 - 4 \left(5 + 14\epsilon + 28\epsilon^2 + 56\epsilon^3 + 112\epsilon^4\right) m_W^2 s_1 \\ & - 4 \left(5 + 14\epsilon + 28\epsilon^2 + 56\epsilon^3 + 112\epsilon^4\right) m_W^2 s_2 + \left(65 + 152\epsilon + 304\epsilon^2 + 608\epsilon^3 + 1216\epsilon^4\right) s_1 s_2 \}, \end{split}$$

$$\begin{split} C_{1,59} = & \frac{m_t}{\left(m_W^2 - s_2\right) m_t^2 + s_2 \left(-m_W^2 + s_1 + s_2\right)} \{ 4 \left(5 + 14\epsilon + 28\epsilon^2 + 56\epsilon^3 + 112\epsilon^4\right) m_W^4 \\ & + \left(-17 - 44\epsilon - 88\epsilon^2 - 176\epsilon^3 - 352\epsilon^4\right) m_t^2 m_W^2 - 4 \left(9 + 28\epsilon + 56\epsilon^2 + 112\epsilon^3 + 224\epsilon^4\right) s_1 m_W^2 \\ & + \left(-17 - 32\epsilon - 64\epsilon^2 - 128\epsilon^3 - 256\epsilon^4\right) s_2 m_W^2 - 3 \left(1 + 8\epsilon + 16\epsilon^2 + 32\epsilon^3 + 64\epsilon^4\right) s_2^2 \\ & + \left(17 + 44\epsilon + 88\epsilon^2 + 176\epsilon^3 + 352\epsilon^4\right) m_t^2 s_2 + 4 \left(1 + 12\epsilon + 24\epsilon^2 + 48\epsilon^3 + 96\epsilon^4\right) s_1 s_2 \}, \end{split}$$

$$\begin{split} C_{1,60} = & \frac{m_t}{\left(m_W^2 - s_2\right) m_t^2 + s_2 \left(-m_W^2 + s_1 + s_2\right)} \{16 m_W^2 m_t^2 - 5 \left(3 + 4 \epsilon + 8 \epsilon^2 + 16 \epsilon^3 + 32 \epsilon^4\right) s_1 m_t^2 \\ & - 16 s_2 m_t^2 + 4 \left(9 + 28 \epsilon + 56 \epsilon^2 + 112 \epsilon^3 + 224 \epsilon^4\right) s_1^2 + 16 s_2^2 - 4 \left(5 + 14 \epsilon + 28 \epsilon^2 + 56 \epsilon^3 + 112 \epsilon^4\right) m_W^2 s_1 \\ & - 16 m_W^2 s_2 + 5 \left(9 + 8 \epsilon + 16 \epsilon^2 + 32 \epsilon^3 + 64 \epsilon^4\right) s_1 s_2 \}, \end{split}$$

$$C_{1,61} = -\frac{4m_t \left(1 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4\right) \left(-m_t^2 + s_1 + s_2\right)^2}{s_1 \left(m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)\right)},$$

$$\begin{split} C_{1,62} &= -\frac{4m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(- m_W^2 + s_1 + s_2 \right) \right)} \{ 4\epsilon \left(8\epsilon^3 + 4\epsilon^2 + 2\epsilon + 1 \right) m_t^4 \\ &- 2 \left(5 + 12\epsilon + 24\epsilon^2 + 48\epsilon^3 + 96\epsilon^4 \right) m_W^2 m_t^2 + 2 \left(9 + 19\epsilon + 38\epsilon^2 + 76\epsilon^3 + 152\epsilon^4 \right) s_1 m_t^2 \\ &+ \left(5 - 2\epsilon - 4\epsilon^2 - 8\epsilon^3 - 16\epsilon^4 \right) s_2 m_t^2 - 6 \left(3 + 7\epsilon + 14\epsilon^2 + 28\epsilon^3 + 56\epsilon^4 \right) s_1^2 \\ &+ \left(-5 - 2\epsilon - 4\epsilon^2 - 8\epsilon^3 - 16\epsilon^4 \right) s_2^2 + \left(6 + 30\epsilon + 64\epsilon^2 + 128\epsilon^3 + 256\epsilon^4 \right) m_W^2 s_1 \\ &+ 2 \left(5 + 12\epsilon + 24\epsilon^2 + 48\epsilon^3 + 96\epsilon^4 \right) m_W^2 s_2 + \left(-19 - 42\epsilon - 88\epsilon^2 - 176\epsilon^3 - 352\epsilon^4 \right) s_1 s_2 \}, \end{split}$$

$$\begin{split} C_{1,63} &= -\frac{4m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(- m_W^2 + s_1 + s_2 \right) \right)} \{ \left(-11 - 28\epsilon - 56\epsilon^2 - 112\epsilon^3 - 224\epsilon^4 \right) m_W^4 \\ &+ 4\epsilon \left(8\epsilon^3 + 4\epsilon^2 + 2\epsilon + 1 \right) m_t^2 m_W^2 + 4 \left(6 + 17\epsilon + 35\epsilon^2 + 70\epsilon^3 + 140\epsilon^4 \right) s_1 m_W^2 \\ &+ 17 \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4 \right) s_2 m_W^2 - 6 \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) s_2^2 \\ &- 4\epsilon \left(8\epsilon^3 + 4\epsilon^2 + 2\epsilon + 1 \right) m_t^2 s_2 - 2 \left(7 + 20\epsilon + 42\epsilon^2 + 84\epsilon^3 + 168\epsilon^4 \right) s_1 s_2 \}, \end{split}$$

$$\begin{split} C_{1,64} = & \frac{8m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(-m_W^2 + s_1 + s_2 \right) \right)} \left\{ \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) m_t^4 \right. \\ & + \left(-3 - 8\epsilon - 16\epsilon^2 - 32\epsilon^3 - 64\epsilon^4 \right) s_1 m_t^2 - 2 \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) s_2 m_t^2 \\ & + 2 \left(2\epsilon + 5\epsilon^2 + 10\epsilon^3 + 20\epsilon^4 \right) s_1^2 + \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) s_2^2 \\ & + \left(3 + 8\epsilon + 16\epsilon^2 + 32\epsilon^3 + 64\epsilon^4 \right) s_1 s_2 \right\}, \end{split}$$

$$\begin{split} C_{1,65} = & \frac{4m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(- m_W^2 + s_1 + s_2 \right) \right)} \left\{ \left(2 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) m_W^2 m_t^2 \right. \\ & - 6 \left(1 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4 \right) s_1 m_t^2 - 2 \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) s_2 m_t^2 \\ & + 4 \left(5 + 17\epsilon + 35\epsilon^2 + 70\epsilon^3 + 140\epsilon^4 \right) s_1^2 + \left(2 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) s_2^2 \\ & + \left(-11 - 24\epsilon - 44\epsilon^2 - 88\epsilon^3 - 176\epsilon^4 \right) m_W^2 s_1 - 2 \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) m_W^2 s_2 \\ & + 2 \left(7 + 21\epsilon + 40\epsilon^2 + 80\epsilon^3 + 160\epsilon^4 \right) s_1 s_2 \right\}, \end{split}$$

$$C_{1,66} = -\frac{8m_t \left(-3 \left(\epsilon + 2 \epsilon^2 + 4 \epsilon^3 + 8 \epsilon^4\right) m_t^2 + 2 s_1 \left(\epsilon + 3 \epsilon^2 + 6 \epsilon^3 + 12 \epsilon^4\right) + 3 s_2 \left(\epsilon + 2 \epsilon^2 + 4 \epsilon^3 + 8 \epsilon^4\right)\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,67} = \frac{4m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(-m_W^2 + s_1 + s_2 \right) \right)} \left\{ \left(2 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) m_t^4 \right\}$$

$$\begin{split} &-4\left(3+8\epsilon+16\epsilon^2+32\epsilon^3+64\epsilon^4\right)m_W^2m_t^2+2\left(7+17\epsilon+34\epsilon^2+68\epsilon^3+136\epsilon^4\right)s_1m_t^2\\ &+\left(3+2\epsilon+4\epsilon^2+8\epsilon^3+16\epsilon^4\right)s_2m_t^2-8\left(2+5\epsilon+10\epsilon^2+20\epsilon^3+40\epsilon^4\right)s_1^2\\ &+\left(-5-8\epsilon-16\epsilon^2-32\epsilon^3-64\epsilon^4\right)s_2^2+\left(4+22\epsilon+48\epsilon^2+96\epsilon^3+192\epsilon^4\right)m_W^2s_1\\ &+4\left(3+8\epsilon+16\epsilon^2+32\epsilon^3+64\epsilon^4\right)m_W^2s_2+\left(-17-46\epsilon-96\epsilon^2-192\epsilon^3-384\epsilon^4\right)s_1s_2\}, \end{split}$$

$$\begin{split} C_{1,68} = & \frac{4m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(- m_W^2 + s_1 + s_2 \right) \right)} \left\{ -4 \left(3 + 8\epsilon + 16\epsilon^2 + 32\epsilon^3 + 64\epsilon^4 \right) m_W^4 \right. \\ & + 4 \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4 \right) m_t^2 m_W^2 + 4 \left(7 + 18\epsilon + 37\epsilon^2 + 74\epsilon^3 + 148\epsilon^4 \right) s_1 m_W^2 \\ & + \left(15 + 38\epsilon + 76\epsilon^2 + 152\epsilon^3 + 304\epsilon^4 \right) s_2 m_W^2 - 3 \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4 \right) s_2^2 \\ & - 4 \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4 \right) m_t^2 s_2 - 2 \left(5 + 18\epsilon + 38\epsilon^2 + 76\epsilon^3 + 152\epsilon^4 \right) s_1 s_2 \right\}, \end{split}$$

$$\begin{split} C_{1,70} = & \frac{4m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(- m_W^2 + s_1 + s_2 \right) \right)} \{ \left(2 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) m_W^2 m_t^2 \\ & + \left(2 + 22\epsilon + 44\epsilon^2 + 88\epsilon^3 + 176\epsilon^4 \right) s_1 m_t^2 - 2 \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) s_2 m_t^2 \\ & + 8 \left(2 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) s_1^2 + \left(2 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) s_2^2 \\ & + \left(-3 - 16\epsilon - 36\epsilon^2 - 72\epsilon^3 - 144\epsilon^4 \right) m_W^2 s_1 - 2 \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) m_W^2 s_2 \\ & - 2 \left(-1 + 6\epsilon + 10\epsilon^2 + 20\epsilon^3 + 40\epsilon^4 \right) s_1 s_2 \}, \end{split}$$

$$C_{1,71} = \frac{8m_t \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4\right) \left(m_W^2 - s_2\right) \left(m_W^2 - 3s_1 - s_2\right)}{s_1 \left(m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)\right)},$$

$$C_{1,72} = -\frac{8m_t}{(m_W^2 - s_2) m_t^2 + s_2 (-m_W^2 + s_1 + s_2)} \{ (1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4) m_W^2 - 8 (\epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4) s_1 + (-1 - 3\epsilon - 6\epsilon^2 - 12\epsilon^3 - 24\epsilon^4) s_2 \},$$

$$\begin{split} C_{1,73} &= -\frac{4m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(-m_W^2 + s_1 + s_2 \right) \right)} \{ 3m_t^4 + \left(-7 + 2\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4 \right) s_1 m_t^2 \\ &- 6s_2 m_t^2 - 4\epsilon \left(8\epsilon^3 + 4\epsilon^2 + 2\epsilon + 1 \right) s_1^2 + 3s_2^2 + \left(7 - 2\epsilon - 8\epsilon^2 - 16\epsilon^3 - 32\epsilon^4 \right) s_1 s_2 \}, \end{split}$$

$$\begin{split} C_{1,74} &= -\frac{4m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(- m_W^2 + s_1 + s_2 \right) \right)} \{ 6m_W^2 m_t^2 - 4 \left(2 + 2\epsilon + 3\epsilon^2 + 6\epsilon^3 + 12\epsilon^4 \right) s_1 m_t^2 \\ &- 6s_2 m_t^2 + \left(40 + 98\epsilon + 196\epsilon^2 + 392\epsilon^3 + 784\epsilon^4 \right) s_1^2 + 6s_2^2 + \left(-13 - 58\epsilon - 120\epsilon^2 - 240\epsilon^3 - 480\epsilon^4 \right) m_W^2 s_1 \\ &- 6m_W^2 s_2 + \left(23 + 30\epsilon + 60\epsilon^2 + 120\epsilon^3 + 240\epsilon^4 \right) s_1 s_2 \}, \end{split}$$

$$C_{1,75} = -\frac{4m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(- m_W^2 + s_1 + s_2 \right) \right)} \left\{ 3m_W^4 - 2 \left(1 + 6\epsilon + 14\epsilon^2 + 28\epsilon^3 + 56\epsilon^4 \right) s_1 m_W^2 - 6s_2 m_W^2 + 3s_2^2 + 2 \left(1 + 6\epsilon + 14\epsilon^2 + 28\epsilon^3 + 56\epsilon^4 \right) s_1 s_2 \right\},$$

$$C_{1,76} = \frac{8m_t}{(m_W^2 - s_2) m_t^2 + s_2 (-m_W^2 + s_1 + s_2)} \{ (-1 + 2\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4) m_t^2 + (1 - 4\epsilon - 10\epsilon^2 - 20\epsilon^3 - 40\epsilon^4) s_1 + (1 - 2\epsilon - 6\epsilon^2 - 12\epsilon^3 - 24\epsilon^4) s_2 \},$$

$$\begin{split} C_{1,77} = & \frac{8m_t}{\left(s_2 - m_W^2\right) m_t^2 + \left(m_W^2 - s_1 - s_2\right) s_2} \{ 2 \left(-1 + \epsilon + 3\epsilon^2 + 6\epsilon^3 + 12\epsilon^4\right) m_W^2 \\ & + \left(-1 + 6\epsilon + 14\epsilon^2 + 28\epsilon^3 + 56\epsilon^4\right) s_1 - 2 \left(-1 + \epsilon + 3\epsilon^2 + 6\epsilon^3 + 12\epsilon^4\right) s_2 \}, \end{split}$$

$$C_{1,78} = \frac{4s_1m_t \left(-1 + 4\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,79} = -\frac{16m_t \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4\right) \left(-m_t^2 + s_1 + s_2\right)^2}{s_1 \left(m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)\right)},$$

$$C_{1,80} = - \ \frac{32 m_t \left(1 + \epsilon + 2 \epsilon^2 + 4 \epsilon^3 + 8 \epsilon^4\right) \left(m_t^2 \left(m_W^2 - s_2\right) + \left(s_1 - s_2\right) m_W^2 + s_2 \left(s_1 + s_2\right)\right)}{s_1 \left(m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)\right)},$$

$$C_{1,82} = 4C_{1,88} = 2C_{1,143} = -4C_{1,163} = -\frac{32m_t \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4\right) \left(m_t^2 - s_1 - s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,83} = 4C_{1,89} = 2C_{1,144} = -4C_{1,164} = \frac{32m_t \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4\right) \left(m_W^2 - s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,84} = 2C_{1,90} = C_{1,145} = -2C_{1,165} = -\frac{16s_1m_t\left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4\right)}{m_t^2\left(m_W^2 - s_2\right) + s_2\left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,85} = -\frac{2m_t(\epsilon+2)\left(m_t^2\left(2m_W^2 - s_2\right) + s_2\left(-2m_W^2 + s_1 + s_2\right)\right)}{m_t^2\left(m_W^2 - s_2\right) + s_2\left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,86} = \frac{2s_2 m_t (\epsilon + 2) \left(m_W^2 - s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$\begin{split} C_{1,87} = & \frac{2m_t}{\left(m_W^2 - s_2\right)m_t^2 + s_2\left(-m_W^2 + s_1 + s_2\right)} \{ \left(11 + 8\epsilon + 16\epsilon^2 + 32\epsilon^3 + 64\epsilon^4\right)m_W^2 m_t^2 \\ & + \left(-11 - 8\epsilon - 16\epsilon^2 - 32\epsilon^3 - 64\epsilon^4\right)s_2 m_t^2 + \left(11 + 8\epsilon + 16\epsilon^2 + 32\epsilon^3 + 64\epsilon^4\right)s_2^2 \\ & + \left(-11 - 8\epsilon - 16\epsilon^2 - 32\epsilon^3 - 64\epsilon^4\right)m_W^2 s_2 + \left(9 + 7\epsilon + 16\epsilon^2 + 32\epsilon^3 + 64\epsilon^4\right)s_1 s_2 \}, \end{split}$$

$$C_{1,91} = -C_{1,95} = C_{1,108} = \frac{C_{1,146}}{2} = \frac{-C_{1,152}}{2} = -C_{1,166} = C_{1,171}$$
$$= \frac{16m_t \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4\right) \left(-m_t^2 + s_1 + s_2\right)}{s_1 \left(m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)\right)},$$

$$C_{1,92} = -C_{1,96} = -C_{1,122} = \frac{C_{1,147}}{2} = \frac{-C_{1,153}}{2} = -C_{1,167} = C_{1,172}$$
$$= -\frac{16m_t \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4\right) \left(m_W^2 - s_2\right)}{s_1 \left(m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)\right)},$$

$$\begin{split} C_{1,93} = & C_{1,97} = \frac{-C_{1,99}}{2} = \frac{C_{1,118}}{2} = \frac{C_{1,148}}{2} = \frac{C_{1,154}}{2} = \frac{-C_{1,158}}{4} = -C_{1,168} = -C_{1,173} = \frac{C_{1,179}}{2} \\ = & \frac{16m_t \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)}, \end{split}$$

$$C_{1,94} = \frac{2m_t \left(3 + 6\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4\right) \left(m_t^2 - s_1 - s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,98} = - \; \frac{2 m_t \left(3 + 6 \epsilon + 8 \epsilon^2 + 16 \epsilon^3 + 32 \epsilon^4\right) \left(m_W^2 - s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,100} = \frac{2s_1 m_t \left(3 + 6\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,101} = 2m_t \left(7 + 10\epsilon + 20\epsilon^2 + 40\epsilon^3 + 80\epsilon^4\right),$$

$$C_{1,102} = -4m_t \left(1 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4\right),$$

$$C_{1,103} = - \; \frac{8 m_t \left(1 + 3 \epsilon + 6 \epsilon^2 + 12 \epsilon^3 + 24 \epsilon^4\right) \left(m_t^2 - s_2\right) \left(-m_t^2 + s_1 + s_2\right)}{s_1 \left(m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)\right)},$$

$$\begin{split} C_{1,104} = & \frac{8m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(- m_W^2 + s_1 + s_2 \right) \right)} \left\{ \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) m_W^2 m_t^2 \right. \\ & + \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) s_1 m_t^2 + \left(-1 - 3\epsilon - 6\epsilon^2 - 12\epsilon^3 - 24\epsilon^4 \right) s_2 m_t^2 \\ & + \left(-1 - 3\epsilon - 6\epsilon^2 - 12\epsilon^3 - 24\epsilon^4 \right) s_1^2 + \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) s_2^2 \\ & + 2 \left(\epsilon + 3\epsilon^2 + 6\epsilon^3 + 12\epsilon^4 \right) m_W^2 s_1 + \left(-1 - 3\epsilon - 6\epsilon^2 - 12\epsilon^3 - 24\epsilon^4 \right) m_W^2 s_2 + \epsilon s_1 s_2 \right\}, \end{split}$$

$$C_{1,105} = \frac{8m_t}{(m_W^2 - s_2) m_t^2 + s_2 (-m_W^2 + s_1 + s_2)} \{ (1 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4) m_t^2 + (-1 - 3\epsilon - 8\epsilon^2 - 16\epsilon^3 - 32\epsilon^4) s_1 + (-1 - 4\epsilon - 8\epsilon^2 - 16\epsilon^3 - 32\epsilon^4) s_2 \},$$

$$C_{1,106} = C_{1,107} = -C_{1,113} = -2C_{1,187} = 2C_{1,189} = \frac{16m_t \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4\right) \left(-m_t^2 + s_1 + s_2\right)}{s_1 \left(m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)\right)},$$

$$\begin{split} C_{1,110} = & \frac{8m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(- m_W^2 + s_1 + s_2 \right) \right)} \{ \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) m_W^2 m_t^2 \\ & + \left(-1 - 3\epsilon - 6\epsilon^2 - 12\epsilon^3 - 24\epsilon^4 \right) s_2 m_t^2 + \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) s_2^2 + (\epsilon + 1) m_W^2 s_1 \\ & + \left(-1 - 3\epsilon - 6\epsilon^2 - 12\epsilon^3 - 24\epsilon^4 \right) m_W^2 s_2 + \left(2 + 5\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) s_1 s_2 \}, \end{split}$$

$$C_{1,111} = - \; \frac{8m_t \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4\right) \left(m_W^2 - s_2\right) \left(-m_W^2 + s_1 + s_2\right)}{s_1 \left(m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)\right)},$$

$$C_{1,112} = -\frac{16m_t \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right) \left(m_W^2 - s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,114} = \frac{16m_t \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4\right) \left(m_t^2 - m_W^2 - s_1\right)}{s_1 \left(m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)\right)},$$

$$C_{1,115} = -C_{1,120} = -C_{1,121} = -2C_{1,190} = 2C_{1,192} = -\frac{16m_t \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4\right) \left(m_W^2 - s_2\right)}{s_1 \left(m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)\right)},$$

$$C_{1,116} = \frac{16m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(-m_W^2 + s_1 + s_2 \right) \right)} \left\{ \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) m_t^2 + \left(1 + 5\epsilon + 10\epsilon^2 + 20\epsilon^3 + 40\epsilon^4 \right) s_1 + \left(-1 - \epsilon - 2\epsilon^2 - 4\epsilon^3 - 8\epsilon^4 \right) s_2 \right\},$$

$$\begin{split} C_{1,117} &= -\frac{16m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(- m_W^2 + s_1 + s_2 \right) \right)} \big\{ \left(1 + \epsilon + 2\epsilon^2 + 4\epsilon^3 + 8\epsilon^4 \right) m_W^2 \\ &- 2 \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) s_1 + \left(-1 - \epsilon - 2\epsilon^2 - 4\epsilon^3 - 8\epsilon^4 \right) s_2 \big\}, \end{split}$$

$$C_{1,123} = -\frac{4m_t \left(1 + 2\epsilon + 4\epsilon^2 + 8\epsilon^3 + 16\epsilon^4\right) \left(m_W^2 - s_2\right)^2}{s_1 \left(m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)\right)},$$

$$\begin{split} C_{1,124} = & -\frac{8m_t}{\left(s_2 - m_W^2\right)m_t^2 + \left(m_W^2 - s_1 - s_2\right)s_2} \big\{ \left(3 + 8\epsilon + 18\epsilon^2 + 36\epsilon^3 + 72\epsilon^4\right)m_t^2 \\ & - 2\left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4\right)s_1 + \left(-3 - 8\epsilon - 18\epsilon^2 - 36\epsilon^3 - 72\epsilon^4\right)s_2 \big\}, \end{split}$$

$$\begin{split} C_{1,125} = & \frac{8m_t}{\left(s_2 - m_W^2\right) m_t^2 + \left(m_W^2 - s_1 - s_2\right) s_2} \{ \left(2 + 8\epsilon + 18\epsilon^2 + 36\epsilon^3 + 72\epsilon^4\right) m_W^2 \\ & + \left(-1 - 3\epsilon - 6\epsilon^2 - 12\epsilon^3 - 24\epsilon^4\right) s_1 - 2\left(1 + 4\epsilon + 9\epsilon^2 + 18\epsilon^3 + 36\epsilon^4\right) s_2 \}, \end{split}$$

$$C_{1,126} = \frac{8s_1m_t\left(3 + 9\epsilon + 20\epsilon^2 + 40\epsilon^3 + 80\epsilon^4\right)}{m_t^2\left(m_W^2 - s_2\right) + s_2\left(-m_W^2 + s_1 + s_2\right)},$$

$$\begin{split} C_{1,127} = & \frac{8m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(- m_W^2 + s_1 + s_2 \right) \right)} \big\{ 3 \left(1 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4 \right) m_t^2 \\ & + \left(-5 - 18\epsilon - 36\epsilon^2 - 72\epsilon^3 - 144\epsilon^4 \right) s_1 - 3 \left(1 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4 \right) s_2 \big\}, \end{split}$$

$$\begin{split} C_{1,128} = & \frac{8m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(- m_W^2 + s_1 + s_2 \right) \right)} \big\{ 3 \left(1 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4 \right) m_W^2 \\ & - 2 \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4 \right) s_1 - 3 \left(1 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4 \right) s_2 \big\}, \end{split}$$

$$C_{1,129} = C_{1,133} = -\frac{8m_t \left(5 + 14\epsilon + 28\epsilon^2 + 56\epsilon^3 + 112\epsilon^4\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,130} = - \; \frac{16 m_t \left(1 + 4 \epsilon + 8 \epsilon^2 + 16 \epsilon^3 + 32 \epsilon^4\right) \left(m_t^2 - s_1 - s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$\begin{split} C_{1,131} &= -\frac{8m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(-m_W^2 + s_1 + s_2 \right) \right)} \{ 3 \left(1 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4 \right) m_t^2 \\ &+ \left(-1 - 6\epsilon - 12\epsilon^2 - 24\epsilon^3 - 48\epsilon^4 \right) s_1 - 3 \left(1 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4 \right) s_2 \}, \end{split}$$

$$\begin{split} C_{1,132} = & -\frac{8m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(- m_W^2 + s_1 + s_2 \right) \right)} \big\{ 3 \left(1 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4 \right) m_W^2 \\ & + \left(2 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) s_1 - 3 \left(1 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4 \right) s_2 \big\}, \end{split}$$

$$C_{1,134} = \frac{16m_t \left(1 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4\right) \left(m_W^2 - s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,135} = \frac{48m_t \left(1 + 4\epsilon + 8\epsilon^2 + 16\epsilon^3 + 32\epsilon^4\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,136} = -\frac{4s_1m_t\left(3 + 14\epsilon + 28\epsilon^2 + 56\epsilon^3 + 112\epsilon^4\right)}{m_t^2\left(m_W^2 - s_2\right) + s_2\left(-m_W^2 + s_1 + s_2\right)},$$

$$\begin{split} C_{1,137} &= -\frac{2m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(- m_W^2 + s_1 + s_2 \right) \right)} \{ \left(5 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) m_t^4 \\ &- 2(\epsilon + 4) s_1 m_t^2 - 2 \left(5 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) s_2 m_t^2 + \left(3 - 4\epsilon - 12\epsilon^2 - 24\epsilon^3 - 48\epsilon^4 \right) s_1^2 \\ &+ \left(5 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) s_2^2 + 2(\epsilon + 4) s_1 s_2 \}, \end{split}$$

$$\begin{split} C_{1,138} &= -\frac{4m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(- m_W^2 + s_1 + s_2 \right) \right)} \{ \left(5 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) m_W^2 m_t^2 \\ &\quad + \left(1 + 5\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) s_1 m_t^2 + \left(-5 - 6\epsilon - 12\epsilon^2 - 24\epsilon^3 - 48\epsilon^4 \right) s_2 m_t^2 \\ &\quad + \left(-1 - 5\epsilon - 12\epsilon^2 - 24\epsilon^3 - 48\epsilon^4 \right) s_1^2 + \left(5 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) s_2^2 + (\epsilon + 4) m_W^2 s_1 \\ &\quad + \left(-5 - 6\epsilon - 12\epsilon^2 - 24\epsilon^3 - 48\epsilon^4 \right) m_W^2 s_2 + \left(5 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) s_1 s_2 \}, \end{split}$$

$$\begin{split} C_{1,139} &= -\frac{2m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(- m_W^2 + s_1 + s_2 \right) \right)} \big\{ \left(5 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) m_W^4 \\ &- 2 \left(1 + 5\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) s_1 m_W^2 - 2 \left(5 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) s_2 m_W^2 \\ &+ \left(5 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4 \right) s_2^2 + \left(2 + 10\epsilon + 24\epsilon^2 + 48\epsilon^3 + 96\epsilon^4 \right) s_1 s_2 \big\}, \end{split}$$

$$C_{1,140} = \frac{4m_t}{\left(s_2 - m_W^2\right) m_t^2 + \left(m_W^2 - s_1 - s_2\right) s_2} \left\{ \left(6 + 9\epsilon + 16\epsilon^2 + 32\epsilon^3 + 64\epsilon^4\right) m_t^2 + \left(-5 - 4\epsilon - 4\epsilon^2 - 8\epsilon^3 - 16\epsilon^4\right) s_1 + \left(-6 - 9\epsilon - 16\epsilon^2 - 32\epsilon^3 - 64\epsilon^4\right) s_2 \right\},$$

$$C_{1,141} = \frac{4m_t}{\left(m_W^2 - s_2\right)m_t^2 + s_2\left(-m_W^2 + s_1 + s_2\right)} \left\{ \left(6 + 9\epsilon + 16\epsilon^2 + 32\epsilon^3 + 64\epsilon^4\right)m_W^2 + \left(-1 - 5\epsilon - 12\epsilon^2 - 24\epsilon^3 - 48\epsilon^4\right)s_1 + \left(-6 - 9\epsilon - 16\epsilon^2 - 32\epsilon^3 - 64\epsilon^4\right)s_2 \right\},$$

$$C_{1,142} = -\; \frac{2s_1m_t\left(7 + 12\epsilon + 20\epsilon^2 + 40\epsilon^3 + 80\epsilon^4\right)}{m_t^2\left(m_W^2 - s_2\right) + s_2\left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,149} = \frac{2m_t \left(5 + 12\epsilon + 24\epsilon^2 + 48\epsilon^3 + 96\epsilon^4\right) \left(-m_t^2 + s_1 + s_2\right)^2}{s_1 \left(m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)\right)},$$

$$\begin{split} C_{1,150} = & \frac{2m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(-m_W^2 + s_1 + s_2 \right) \right)} \big\{ \left(5 + 12\epsilon + 24\epsilon^2 + 48\epsilon^3 + 96\epsilon^4 \right) m_W^2 m_t^2 \\ & + \left(-5 - 12\epsilon - 24\epsilon^2 - 48\epsilon^3 - 96\epsilon^4 \right) s_2 m_t^2 + \left(5 + 12\epsilon + 24\epsilon^2 + 48\epsilon^3 + 96\epsilon^4 \right) s_2^2 \\ & + \left(-1 + 10\epsilon + 24\epsilon^2 + 48\epsilon^3 + 96\epsilon^4 \right) m_W^2 s_1 + \left(-5 - 12\epsilon - 24\epsilon^2 - 48\epsilon^3 - 96\epsilon^4 \right) m_W^2 s_2 \\ & + \left(9 + 14\epsilon + 24\epsilon^2 + 48\epsilon^3 + 96\epsilon^4 \right) s_1 s_2 \big\}, \end{split}$$

$$C_{1,151} = \frac{4m_t}{(m_W^2 - s_2) m_t^2 + s_2 (-m_W^2 + s_1 + s_2)} \{ (7 + 10\epsilon + 20\epsilon^2 + 40\epsilon^3 + 80\epsilon^4) m_t^2 + (-5 - 9\epsilon - 20\epsilon^2 - 40\epsilon^3 - 80\epsilon^4) s_1 + (-7 - 10\epsilon - 20\epsilon^2 - 40\epsilon^3 - 80\epsilon^4) s_2 \},$$

$$\begin{split} C_{1,155} = & \frac{2m_t}{s_1 \left(\left(m_W^2 - s_2 \right) m_t^2 + s_2 \left(- m_W^2 + s_1 + s_2 \right) \right)} \big\{ \left(5 + 12\epsilon + 24\epsilon^2 + 48\epsilon^3 + 96\epsilon^4 \right) m_W^2 m_t^2 \\ & + \left(-5 - 12\epsilon - 24\epsilon^2 - 48\epsilon^3 - 96\epsilon^4 \right) s_2 m_t^2 + \left(5 + 12\epsilon + 24\epsilon^2 + 48\epsilon^3 + 96\epsilon^4 \right) s_2^2 \\ & + \left(11 + 14\epsilon + 24\epsilon^2 + 48\epsilon^3 + 96\epsilon^4 \right) m_W^2 s_1 + \left(-5 - 12\epsilon - 24\epsilon^2 - 48\epsilon^3 - 96\epsilon^4 \right) m_W^2 s_2 \\ & + \left(1 + 10\epsilon + 24\epsilon^2 + 48\epsilon^3 + 96\epsilon^4 \right) s_1 s_2 \big\}, \end{split}$$

$$C_{1,156} = \frac{2m_t \left(5 + 12\epsilon + 24\epsilon^2 + 48\epsilon^3 + 96\epsilon^4\right) \left(m_W^2 - s_2\right)^2}{s_1 \left(m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)\right)},$$

$$C_{1,157} = - \; \frac{8 m_t \left(4 + 5 \epsilon + 10 \epsilon^2 + 20 \epsilon^3 + 40 \epsilon^4\right) \left(m_W^2 - s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$\begin{split} C_{1,159} = & \frac{2m_t}{\left(m_W^2 - s_2\right)m_t^2 + s_2\left(-m_W^2 + s_1 + s_2\right)} \big\{ \left(3 + 10\epsilon + 24\epsilon^2 + 48\epsilon^3 + 96\epsilon^4\right)m_t^2 \\ & + \left(-7 - 12\epsilon - 24\epsilon^2 - 48\epsilon^3 - 96\epsilon^4\right)s_1 + \left(-3 - 10\epsilon - 24\epsilon^2 - 48\epsilon^3 - 96\epsilon^4\right)s_2 \big\}, \end{split}$$

$$C_{1,160} = -\frac{2m_t \left(1 + 10\epsilon + 24\epsilon^2 + 48\epsilon^3 + 96\epsilon^4\right) \left(m_W^2 - s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,161} = \frac{4s_1m_t\left(6 + 9\epsilon + 20\epsilon^2 + 40\epsilon^3 + 80\epsilon^4\right)}{m_t^2\left(m_W^2 - s_2\right) + s_2\left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,162} = -8m_t \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4\right),$$

$$C_{1,169} = \! \frac{4m_t \left(8\epsilon^4 + 4\epsilon^3 + 2\epsilon^2 - 1\right) \left(m_t^2 - s_1 - s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,170} = -C_{1,175} = \frac{4m_t \left(1 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4\right) \left(-m_t^2 + s_1 + s_2\right)}{s_1 \left(m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)\right)},$$

$$C_{1,174} = -\frac{4m_t \left(8\epsilon^4 + 4\epsilon^3 + 2\epsilon^2 - 1\right) \left(m_W^2 - s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,176} = -C_{1,178} = -\frac{4m_t \left(1 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4\right) \left(m_W^2 - s_2\right)}{s_1 \left(m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)\right)},$$

$$C_{1,177} = -2C_{1,181} = -2C_{1,182} = \frac{8m_t \left(1 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,180} = \frac{4s_1 m_t \left(8\epsilon^4 + 4\epsilon^3 + 2\epsilon^2 - 1\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,183} = -\frac{2m_t \left(1 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4\right) \left(m_t^2 - s_1 - s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,184} = \frac{2m_t \left(1 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4\right) \left(m_W^2 - s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,185} = -\frac{2s_1m_t\left(1 + 6\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4\right)}{m_t^2\left(m_W^2 - s_2\right) + s_2\left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,186} = -\frac{4m_t \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4\right) \left(m_t^2 - s_1 - s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,188} = \frac{4m_t \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4\right) \left(m_W^2 - s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,191} = -2C_{1,194} = -2C_{1,195} = -\frac{16m_t \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,193} = -\frac{4s_1 m_t \left(1 + 3\epsilon + 6\epsilon^2 + 12\epsilon^3 + 24\epsilon^4\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,196} = \frac{2m_t \left(1 + 5\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4\right) \left(m_t^2 - s_1 - s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,197} = - \; \frac{2m_t \left(1 + 5\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4\right) \left(m_W^2 - s_2\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)},$$

$$C_{1,198} = \frac{2s_1 m_t \left(1 + 5\epsilon + 12\epsilon^2 + 24\epsilon^3 + 48\epsilon^4\right)}{m_t^2 \left(m_W^2 - s_2\right) + s_2 \left(-m_W^2 + s_1 + s_2\right)}.$$
(3)