

Full System Testing

The following tests were performed to verify system functionality.

Test 1 – Create Record

A new dreamsymbols was created using the client interface.


Client Screenshot:



Database Verification:

SELECT * FROM dreamsymbols;

Database Screenshot:



The screenshot shows a database management interface. At the top, there is a toolbar with various icons for file operations, execution, and settings. Below the toolbar, the SQL query is displayed in a text area. The query consists of two lines: 'USE aurelia;' and 'SELECT * FROM dreamsymbols;'. Below the query, there is a 'Result Grid' section. It includes a 'Filter Rows' input field and several icons for editing and exporting data. The main part of the screenshot is a table displaying the results of the SQL query. The table has two columns: 'dream_id' and 'symbol_id'. The data is organized into rows, with alternating light blue and white background colors. The last row of the table shows 'NULL' for both 'dream_id' and 'symbol_id'.

dream_id	symbol_id
18	5
19	5
23	5
26	5
29	5
3	6
11	6
19	6
24	6
26	6
6	7
7	7
13	7
18	7
21	7
25	7
27	7
15	8
28	8
10	9
20	9
1	10
4	10
5	10
7	10
12	10
16	10
20	10
25	10
30	10
1	11
NULL	NULL

Test 2 – Update Record

An existing dreamsymbols record was updated. UPDATE is also ADD because dreamsymbols is just the table to express the relation between dreams and symbols. The only change one can make to dreamsymbols is to either add or delete from the table.

Client Screenshot:

The screenshot shows the Aurelia Dream Journal Web Client interface. At the top, there's a header with the title "Aurelia Dream Journal Web Client" and a subtitle "Log your dreams, explore their meanings, and find poetic inspiration with our intuitive web client." Below the header are five navigation buttons: "Users", "Dreams", "Symbols", "Poems", and "Dream Symbols". The "Dream Symbols" button is highlighted. The main content area is titled "Dream Symbols" and contains several input fields and buttons. There are three input fields: "Get All Links", "Filter Dream ID", and "Get Symbols for Dream". Below these are two more input fields, one with the value "1" and another with the value "8". There are three buttons: "Get Link", "Create Link", "Update Link", and "Delete Link". The "Results" section at the bottom shows the output of the query: "dream id: 1" and "symbol id: 8".

❖ Aurelia Dream Journal Web Client ❖

Log your dreams, explore their meanings, and find poetic inspiration with our intuitive web client.

Users Dreams Symbols Poems Dream Symbols

Dream Symbols

Get All Links

Filter Dream ID

Get Symbols for Dream

1

Get Link

1

8

Create Link Update Link Delete Link



Results

dream id: 1
symbol id: 8

Database Verification:

```
SELECT * FROM dreamsymbols WHERE dream_id = 1 AND symbol_id = 8 ;
```

Database Screenshot:



Test 3 – Retrieve All Records

The client requested all dreamsymbols records.

Client Screenshot:

✧ Aurelia Dream Journal Web Client ✧

Log your dreams, explore their meanings, and find poetic inspiration with our intuitive web client.

[Users](#)[Dreams](#)[Symbols](#)[Poems](#)[Dream Symbols](#)

Dream Symbols

[Get All Links](#)[Get Symbols for Dream](#)[Get Link](#)[Create Link](#)[Update Link](#)[Delete Link](#)

Results

dream id: 8
symbol id: 1

dream id: 10
symbol id: 1

dream id: 16
symbol id: 1

dream id: 21
symbol id: 1

dream id: 22
symbol id: 1

dream id: 27
symbol id: 1

dream id: 29
symbol id: 1

dream id: 2
symbol id: 2

dream id: 12
symbol id: 2

dream id: 15
symbol id: 2

dream id: 22
symbol id: 2

dream id: 6
symbol id: 3

dream id: 8
symbol id: 3

dream id: 12
symbol id: 3

dream id: 17
symbol id: 3

dream id: 23
symbol id: 3

dream id: 28
symbol id: 3

dream id: 2
symbol id: 4

dream id: 5
symbol id: 4

dream id: 9
symbol id: 4

dream id: 17
symbol id: 4

dream id: 24
symbol id: 4

dream id: 30
symbol id: 4

dream id: 3
symbol id: 5

dream id: 4 symbol id: 5	dream id: 9 symbol id: 5	dream id: 13 symbol id: 5
dream id: 18 symbol id: 5	dream id: 19 symbol id: 5	dream id: 23 symbol id: 5
dream id: 26 symbol id: 5	dream id: 29 symbol id: 5	dream id: 3 symbol id: 6
dream id: 11 symbol id: 6	dream id: 19 symbol id: 6	dream id: 24 symbol id: 6
dream id: 26 symbol id: 6	dream id: 6 symbol id: 7	dream id: 7 symbol id: 7
dream id: 13 symbol id: 7	dream id: 18 symbol id: 7	dream id: 21 symbol id: 7
dream id: 25 symbol id: 7	dream id: 27 symbol id: 7	dream id: 1 symbol id: 8
dream id: 15 symbol id: 8	dream id: 28 symbol id: 8	dream id: 1 symbol id: 9
dream id: 10 symbol id: 9	dream id: 20 symbol id: 9	dream id: 1 symbol id: 10
dream id: 4 symbol id: 10	dream id: 5 symbol id: 10	dream id: 7 symbol id: 10
dream id: 12 symbol id: 10	dream id: 16 symbol id: 10	dream id: 20 symbol id: 10
dream id: 25 symbol id: 10	dream id: 30 symbol id: 10	dream id: 1 symbol id: 11

Database Verification:

SELECT * FROM dreamsymbols;

Database Screenshot:

The image shows two side-by-side screenshots of a database client interface. Both screenshots display the same SQL queries in the top pane:

```
1 • USE aurelia;  
2 • SELECT * FROM dreamsymbols;
```

The bottom pane of each screenshot shows a 'Result Grid' with two columns: 'dream_id' and 'symbol_id'. The left screenshot shows the first 30 rows of results, and the right screenshot shows the remaining rows, including a NULL record at the bottom.

dream_id	symbol_id
10	1
16	1
21	1
22	1
27	1
29	1
2	2
11	2
15	2
22	2
6	3
8	3
12	3
17	3
23	3
28	3
2	4
5	4
9	4
17	4
24	4
30	4
3	5
4	5
9	5
13	5
18	5
19	5
23	5
26	5
29	5
3	6
23	5
26	5
29	5
3	6
11	6
19	6
24	6
26	6
6	7
7	7
13	7
18	7
21	7
25	7
27	7
1	8
15	8
28	8
1	9
10	9
20	9
1	10
4	10
5	10
7	10
12	10
16	10
20	10
25	10
30	10
1	11
NULL	NULL

Test 4 – Retrieve Single Record

The client requested a specific dreamsymbols by dream id and symbol id.


Client Screenshot:



Database Verification:

```
SELECT * FROM dreamsymbols WHERE dream_id = 1 AND symbol_id = 11;
```

Database Screenshot:



Test 5 – Delete Record

A dreamsymbols record was deleted through the client interface.

Client Screenshot:



Database Verification:

```
SELECT * FROM dreamsymbols;
```

Database Screenshot:

```
1 • USE aurelia;
2 • SELECT * FROM dreamsymbols;
```

	dream_id	symbol_id
▶	8	1
	10	1
	16	1
	21	1
	22	1
	27	1
	29	1
	2	2
	11	2
	15	2
	22	2
	6	3
	8	3
	12	3
	17	3
	23	3
	28	3
	2	4
	5	4
	9	4
	17	4
	24	4
	30	4
	3	5
	4	5
	9	5
	13	5
	18	5
	19	5
	23	5
	26	5
	29	5

```
1 • USE aurelia;
2 • SELECT * FROM dreamsymbols;
```

	dream_id	symbol_id
	19	5
	23	5
	26	5
	29	5
	3	6
	11	6
	19	6
	24	6
	26	6
	6	7
	7	7
	13	7
	18	7
	21	7
	25	7
	27	7
	1	8
	15	8
	28	8
	1	9
	10	9
	20	9
	1	10
	4	10
	5	10
	7	10
	12	10
	16	10
	20	10
	25	10
	30	10
•	NULL	NULL



Limit to 1000 rows



```
1 • USE aurelia;  
2 • SELECT * FROM dreamsymbols WHERE dream_id = 1 AND symbol_id = 11;
```

<

Result Grid



Filter Rows:

Edit:







Export/Import:





	dream_id	symbol_id
*	NULL	NULL