$N(1680) 5/2^{+}$

$$I(J^P) = \frac{1}{2}(\frac{5}{2}^+)$$
 Status: ***

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

N(1680) POLE POSITION

RFAI PA	ART
---------	------------

VALUE (MeV)	DOCUMENT ID		TECN	COMMENT
1665 to 1680 (≈ 1675) OUR ESTI	MATE			
1678±5	SOKHOYAN	15A	DPWA	Multichannel
$1674 \pm 2 \pm 1$	¹ SVARC	14	L+P	$\pi N \rightarrow \pi N$
1674	ARNDT	06	DPWA	$\pi N \rightarrow \pi N$, ηN
1673	HOEHLER	93	ARGD	$\pi N \rightarrow \pi N$
1667 ± 5	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following	data for averages	s, fits,	limits, e	etc. • • •
1660	SHKLYAR	13	DPWA	Multichannel
1676 ± 6	ANISOVICH	12A	DPWA	Multichannel
1669	SHRESTHA	12A	DPWA	Multichannel
1666 ± 8	BATINIC	10	DPWA	$\pi N \rightarrow N \pi, N \eta$
1667	VRANA	00	DPWA	Multichannel
-2×IMAGINARY PART				
VALUE (MeV)	DOCUMENT ID		TECN	COMMENT
110 to 135 (≈ 120) OUR ESTIMA			12011	<u>comment</u>
113± 4	SOKHOYAN	15A	DPWA	Multichannel
129± 3±1	¹ SVARC	14	L+P	$\pi N \rightarrow \pi N$
115	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
135	HOEHLER	93	ARGD	$\pi N \rightarrow \pi N$
110 ± 10	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following	data for averages	s, fits,	limits, e	etc. • • •
98	SHKLYAR	13	DPWA	Multichannel
113± 4	ANISOVICH	12A	DPWA	Multichannel
119	SHRESTHA	12A	DPWA	Multichannel
135± 6	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
122	VRANA	00		Multichannel

N(1680) ELASTIC POLE RESIDUE

MODULUS |r|

VALUE (MeV)	DOCUMENT ID		TECN	COMMENT
40±5 OUR ESTIMATE				
45 ± 4	SOKHOYAN	15A	DPWA	Multichannel
$44 \pm 1 \pm 1$	¹ SVARC	14	L+P	$\pi N \rightarrow \pi N$
42	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
44	HOEHLER	93	ARGD	$\pi N \rightarrow \pi N$
34 ± 2	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • •						
33	SHKLYAR	13	DPWA	Multichannel		
43±4	ANISOVICH	12A	DPWA	Multichannel		
44	BATINIC	10	DPWA	$\pi N \rightarrow N \pi$, $N \eta$		
PHASE θ						
VALUE (°)	DOCUMENT ID		TECN	COMMENT		
-10 ± 10 OUR ESTIMATE						
5 ± 10	SOKHOYAN	15A	DPWA	Multichannel		
$-16\pm~1\pm1$	¹ SVARC	14	L+P	$\pi N \rightarrow \pi N$		
– 4	ARNDT	06	DPWA	π N $ ightarrow$ π N, η N		
-17	HOEHLER	93	ARGD	$\pi N \rightarrow \pi N$		
$-25\pm$ 5	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$		

N(1680) INELASTIC POLE RESIDUE

13

DPWA Multichannel

10 DPWA $\pi N \rightarrow N \pi$, $N \eta$

12A DPWA Multichannel

SHKLYAR

ANISOVICH BATINIC

The "normalized residue" is the residue divided by $\Gamma_{pole}/2.$

• • • We do not use the following data for averages, fits, limits, etc. • • •

Normalized residue in $N\pi \rightarrow N(1680) \rightarrow \Delta \pi$, *P*-wave

-32

-19

 -2 ± 10

MODULUS (%)	PHASE (°)	DOCUMENT ID		TECN	COMMENT
15±3	-60 ± 30	SOKHOYAN	15A	DPWA	Multichannel
• • • We do not	use the following data	for averages, fit	s, lim	its, etc.	• • •
15±3	-70 ± 45	ANISOVICH	12A	DPWA	Multichannel

Normalized residue in $N\pi \to N(1680) \to \Delta \pi$, F-wave

MODULUS (%)	PHASE (°)	DOCUMENT ID	TECN	COMMENT
23 ± 4	90 ± 12	SOKHOYAN 15A	DPWA	Multichannel
• • • We do not	t use the following data	for averages, fits, lim	its, etc.	• • •
23+4	85 ± 15	ANISOVICH 12A	DPWA	Multichannel

Normalized residue in $N\pi \to N(1680) \to N(\pi\pi)_{S-wave}^{I=0}$

MODULUS (%)	PHASE (°)	DOCUMENT ID		TECN	COMMENT
$29\!\pm\!6$	-45 ± 15	SOKHOYAN	15A	DPWA	Multichannel
 ● ● We do no 	t use the following data	for averages, fit	s, limi	ts, etc.	• • •
26 ± 4	-56 ± 15	ANISOVICH	12A	DPWA	Multichannel

N(1680) BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID		TECN	COMMENT
1680 to 1690 (≈ 1685) OUR EST	IMATE			
1690 ± 5	SOKHOYAN	15A	DPWA	Multichannel
1676 ± 2	SHKLYAR	13	DPWA	Multichannel
1680.1 ± 0.2	ARNDT	06	DPWA	$\pi N \rightarrow \pi N$, ηN
1680 ± 10	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
1684 ± 3	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$
HTTP://PDG.LBL.GOV	Page 2		Creat	ed: 5/30/2017 17:20

ullet ullet We do not use the following data for averages, fits, limits, etc. ullet ullet

$1689 \pm$	6	ANISOVICH	12A	DPWA Multichannel
$1682.7\pm$	0.5	SHRESTHA	12A	DPWA Multichannel
$1680 \pm$	7	BATINIC	10	DPWA $\pi N \rightarrow N \pi$, $N \eta$
$1679 \pm$	3	VRANA	00	DPWA Multichannel

N(1680) BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID		TECN	COMMENT
120 to 140 (≈ 130) OUR ESTIM	ATE			
119 ± 4	SOKHOYAN	15A	DPWA	Multichannel
115 ± 1	SHKLYAR	13	DPWA	Multichannel
128.0 ± 1.1	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
120 ± 10	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
128 ± 8	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following	data for averages	s, fits,	limits, e	etc. • • •
118 ± 6	ANISOVICH	12A	DPWA	Multichannel
126 ± 1	SHRESTHA	12A	DPWA	Multichannel
142 ± 7	BATINIC	10	DPWA	$\pi N \rightarrow N \pi, N \eta$
128 ± 9	VRANA	00	DPWA	Multichannel

N(1680) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

	Mode	Fraction (Γ_i/Γ)	
$\overline{\Gamma_1}$	$N\pi$	65–70 %	
Γ_2	$N\eta$	<1 %	
Γ_3	$N\pi\pi$	20–40 %	
Γ_4	$\Delta(1232)\pi$	11–23 %	
Γ_5	${\it \Delta}(1232)\pi$, $\it P$ -wave	4–10 %	
Γ_6	${\it \Delta}(1232)\pi$, $\it F-wave$	7–13 %	
Γ_7	$N\sigma$	9–19 %	
Γ ₈	$m{p}\gamma$	0.21-0.32 %	
Γ_9	$p\gamma$, helicity=1/2	0.001-0.011 %	
Γ_{10}	$p\gamma$, helicity=3/2	0.20-0.32 %	
Γ_{11}	$n\gamma$	0.021-0.046 %	
Γ_{12}	$n\gamma$, helicity $=1/2$	0.004–0.029 %	
Γ ₁₃	$n\gamma$, helicity=3/2	0.01-0.024 %	

N(1680) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$					Γ_1/Γ
VALUE (%)	DOCUMENT ID		TECN	COMMENT	
65 to 70 OUR ESTIMATE					
62 ± 4	SOKHOYAN	15A	DPWA	Multichannel	
68 ± 1	SHKLYAR	13		Multichannel	
70.1 ± 0.1	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$	
62 ±5	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$	
65 ±2	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$	
• • • We do not use the following of	lata for averages	s, fits,	limits, e	etc. • • •	
64 ± 5	ANISOVICH	12A	DPWA	Multichannel	
68.0 ± 0.5	SHRESTHA	12A	DPWA	Multichannel	
67 ± 3	BATINIC	10	DPWA	$\pi N \rightarrow N \pi, N \eta$	
69 ±2	VRANA	00	DPWA	Multichannel	
$\Gamma(N\eta)/\Gamma_{total}$					Γ_2/Γ
VALUE (%)	DOCUMENT ID		TECN	COMMENT	
0 ± 1	SHKLYAR	13	DPWA	Multichannel	
• • • We do not use the following of	lata for averages	s, fits,	limits, e	etc. • • •	
1.0 ± 0.3	SHRESTHA	12A	DPWA	Multichannel	
$0.4\ \pm0.2$	BATINIC	10	DPWA	$\pi N \rightarrow N \pi, N \eta$	
<1	THOMA	80		Multichannel	
0 ± 1	VRANA	00	DPWA	Multichannel	
$0.15 \! \begin{array}{l} + 0.35 \\ - 0.10 \end{array}$	TIATOR	99	DPWA	$\gamma p ightarrow p \eta$	
$\Gamma(\Delta(1232)\pi$, $ extit{P} ext{-wave})/\Gamma_{ ext{total}}$					Γ ₅ /Γ
	DOCUMENT ID		TECN	COMMENT	15/1
VALUE (%)	DOCUMENT ID		TECN	COMMENT	
7 ±3	SOKHOYAN	15A		Multichannel	
• • • We do not use the following of	lata for averages	s, tits,	limits, e	etc. • • •	
5 ± 3	ANISOVICH	12A	DPWA	Multichannel	
10.5 ± 0.9	SHRESTHA	12A	DPWA	Multichannel	
14 ± 3	VRANA	00	DPWA	Multichannel	
$\Gamma(\Delta(1232)\pi$, <i>F</i> -wave $)/\Gamma_{total}$					Γ ₆ /Γ
VALUE (%)	DOCUMENT ID		TECN	COMMENT	
10 ±3	SOKHOYAN	15A	DPWA	Multichannel	
10 ±3	ANISOVICH	12A	DPWA	Multichannel	
1.0 ± 0.1	SHRESTHA	12A		Multichannel	
1 ±1	VRANA	00		Multichannel	

$\Gamma(N\sigma)/\Gamma_{total}$					Γ_7/Γ
VALUE (%)	DOCUMENT ID		TECN	COMMENT	
14 ±5	SOKHOYAN	15A	DPWA	Multichannel	
• • • We do not use the following of	data for average	s, fits,	limits, e	etc. • •	
14 ±7	ANISOVICH	12A	DPWA	Multichannel	
9.4 ± 0.8	SHRESTHA	12A	DPWA	Multichannel	
9 ±1	VRANA	00	DPWA	Multichannel	

N(1680) PHOTON DECAY AMPLITUDES AT THE POLE

$N(1680) \rightarrow p\gamma$, helicity-1/2 amplitude A_{1/2}

$MODULUS~(GeV^{-1/2})$	PHASE (°)	DOCUMENT ID		TECN	COMMENT
$-0.013\!\pm\!0.003$	-20 ± 17	SOKHOYAN	15A	DPWA	Multichannel
$-0.013 ^{\displaystyle +0.002}_{\displaystyle -0.005}$	-42^{+9}_{-18}	ROENCHEN	14	DPWA	

$N(1680) \rightarrow p\gamma$, helicity-3/2 amplitude A_{3/2}

$MODULUS (GeV^{-1/2})$	PHASE (°)	DOCUMENT ID		TECN	COMMENT
$0.135 \!\pm\! 0.005$	1 ± 3	SOKHOYAN	15A	DPWA	Multichannel
$0.126 ^{+ 0.001}_{- 0.002}$	-7^{+3}_{-2}	ROENCHEN	14	DPWA	

N(1680) BREIT-WIGNER PHOTON DECAY AMPLITUDES

$N(1680) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

$VALUE~({ m GeV}^{-1/2})$	DOCUMENT ID		TECN	COMMENT
-0.015 ± 0.006 OUR ESTIMATE				
-0.015 ± 0.002	SOKHOYAN	15A	DPWA	Multichannel
-0.007 ± 0.002	WORKMAN	12A	DPWA	$\gamma N \rightarrow N \pi$
-0.017 ± 0.001	DUGGER	07	DPWA	$\gamma N \rightarrow \pi N$
• • • We do not use the following of	data for averages	s, fits,	limits, e	etc. • • •
$0.003\!\pm\!0.001$	SHKLYAR	13	DPWA	Multichannel
-0.013 ± 0.003	ANISOVICH	12A	DPWA	Multichannel
-0.017 ± 0.001	SHRESTHA	12A	DPWA	Multichannel
-0.025	DRECHSEL	07	DPWA	$\gamma N \rightarrow \pi N$

$N(1680) \rightarrow p\gamma$, helicity-3/2 amplitude A_{3/2}

$VALUE$ (GeV $^{-1/2}$)	DOCUMENT ID		TECN	COMMENT
$+0.133\pm0.012$ OUR ESTIMATE				
0.136 ± 0.005	SOKHOYAN	15A	DPWA	Multichannel
0.140 ± 0.002	WORKMAN	12A	DPWA	$\gamma N \rightarrow N \pi$
0.134 ± 0.002	DUGGER	07	DPWA	$\gamma N \rightarrow \pi N$
ullet $ullet$ We do not use the following d	lata for averages	, fits,	limits, e	tc. • • •
0.116 ± 0.001	SHKLYAR	13	DPWA	Multichannel
0.135 ± 0.006	ANISOVICH	12A	DPWA	Multichannel
0.136 ± 0.001	SHRESTHA	12A	DPWA	Multichannel
0.134	DRECHSEL	07	DPWA	$\gamma N \rightarrow \pi N$

$N(1680) \rightarrow n\gamma$, helicity-1/2 amplitude A $_{1/2}$

$VALUE~({ m GeV}^{-1/2})$	DOCUMENT ID		TECN	COMMENT	
$+0.029\pm0.010$ OUR ESTIMATE					
0.034 ± 0.006	ANISOVICH	13 B	DPWA	Multichannel	
0.026 ± 0.004	CHEN	12A	DPWA	$\gamma {\sf N} ightarrow \pi {\sf N}$	
• • • We do not use the following	data for average	s, fits,	limits, e	etc. • • •	
0.029 ± 0.002	SHRESTHA	12A	DPWA	Multichannel	
0.028	DRECHSEL	07	DPWA	$\gamma N \rightarrow \pi N$	
$N(1680) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$					

$VALUE$ (GeV $^{-1/2}$)	DOCUMENT ID		TECN	COMMENT
-0.033 ± 0.009 OUR ESTIMATE				
-0.044 ± 0.009	ANISOVICH	13 B	DPWA	Multichannel
-0.029 ± 0.002	CHEN	12A	DPWA	$\gamma {\sf N} ightarrow \pi {\sf N}$
• • • We do not use the following of	data for averages	s, fits,	limits, e	etc. • • •
-0.059 ± 0.002	SHRESTHA	12A	DPWA	Multichannel
-0.038	DRECHSEL	07	DPWA	$\gamma N \rightarrow \pi N$

N(1680) FOOTNOTES

N(1680) REFERENCES

For early references, see Physics Letters $111B\ 1\ (1982)$. For very early references, see Reviews of Modern Physics $37\ 633\ (1965)$.

SOKHOYAN PDG ROENCHEN Also SVARC ANISOVICH	15A 14 14 14 13B	EPJ A51 95 CP C38 070001 EPJ A50 101 EPJ A51 63 (errat.) PR C89 045205 EPJ A49 67	V. Sokhoyan et al. K. Olive et al. D. Roenchen et al. D. Roenchen et al. A. Svarc et al. A.V. Anisovich et al.	CBELSA/TAPS Collab.) (PDG Collab.)
SHKLYAR	13	PR C87 015201	V. Shklyar, H. Lenske, U. Mosel	(GIES)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich et al.	(BONN, PNPI)
CHEN	12A	PR C86 015206	W. Chen et al. (DUKE	, GWU, MSST, ITEP+)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
WORKMAN	12A	PR C86 015202	R. Workman <i>et al.</i>	(GWU)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
THOMA	80	PL B659 87	U. Thoma <i>et al.</i>	(CB-ELSA Collab.)
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiato	or (MAINZ, JINR)
DUGGER	07	PR C76 025211	M. Dugger et al.	(JLab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt et al.	(GWU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, TS.H. L	Lee (PITT, ANL)
TIATOR	99	PR C60 035210	L. Tiator et al.	
HOEHLER	93	π N Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky et al.	(CMÙ, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky et al.	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP

 $^{^{1}}$ Fit to the amplitudes of HOEHLER 79.