#### **Material Safety Data Sheet**



## **Calcium, Metal Turnings**

**Revised:** 07/23/2012 **Replaces:** 12/01/2011 **Printed:** 08/10/2012

# Carolina Biological Supply Company

UAKULINA www.carolina.com

2700 York Rd | Burlington, NC 27215 • to order: 800.334.5551 • for support: 800.227.1150

#### **Section 1 - Product Description**

**Product Name:** Calcium Metal Turnings **Product Code(s):** 85-1619, 85-1620

Size: 100 g, 125 g Chemical Name: Calcium CAS Number: 7440-70-2

Formula: Ca

Synonyms: Does not apply

Distributor: Carolina Biological Supply Company, 2700 York Road, Burlington, NC 27215

Chemical Information: 800-227-1150 (8am-5pm (ET) M-F) Chemtrec 800-424-9300 (Transportation Spill Response 24

hours)

#### **Section 2 - Hazard Identification**

Emergency Overview: Avoid contact with skin. After contact with skin, wash immediately with plenty of water.

**Potential Health Effects:** 

**Eyes:** May cause irritation. **Skin:** May cause irritation to skin.

**Ingestion:** May cause gastrointestinal discomfort. **Inhalation:** May cause irritation to respiratory tract.

## **Section 3 - Composition / Information on Ingredients**

Principal Hazardous Components: Calcium (CAS# 7440-70-2) 90-100%

**TLV units:** N/A **PEL units:** N/A

#### **Section 4 - First Aid Measures**

#### **Emergency and First Aid Procedures:**

Eyes - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Skin - After contact with skin, wash immediately with plenty of water.

**Ingestion** - If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. If swallowed, rinse mouth with water (only if the person is conscious).

Inhalation - In case of accident by inhalation: remove casualty to fresh air and keep at rest.

#### **Section 5 - Firefighting Procedures**

Flash Point (Method Used): N/A

Product Name: Calcium, Metal Turnings Page 1 of 3

NFPA Rating: Health: 3 Fire: 1 Reactivity: 2

**Extinguisher Media:** Use dry chemical or cover with dry sand or lime.

Flammable Limits in Air % by Volume: N/A

**Autoignition Temperature:** N/A

Special Firefighting Procedures: Firefighters should wear full protective equipment and NIOSH approved self-contained

breathing apparatus.

**Unusual Fire and Explosion Hazards:** Reacts violently with water, liberating extremely flammable gases.

#### **Section 6 - Spill or Leak Procedures**

**Steps to Take in Case Material Is Released or Spilled:** Ventilate area of spill. Clean-up personnel should wear proper protective equipment. Avoid creating dust. Sweep or scoop up and containerize for disposal.

#### **Section 7 - Special Precautions**

**Precautions to Take in Handling or Storing:** Keep away from sources of ignition - No smoking.

Keep container dry. Avoid excess heat.

#### **Section 8 - Protection Information**

**Respiratory Protection (Specify Type):** None needed under normal conditions of use with adequate ventilation. A NIOSH/MSHA chemical cartridge respirator should be worn if PEL or TLV is exceeded.

**Ventilation:** 

Local Exhaust: Yes Mechanical(General): Yes

**Special:** No **Other:** No

**Protective Gloves:** Natural rubber, Neoprene, PVC or equivalent. **Eye Protection:** Splash proof chemical safety goggles should be worn.

Other Protective Clothing or Equipment: Lab coat, apron, eye wash, safety shower.

#### **Section 9 - Physical Data**

Molecular Weight: 40.08 Melting Point: 842 °C

Boiling Point:1484 °CVapor Pressure:10 mmHg at 983 °CVapor Density(Air=1):1.4Specific Gravity (H2O=1):1.54 at 20 °CPercent Volatile by Volume:0%Evaporation Rate (BuAc=1):N/A

**Solubility in Water:** Soluble **Appearance and Odor:** White, odorless crystals.

### **Section 10 - Reactivity Data**

Stability: Stable

Conditions to Avoid: Heat and sources of ignition.

Water; Product is water reactive.

**Incompatibility (Materials to Avoid):** Water, **Hazardous Decomposition Products:** N/A **Hazardous Polymerization:** Will not occur

#### **Section 11 - Toxicity Data**

Toxicity Data: N/A Effects of Overexposure: Acute: See Section 2

Product Name: Calcium, Metal Turnings Page 2 of 3

**Chronic:** Not listed as a carcinogen by IARC, NTP or OSHA.

**Conditions Aggravated by Overexposure:** 

Target Organs: N/A

Primary Route(s) of Entry: Eyes and skin

#### Section 12 - Ecological Data

**EPA Waste Numbers:** D003, Reactive waste

#### **Section 13 - Disposal Information**

**Waste Disposal Methods:** Dispose in accordance with all applicable Federal, State and Local regulations. Always contact a permitted waste disposer (TSD) to assure compliance.

#### **Section 14 - Transport Information**

**DOT Proper Shipping Name:** UN1401, Calcium, 4.3, II

#### **Section 15 - Regulatory Information**

EPA TSCA Status: On TSCA Inventory

Hazard Category for SARA Section 311/312 Reporting: Acute

Name List: Chemical Category:

No No

CERCLA Section 103 RQ(lb.): No

RCRA Section 261.33: No

#### **Section 16 - Additional Information**

The information provided in this Material Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the Material Safety Data Sheet. Any employer must carefully assess the applicability of any information contained herein in regards to the particular use to which the employer puts the material.

Glossary

ACGIH American Conference of Governmental Industrial Hygienists

CAS Number Chemical Services Abstract Number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

DOT U.S. Department of Transportation

IARC International Agency of Research on Cancer

N/A Not Available

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

ppm Parts per million

RCRA Resource Conservation and Recovery Act
SARA Superfund Amendments and Reauthorization Act

TLV Threshold Limit Value
TSCA Toxic Substances Control Act

Product Name: Calcium, Metal Turnings Page 3 of 3