

Material Safety Data Sheet

Product Identifier EPA Reg. No. 777-72-675; Original, Country, Fresh, Mountain Air. Crisp Linen Scents 1	Product Name	PROFESSION DISINFECTA (AEROSOL)				MSDS#	Not available.
Reckitt Benckiser Inc. 1655 Valley Road Wayne, N.J. 07474 Product Identifier EPA Reg. No. 777-72-675; Original, Country, Fresh., Mountain Air, Crisp Linen Scents EPA Reg. No. 777-72-675; Original, Country, Fresh., Mountain Air, Crisp Linen Scents Item Number 36241-04675-07 Formula Number 432-124A, 147-082, 73-087, 147-083 (F/F 356593), 258-011 (F/F 356597) UPC Number 36241-04650, 36241-04675 (Fresh), 36241-74615 (Mountain), 36241-74276 (Country), 37241-74827 (Crisp Linen) all 19 oz. Section 2. Composition and Information on Ingredients Name CAS # % by Weight Exposure Limits : TLV/PEL 1) CARBON DIOXIDE 124-38-9 4.0 17WA 9000 (mg/m²) from ACGIH (TLV) 17WA 9000 (ppm) from ACGIH (TLV) 17WA 1900 (ppm) from ACGIH (T	Product Description	Volidation Data 9/21/2000					
EPA Reg. No. 777-72-675; Original, Country, Fresh , Mountain Air Crisp Linen Scents Chemtred: 800-424-9300	Manufacturer	1655 Valley Road				In case of	Telephone: 800-677-9218
Formula Number 432-124A , 147-082, 73-087, 147-083 (F/F 356593), 258-011 (F/F 356597) UPC Number 36241-04650, 36241-04675 (Fresh), 36241-74615 (Mountain), 36241-74276 (Country), 37241-74827 (Crisp Linen) all 19 oz. Section 2. Composition and Information on Ingredients Name CAS # % by Weight Exposure Limits : TLV/PEL 1) CARBON DIOXIDE 124-38-9 4.0 TWA 9000 (mg/m²) from ACGIH (TLV) TWA 9000 (ppm) from ACGIH (TLV) TWA 9000 (ppm) from OSHA TWA: 5000 (ppm) from OSHA TWA: 5000 (ppm) from OSHA TWA: 1800 (mg/m²) from ACGIH (TLV) TWA 1900 (mg/m²) from ACGIH (TLV) TWA: 1900 (mg/m²) from OSHA Section 3. Hazards Identification Emergency Overview WARNING: Flammable. Contents under pressure. Do not puncture or incinerate. May cause eye irritation on the content of the	Product Identifier		2-675; Original	, Country, Fresh , Mo	ountain Air ,	Transportation	,
UPC Number 36241-04650, 36241-04675 (Fresh), 36241-74615 (Mountain), 36241-74276 (Country), 37241-74827 (Crisp Linen) all 19 oz. Section 2. Composition and Information on Ingredients Name CAS # % by Weight Exposure Limits : TLV/PEL 1) CARBON DIOXIDE 124-38-9 4.0 TWA: 9000 (mg/m²) from ACGIH (TLV) TWA: 9000 (ppm) from OSHA TWA: 5000 (ppm) from OSHA TWA: 5000 (ppm) from OSHA TWA: 1000 (ppm) from OSHA Section 3. Hazards Identification Emergency Overview WARNING: Flammable. Contents under pressure. Do not puncture or incinerate. May cause eye irritatic Do not get in eyes or on skin. KEEP OUT OF REACH OF CHILDREN. Section 4. First Aid Measures Eye Contact Immediately flush eyes thoroughly with water, remove any contact lenses, and continue to flush eyes with ple of water for at least 15 minutes. Get medical attention if irritation persists. Skin Contact In keeping with good hygienic practices, wash exposed areas thoroughly with soap and water. Inhalation If required, remove to fresh air.	ltem Number	36241-04675-07				Emergencies:	
Section 2. Composition and Information on Ingredients Name CAS # % by Weight TWA: 9000 (mg/m³) from ACGIH (TLV) TWA: 9000 (ppm) from ACGIH (TLV) TWA: 9000 STEL: 54 (mg/m²) from OSHA TWA: 5000 (ppm) from ACGIH (TLV) TWA: 5000 (ppm) from ACGIH (TLV) TWA: 5000 (ppm) from ACGIH (TLV) TWA: 1000 (ppm) from ACGIH (TLV) TWA: 1000 (ppm) from ACGIH (TLV) TWA: 1000 (mg/m³) from ACGIH (TLV) TWA: 1000 (ppm) from OSHA TWA: 1000 (ppm) from OS	Formula Number	432-124A , 147-082,	73-087, 147-083	3 (F/F 356593), 258-	011 (F/F 35	6597)	
Name CAS # % by Weight Exposure Limits: TLV/PEL 1) CARBON DIOXIDE 124-38-9 4.0 TWA: 9000 (mg/m³) from ACGIH (TLV) TWA: 5000 (ppm) from ACGIH (TLV) TWA: 9000 STEL: 54 (mg/m²) from OSHA TWA: 5000 (ppm) from OSHA TWA: 1880 (mg/m³) from ACGIH (TLV) TWA: 1900 (ppm) from ACGIH (TLV) TWA: 1900 (ppm) from ACGIH (TLV) TWA: 1900 (mg/m³) from ACGIH (TLV) TWA: 1900 (mg/m³) from OSHA Section 3. Hazards Identification Emergency Overview WARNING: Flammable. Contents under pressure. Do not puncture or incinerate. May cause eye irritation point get in eyes or on skin. KEEP OUT OF REACH OF CHILDREN. Section 4. First Aid Measures Eye Contact Immediately flush eyes thoroughly with water, remove any contact lenses, and continue to flush eyes with ple of water for at least 15 minutes. Get medical attention if irritation persists. Skin Contact In keeping with good hygienic practices, wash exposed areas thoroughly with soap and water. Inhalation If required, remove to fresh air.	UPC Number	36241-04650, 36241-0	467 5 (Fr esh) , 36	241-74615 (Mountain)	, 36241-7427	'6 (Country), 37	241-74827 (Crisp Linen) all 19 oz.
1) CARBON DIOXIDE 124-38-9 124-38-	Section 2. Com	position and Info	rmation on	Ingredients			
TWA: 5000 (ppm) from ACGIH (TLV) TWA: 9000 STEL: 54 (mg/m²) from OSHA TWA: 5000 (ppm) from OSHA TWA: 1880 (mg/m²) from ACGIH (TLV) TWA: 1880 (mg/m²) from ACGIH (TLV) TWA: 1900 (ppm) from ACGIH (TLV) TWA: 1900 (ppm) from OSHA TWA: 1000 (ppm) from OSHA T	Name		CAS#	% by Weight		Exposur	e Limits : TLV/PEL
Emergency Overview WARNING: Flammable. Contents under pressure. Do not puncture or incinerate. May cause eye irritation Do not get in eyes or on skin. KEEP OUT OF REACH OF CHILDREN. Section 4. First Aid Measures Eye Contact Immediately flush eyes thoroughly with water, remove any contact lenses, and continue to flush eyes with pier of water for at least 15 minutes. Get medical attention if irritation persists. Skin Contact In keeping with good hygienic practices, wash exposed areas thoroughly with soap and water. Inhalation If required, remove to fresh air.		TWA: 5000 (ppm) from ACGIH (TLV) TWA: 9000 STEL: 54 (mg/m³) from OSHA TWA: 5000 (ppm) from OSHA 64-17-5 79:0 TWA: 1880 (mg/m³) from ACGIH (TLV) TWA: 1000 (ppm) from ACGIH (TLV) TWA: 1900 (mg/m³) from OSHA					
Do not get in eyes or on skin. KEEP OUT OF REACH OF CHILDREN. Section 4. First Aid Measures Eye Contact Immediately flush eyes thoroughly with water, remove any contact lenses, and continue to flush eyes with ple of water for at least 15 minutes. Get medical attention if irritation persists. Skin Contact In keeping with good hygienic practices, wash exposed areas thoroughly with soap and water. Inhalation If required, remove to fresh air.	Section 3. Haza	rds Identification)				
Eye Contact Immediately flush eyes thoroughly with water, remove any contact lenses, and continue to flush eyes with ple of water for at least 15 minutes. Get medical attention if irritation persists. Skin Contact In keeping with good hygienic practices, wash exposed areas thoroughly with soap and water. Inhalation If required, remove to fresh air.	Emergency Overview	WARNING: Fi Do not get in e	ammable. Cor yes or on skin.	ntents under pressur KEEP OUT OF REA	e. Do not p CH OF CHI	ouncture or inc LDREN.	cinerate. May cause eye irritation.
of water for at least 15 minutes. Get medical attention if irritation persists. Skin Contact In keeping with good hygienic practices, wash exposed areas thoroughly with soap and water. Inhalation If required, remove to fresh air.	Section 4. First	Aid Measures					
Inhalation If required, remove to fresh air.	Eye Contact	Immediately flu of water for at	ush eyes thorou least 15 minutes	ghly with water, remo	ove any cont tion if irritation	act lenses, and on persists.	d continue to flush eyes with plenty
	Skin Contact	In keeping with	good hygienic	practices, wash exp	osed areas t	horoughly with	soap and water.
Ingestion Rinse mouth and drink a glass of water. If symptoms persist, consult a physician	Inhalation	If required, ren	nove to fresh air				. , , , , , , , , , , , , , , , , , , ,
	Ingestion	Rinse mouth and drink a glass of water. If symptoms persist, consult a physician.					

Continued on Next Page

Flammability	See Section 14 for any Shipping Classifications.				
Flash Point	Not applicable. Aerosol flame extension greater than 18 inches or 45 cm.				
Explosive Limits in Air	LOWER: 3.3% UPPER: 19%				
Products of Combustion	Not available.				
Fire and Explosion Hazards	CONTENTS UNDER PRESSURE. Do not use or store near hear or open flame. Do not puncture o incinerate. Exposure to temperatures above 120° F may cause bursting.				
Fire Fighting Media and Instructions	Water spray, foam, dry chemical or carbon dioxide. Use media suitable for surrounding fire. Use water spra to cool fire exposed containers.				
Special Fire Fighting Instructions	Wear self-contained breathing apparatus and protective equipment appropriate for fighting a typical chemical fire. Move containers away from fire if possible and safe to do so. Provide shielding for venting, rupturing obursting containers.				
Section 6. Accident	al Release Measures				
Accidental Spill	Small spills: Soak up any spilled liquid with an inert absorbent material and dispose of in an appropriate waste container. Rinse surface reside and flush to sink or sanitary sewer.				
	For large spills due to ruptured containers, eliminate all sources of ignition and ventilate the area with equipment rated for use in flammable environments. Dike, contain and collect liquid and store in meta containers for disposal according to local, state and federal regulations.				
Section 7. Handlin	g and Storage				
trandling and Storage	WARNING: Flammable. Contents under pressure. Causes eye irritation. Do not spray in eyes, on skin or or clothing. Keep away from heat, sparks and open flame.				

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Section 8. Exposure Controls/Personal Protection						
Ventilation Requirements	None required.					
Eye Protection	None required under normal use conditions. Emergency responders should wear full eye and face protection.					
Skin Protection	None required under normal use conditions. Emergency responders should wear impermeable gloves.					
Respiratory Protection	None required.					
Other Protection	Emergency responders should wear impermeable clothing and footwear when responding to a situation wher contact with the liquid is possible.					
Work/Hygienic Practices	Washing with soap and water after use is recommended as good hygienic practice to prevent possible skir irritation.					

container. KEEP OUT OF REACH OF CHILDREN.

Store in original container in cool, dry areas inaccessible to small children. Do not puncture or incinerate



Description	Aerosol container. Odor Various.				
pH	10 [Basic.]	Color	Clear spray mist.		
Boiling/Condensation Point	Not available.				
Specific Gravity	0.835 @ 25°C				
Vapor Pressure	95 - 105 psig				
Vapor Density	>1 (concentrate)*				
Viscosity	Not available.				
Solubility	Complete				
Physical Chemical Comments	Not available.				
Section 10. Stability	and Reactivity Data				
Chemical Stability	The product is stable.				
Conditions of Instability	Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F (54.4°C) may cause bursting.				
Incompatibility with Various Substances	Strong oxidizing agents				
Hozardous Decomposition ucts	Carbon dioxide, carbon monoxide, and unidentified organic compounds may be formed during therma decomposition.				
Hazardous Polymerization	Will not occur				
Section 11. Toxicolo	gical Information				
Exposure effects					
Eye Contact	May cause mild, temporary eye irritation.				
Skin Contact	None expected.				
Inhalation	None expected.				
Ingestion	Ingestion is unlikely through the normal anticipated use of this product. Ingestion of small quantities is no expected to cause any significant adverse effects.				
Carcinogenicity	Not listed as carcinogenic by OSHA, NTP or IARC.				



Not available.

Ecotoxicity

ection 13. Disposal Considerations Waste Disposal Dispose of in accordance with local, state and federal regulations. Container disposal: Replace cap and discard in trash. Do not puncture or incinerate. Do not reuse empty container. Section 14. Transport Information **DOT Classification** ORM-D **Proper Shipping Name** Consumer Commodity **DOT Identification Number** Not applicable **Packing Group** Not applicable **Maritime Transportation** Not available. **Hazardous Substances** Not available. Reportable Quantity **Special Provisions for** ORM-D: For US Domestic Shipments Only **Transport TDG** Classification Consumer Commodity - Transborder Consignment **ADR** Classification Not available. **IMDG** Classification Aerosols, class 2.1, UN1950-LTD QTY A Classification Aerosols, Division 2.1, UN1950 - LTD QTY Section 15. Regulatory Information

Federal and State Regulations

SARA Title III, Section 313 Toxic Chemical Notification & Release Reporting:

California Proposition 65: This product contains the following ingredients which require a warning under the Safe Drinking Water & Toxic Enforcement Act:

1) Not available.


Other Classifications

WHMIS (Canada)

Not a WHMIS controlled product.

Section 16. Other Information

HMIS (U.S.A.)



National Fire Protection Association (U.S.A.)

Fire Hazard 1 Health

Reactivity Specific hazard

NFPA Aerosol Level 1, per NFPA 30B

Continued on Next Page

PROFESSIONAL LYSOL® BRAND II DISINFECTANT SPRAY - ALL SCENTS (AEROSOL)

Page Number: 5

alidated by Product Safety on 8/31/2000.

Printed 1/15/2001.

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the described herein, we cannot guarantee that these are the only hazards that exist.