Material Safety Data Sheet



BUFFER SOLUTION FOR WRIGHT STAIN

Revised: 01/19/2011 **Replaces:** 07/13/2010 **Printed:** 08/10/2012

Carolina Biological Supply Company

UAKULINA www.carolina.com

2700 York Rd | Burlington, NC 27215 • to order: 800.334.5551 • for support: 800.227.1150

Section 1 - Product Description

Product Name: Buffer Solution for Wright Stain

Product Code(s): 84-9751, 84-9753, 70-0380, 70-0388, BM2300

Size: 120 mL, 500 mL

Chemical Name: Product is a mixture

CAS Number: See Section 3
Formula: See Section 3
Synonyms: None Known

Distributor: Carolina Biological Supply Company, 2700 York Road, Burlington, NC 27215

Chemical Information: 800-227-1150 (8am-5pm (ET) M-F) Chemtrec 800-424-9300 (Transportation Spill Response 24

hours)

Section 2 - Hazard Identification

Emergency Overview: Harmful if swallowed. Avoid contact with skin and eyes. Non-Hazardous under normal use.

Potential Health Effects:

Eyes: May cause irritation. **Skin:** May cause irritation to skin.

Ingestion: May cause gastrointestinal discomfort. **Inhalation:** May cause irritation to respiratory tract.

Section 3 - Composition / Information on Ingredients

Principal Hazardous Components: Sodium Phosphate, Dibasic (CAS#7558-79-4) 0.256%; Potassium Phosphate, Monobasic

(CAS# 7778-77-0) 0. **TLV units:** N/A **PEL units:** N/A

Section 4 - First Aid Measures

Emergency and First Aid Procedures:

Eyes - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Skin - After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.

Ingestion - If swallowed, if conscious, give plenty of water and induce vomiting immediately as directed by medical

personnel. Immediately call a physician or poison control center. Never give anything by mouth to an unconscious person.

Inhalation - In case of accident by inhalation: remove casualty to fresh air and keep at rest.

Section 5 - Firefighting Procedures

Product Name: BUFFER SOLUTION FOR WRIGHT STAIN Page 1 of 3

Flash Point (Method Used): N/A

NFPA Rating: Health: 0 Fire: 0 Reactivity: 0

Extinguisher Media: Use dry chemical, CO2 or appropriate foam.

Flammable Limits in Air % by Volume: N/A

Autoignition Temperature: N/A

Special Firefighting Procedures: Firefighters should wear full protective equipment and NIOSH approved self-contained

breathing apparatus.

Unusual Fire and Explosion Hazards: N/A

Section 6 - Spill or Leak Procedures

Steps to Take in Case Material Is Released or Spilled: Ventilate area of spill. Eliminate all sources of ignition. Remove all non-essential personnel from area. Clean-up personnel should wear proper protective equipment and clothing. Absorb material with suitable absorbent and containerize for disposal.

Section 7 - Special Precautions

Precautions to Take in Handling or Storing: Keep container tightly closed in a cool, well-ventilated place.

Section 8 - Protection Information

Respiratory Protection (Specify Type): None needed under normal conditions of use with adequate ventilation. A NIOSH/MSHA chemical cartridge respirator should be worn if PEL or TLV is exceeded.

Ventilation:

Local Exhaust: Yes Mechanical(General): Yes

Special: No **Other:** No

Protective Gloves: Natural rubber, Neoprene, PVC or equivalent. **Eye Protection:** Splash proof chemical safety goggles should be worn.

Other Protective Clothing or Equipment: Lab coat, apron, eye wash, safety shower.

Section 9 - Physical Data

Molecular Weight: N/A

Boiling Point: Approximately 100 °C (water)

Vapor Density(Air=1): 0.1 (water)

Melting Point: Approximately 0 °C (water)

Vapor Pressure: Approximately the same as water

Specific Gravity (H2O=1): Approximately 1

Percent Volatile by Volume: Approximately 99% Evaporation Rate (BuAc=1): Approximately 1 (water)

Solubility in Water: Soluble Appearance and Odor: Colorless, odorless solution.

Section 10 - Reactivity Data

Stability: Stable

Conditions to Avoid: None Known

Incompatibility (Materials to Avoid): Water-reactive Material,

Hazardous Decomposition Products: N/A **Hazardous Polymerization:** Will not occur

Section 11 - Toxicity Data

Toxicity Data: (Potassium Phosphate, Monobasic) skn-rbt LD50 >4640 mg/kg

(Sodium Phosphate, Dibasic) orl-rat LD50 17 gm/kg

Effects of Overexposure: Acute: See Section 2

Product Name: BUFFER SOLUTION FOR WRIGHT STAIN Page 2 of 3

Chronic: N/A

Conditions Aggravated by Overexposure: N/A

Target Organs: N/A

Primary Route(s) of Entry: Ingestion, Skin contact.

Section 12 - Ecological Data

EPA Waste Numbers: N/A

Section 13 - Disposal Information

Waste Disposal Methods: Dispose in accordance with all applicable Federal, State and Local regulations. Always contact a permitted waste disposer (TSD) to assure compliance.

Section 14 - Transport Information

DOT Proper Shipping Name: N/A

Section 15 - Regulatory Information

EPA TSCA Status: On TSCA Inventory

Hazard Category for SARA Section 311/312 Reporting: Acute

Name List: Potassium Phosphate - No Sodium Phosphate - No **Chemical Category:**Potassium Phosphate - No Sodium Phosphate - No

Page 3 of 3

CERCLA Section 103 RQ(lb.): Potassium Phosphate - No

Sodium Phosphate - No

RCRA Section 261.33: Potassium Phosphate - No

Sodium Phosphate - No

Section 16 - Additional Information

The information provided in this Material Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the Material Safety Data Sheet. Any employer must carefully assess the applicability of any information contained herein in regards to the particular use to which the employer puts the material.

Glossary

ACGIH American Conference of Governmental Industrial Hygienists

CAS Number Chemical Services Abstract Number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

DOT U.S. Department of Transportation

IARC International Agency of Research on Cancer

N/A Not Available

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

ppm Parts per million

RCRA Resource Conservation and Recovery Act
SARA Superfund Amendments and Reauthorization Act

TLV Threshold Limit Value

TSCA Toxic Substances Control Act

Product Name: BUFFER SOLUTION FOR WRIGHT STAIN