Material Safety Data Sheet



Butylated Hydroxytoluene

Revised: 01/03/2012 **Replaces:** 11/18/2011 **Printed:** 08/10/2012

Carolina Biological Supply Company

2700 York Rd | Burlington, NC 27215 • to order: 800.334.5551 • for support: 800.227.1150 www.carolin



Section 1 - Product Description

Product Name: 2,6-di-tert-butyl-4-methylphenol

Product Code(s): 84-9866

Size: 100 g

Chemical Name: 2,6-di-tert-butyl-4-methylphenol

CAS Number: 128-37-0 **Formula:** See Section 3

Synonyms: BHT, Butylated Hydroxytoluene

Distributor: Carolina Biological Supply Company, 2700 York Road, Burlington, NC 27215

Chemical Information: 800-227-1150 (8am-5pm (ET) M-F) Chemtrec 800-424-9300 (Transportation Spill Response 24

hours)

Section 2 - Hazard Identification

Emergency Overview: WARNING - Harmful if swallowed. Irritating to eyes, respiratory system and skin.

Potential Health Effects:

Eyes: May cause irritation. **Skin:** May cause irritation to skin.

Ingestion: May cause gastrointestinal discomfort. **Inhalation:** May cause irritation to respiratory tract.

Section 3 - Composition / Information on Ingredients

Principal Hazardous Components: 2,6-di-tert-butyl-4-methylphenol (CAS# 128-37-0) 99%

TLV units: ACGIH-TLV: 10 mg/m3 **PEL units:** OSHA-PEL: 10 mg/m3

Section 4 - First Aid Measures

Emergency and First Aid Procedures:

Eyes - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Skin - After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. **Ingestion** - If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. If swallowed, rinse mouth with water (only if the person is conscious).

Inhalation - In case of accident by inhalation: remove casualty to fresh air and keep at rest.

Section 5 - Firefighting Procedures

Flash Point (Method Used): 245 °F (118 °C) PMCC

Product Name: Butylated Hydroxytoluene Page 1 of 3

NFPA Rating: Health: 2 Fire: 1 Reactivity: 0

Extinguisher Media: Use dry chemical, CO2 or appropriate foam.

Flammable Limits in Air % by Volume: N/A N/A

Autoignition Temperature: N/A

Special Firefighting Procedures: Firefighters should wear full protective equipment and NIOSH approved self-contained

breathing apparatus.

Unusual Fire and Explosion Hazards: Fire or excessive heat may produce hazardous decomposition products.

Section 6 - Spill or Leak Procedures

Steps to Take in Case Material Is Released or Spilled: Ventilate area of spill. Clean-up personnel should wear proper protective equipment. Avoid creating dust. Sweep or scoop up and containerize for disposal.

Section 7 - Special Precautions

Precautions to Take in Handling or Storing: Keep away from sources of ignition - No smoking.

Avoid Dusting, May become explosive when dispersed in air. Keep container tightly closed in a cool, well-ventilated place.

Suitable for any general chemical storage.

Keep locked up and out of the reach of children.

Section 8 - Protection Information

Respiratory Protection (Specify Type): None needed under normal conditions of use with adequate ventilation. A NIOSH/MSHA chemical cartridge respirator should be worn if PEL or TLV is exceeded.

Ventilation:

Local Exhaust: Yes Mechanical(General): Yes

Special: No **Other:** No

Protective Gloves: Natural rubber, Neoprene, PVC or equivalent. **Eye Protection:** Splash proof chemical safety goggles should be worn.

Other Protective Clothing or Equipment: Lab coat, apron, eye wash, safety shower.

Section 9 - Physical Data

 $\begin{tabular}{lll} \textbf{Molecular Weight:} & N/A & \textbf{Melting Point:} & 158 \ ^{\circ}F \ (70 \ ^{\circ}C) \\ \textbf{Boiling Point:} & 510 \ ^{\circ}F \ (265 \ ^{\circ}C) & \textbf{Vapor Pressure:} & N/A \\ \end{tabular}$

Vapor Density(Air=1):N/ASpecific Gravity (H2O=1):N/APercent Volatile by Volume:N/AEvaporation Rate (BuAc=1):N/A

Solubility in Water: Practically Insoluble **Appearance and Odor:** White crystalline solid; sweet tarry odor

Section 10 - Reactivity Data

Stability: Stable

Conditions to Avoid: Heat and sources of ignition.

Acids,

Incompatibility (Materials to Avoid): Oxidizers, Bases, Acids, Halogens,

Hazardous Decomposition Products: COx, Hydrocarbons,

Hazardous Polymerization: Will not occur

Section 11 - Toxicity Data

Toxicity Data: orl-rat LD50: 890 mg/kg

Effects of Overexposure:

Product Name: Butylated Hydroxytoluene Page 2 of 3

Acute: See Section 2

Chronic: Not listed as a carcinogen by IARC, NTP or OSHA. **Conditions Aggravated by Overexposure:** None Known

Target Organs: No information available **Primary Route(s) of Entry:** Eyes and skin

Section 12 - Ecological Data

EPA Waste Numbers: None

Section 13 - Disposal Information

Waste Disposal Methods: Dispose in accordance with all applicable Federal, State and Local regulations. Always contact a permitted waste disposer (TSD) to assure compliance.

Section 14 - Transport Information

DOT Proper Shipping Name: N/A

Section 15 - Regulatory Information

EPA TSCA Status: On TSCA Inventory

Hazard Category for SARA Section 311/312 Reporting: Acute

Name List: Chemical Category:

No No

CERCLA Section 103 RQ(lb.): No

RCRA Section 261.33: No

Section 16 - Additional Information

The information provided in this Material Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the Material Safety Data Sheet. Any employer must carefully assess the applicability of any information contained herein in regards to the particular use to which the employer puts the material.

Glossary

ACGIH American Conference of Governmental Industrial Hygienists

CAS Number Chemical Services Abstract Number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

DOT U.S. Department of Transportation

IARC International Agency of Research on Cancer

N/A Not Available

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

ppm Parts per million

RCRA Resource Conservation and Recovery Act
SARA Superfund Amendments and Reauthorization Act

TLV Threshold Limit Value TSCA Toxic Substances Control Act

Product Name: Butylated Hydroxytoluene Page 3 of 3