# Safe series



Fashionable exterior design, noble colors and user friendly
Suitable for use in deluxe hotels, apartments and offices
Decorates your residence and workplace
Concealed emergency manual key lock
Large LCD display up to 4-8 digits
Time and date showed on the screen

## SICTEC Group Inc.

D'Arcy Draper
Director, Sales & Marketing
905-943-7571
d.draper@sictec.com
SICTEC Group Inc.
7050 Woodbine Avenue, St. 201
Markham, Ontario L3R 468, Canada

# Safe series

### 320BBX



#### 910BLD

External: (H)910 imes (W)450 imes (D)450mm

Packing dimension: (H)980 imes (W)500 imes (D)530mm

Weight: 120kg, Door: 10mm, Body: 5mm.
Capacity: 0.16CBM, 20 FcI(PCS): 88
One shelf & one drawer, 2 × 2 locking bolts

Open/close: 4~8 digital code, emergency key or

emergency battery unit.

#### 320BBX

External: (H)320 $\times$ (W)464 $\times$ (D)449mm

Packing dimension: (H)390 $\times$ (W)500 $\times$ (D)510mm

Weight: 60kg.Door: 10mm, Body: 5mm.

20' FcI(PCS): 280

Open/close: 4~8 digital code, emergency key or

emergency battery unit.

#### TC-30SMD-PC

External: (H)  $305 \times (W)405 \times (D)335$ mm Internal: (H)275  $\times (W)400 \times (D)265$ mm Door opening: (H)225  $\times (W)300$ mm

Packing dimension: (H)350 imes (W)440 imes (D)400mm

Weight: 19kg; Door: 6mm; Body: 2mm

Capacity: 0.031CBM; Shelf(PC): with one, Double locking bolts

Open/close: 3-6 digits or credit card; 20 Fcl(PCS): 420

#### 230BL1

Laptop-pc size

External: (H)229  $\times$  (W)405  $\times$  (D)335mm

Packing dimension: (H)265  $\times$  (W)440  $\times$  (D)400mm

Weight: 14kg, Door: 5mm, Body: 2mm.
Capacity: 0.027CBM 20 'Fcl(PCS): 550
Shelf(PC): with one, Double locking bolts
Open/close: 6 digits code or emergency key.







# Safe series

### 300BFPD



### 300BFP(D)

External: (H)300  $\times$  (W)400  $\times$  (D)335mm

Packing dimension: (H)340  $\times$  (W)440  $\times$  (D)390mm

Weight: 28kg

Door: 5mm, Body: 3mm.

Capacity: 0.03CBM, 20 FcI(PCS): 500. Shelf(PC): with one, Double locking bolts

Open/close: Finger print.

#### TC-23AMD-PC

External: (H)229  $\times$  (W) 405  $\times$  (D)335mm Internal: (H)200  $\times$  (W)400  $\times$  (D)265mm Door opening: (H)180  $\times$  (W)300mm

Packing dimension: (H)270 imes (W)440 imes (D)400mm

Weight: 16kg; Door: 6mm; Body: 2mm

Capacity: 0.027CBM;

Shelf(PC): without; Double locking bolts Open/close: 3-6 digits or credit card;

20 Fcl(PCS): 550

#### 480BXFP(D)

External: (H)480  $\times$  (W)445  $\times$  (D)400mm

Packing dimension: (H)540 × (W)500 × (D)460mm

Weight: 75kg

Door: 10mm, Body: 5mm. 20 Fcl(PCS): 230. Open/close: Finger print.

#### **EB 20**

External: (H)200  $\times$  (W)300  $\times$  (D)200mm

Packing dimension: (H)220  $\times$  (W)320  $\times$  (D)240mm

Weight: 11kg, Door:4mm, Body: 2mm.

20 Fcl(PCS): 1680

Shelf(PC): without, Double locking bolts
Open/close:3~8digits code er emergency.





