

论文语言与格式审阅问题清单

HouZhengbo P1 降低版.docx | 审阅范围：拼写、语法、措辞、前后一致性、目录、图表、引用与版式

审阅口径：按授课型硕士论文标准处理，不以期刊审稿的严苛程度评价创新性；重点是让文本清楚、自然、统一、可提交。页码为 Word/PDF 物理页码，原文短语可直接在文档中搜索。

总体判断：结构和排版整体可读，45 页中未发现文字重叠、图片截断或表格溢出。主要问题集中在中式英语、冠词/搭配、方法章节时态、交叉引用和目录字段。先修正下列“必须先改”项目，再按章节清单逐项处理即可。

必须先改

高优先级问题

No.	页	原文/位置	问题	建议修改
1	P9	LIST OF TABLES	表题与正文不一致，页码也错误。清单写的是“Comparison of the RAG System with Other AI Models, 6”，正文表题是“Comparison of Large Language Models and RAG-based Systems for University Student Information Services”，实际正文页为 13（PDF P24）。	更新表目录字段，确保标题和页码与 Table 2.1 完全一致。
2	P10	Pictures No. / Page	插图目录末尾出现空的“Pictures No. Page”栏目。	若没有 Pictures，删除这两行。
3	P26	/	Figure 2.1 上方有一个孤立的斜杠。	删除斜杠。

No.	页	原文/位置	问题	建议修改
4	P33-P36	Figure 3.3 references	3.5 节多处把 RAG 工作流引用为 Figure 3.3, 但 Figure 3.3 实际是跨语言查询对齐图; RAG 工作流在 Figure 3.4(a)/(b)。	Agent/tool decision 应指 Figure 3.4(a); hybrid retrieval 和 answer generation 应指 Figure 3.4(b)。
5	P17/P41	Chapter 4 and Chapter 5	正文和目录目前只有 Chapter 1-3, 但 1.8 写 “five chapters”, 3.8 又引用 Chapter 4。	若这是 P1/Proposal, 明确使用将来时并说明后续章节; 若是当前提交稿, 目录与章节说明必须一致。
6	P27-P41	Methodology tense	方法章节交替使用 will include、is implemented、were implemented、provides、started 等时态。	已完成系统用一般过去时/现在时统一; 尚未完成的 P1 方案用一般将来时统一。不要混用。
7	P18-P41	Citation style	正文括号引用混用 “&” 和 “and”; 部分句号放在引用前, 如 “models. (Lewis et al., 2020).”	按学院指定格式统一。若采用 Harvard/UKM 常见格式, 正文叙述用 and, 括号内也按模板统一; 引用应放在句号前。
8	P13/P14/P27/P36/P41	Absolute claims	多处声称 RAG “without introducing any hallucinations / prevents hallucinations / without any hallucinations / factually correct”。	改为 reduces the risk of hallucination、improves grounding 或 supports factual verification, 除非有实验能证明绝对结论。
9	P11	List of abbreviations	缩略语表缺少正文频繁使用的 BM25、OCR、RRF、SSE、TTL、JSON、YAML、SDK、UUID 等。FTSM 的马来文全称还使用了 “&”, 与封面 “dan” 不一致。	补齐重要缩略语; 改为 “Fakulti Teknologi dan Sains Maklumat”。
10	P18-P45	Terminology/case	RAGs / RAG system、Langchain / LangChain、Qwen / Tongyi Qwen / Qwen3-Max、backend / back-end、Section / section 等不统一。	建立术语表并全文统一: RAG systems、LangChain、Qwen3-Max (具体模型)、backend、Section 3.x。
11	P18/P24/P29/P33	Heading/caption styles	2.5 标题不是全大写; Figure 3.1 caption 使用普通正文样式, 而其他图题使用 Caption; Table 2.1 的目录标题与正文题名不一致。	统一标题大小写和 Caption 样式, 并更新所有目录字段。

No.	页	原文/位置	问题	建议修改
12	P42-P45	Reference formatting	参考文献全部使用 Normal 样式，无悬挂缩进；页码范围混用 hyphen/en dash；正文引用格式也不统一。	按 UKM 模板统一参考文献样式、悬挂缩进、行距、页码连接号和作者连接方式。

全文统一

重复出现的语言与格式问题

No.	页	原文/位置	问题	建议修改
13	全文	Articles	多处漏冠词，例如 “designing question answering system”, “using DashScope model”, “via POST /api/chat endpoint”。	逐句补充 a/an/the: designing a question-answering system; using the DashScope model; via the POST ... endpoint。
14	全文	allow/enable	多处使用 “allow retrieving / allows increasing / enable comparing”，表达生硬。	改为 enable retrieval、help increase、enable comparison，或 allow + object + to do。
15	全文	Nominalization	“the process of generation of an answer”“the process of processing multilingual queries”等名词化过重。	改为 answer generation、multilingual query processing。
16	全文	RAG plural	把技术本身写成 “RAGs”。	指系统时写 RAG systems；指方法时写 RAG。
17	全文	Programme/program	学术课程与软件程序的 program 用法未区分。	马来西亚英式英语中，学术课程用 programme；软件程序用 program。
18	全文	Question answering	question answering 作定语时有时无连字符。	统一为 question-answering system；单独作名词时写 question answering。
19	全文	Code identifiers	文件名、函数、环境变量、接口路径和配置键与普通正文混排。	统一使用等宽字体或 Word 的代码样式，例如 web_app.py、CHAT_MODEL_NAME、/api/chat。

No.	页	原文/位置	问题	建议修改
20	全文	Section/Figure/Table	章节、图表交叉引用的大小写不统一。	引用具体编号时统一写 Section 3.4、Figure 3.3、Table 2.1。
21	全文	First/Second	混用 First/Firstly、Second/Secondly。	选一种并全文统一；正式论文建议 First, Second, Finally。
22	全文	Informal phrasing	出现 “talks about” “As seen” “effects ... are obvious” “one needs to mention” 等口语或主观表达。	改为 describes、These results indicate、The component reduces...、The study covers...。
23	全文	Long sentences	多个句子超过 45-60 词，并串联 3-5 个动作，主语不清。	拆成两到三句，每句只保留一个主要动作或结论。
24	全文	British/American consistency	存在 analyse/analyze、program/programme、pre-trained/pretrained 等潜在风格混用。	以 UKM 模板要求为准统一拼写；文献原题保持原样。

逐页清单

前置部分与摘要

No.	页	原文/位置	问题	建议修改
25	P6	has made more and more foreign students studying	结构错误。	has led to an increasing number of international students studying
26	P6	there are many Chinese ones	ones 指人不自然。	many are Chinese international students
27	P6	the new culture, institutions' rules	institutions' rules 生硬，且 new culture 指代不清。	an unfamiliar culture, institutional regulations
28	P6	FTSM of UKM University	UKM 已含 University，重复且机构关系表达错误。	FTSM at Universiti Kebangsaan Malaysia (UKM)
29	P6	without having any support to help Chinese international students	冗长且搭配不自然。	with limited language support for Chinese international students

No.	页	原文/位置	问题	建议修改
30	P6	integrate the documents ... and experiences ... to create the database	并列对象和目的表达不顺。	integrate authoritative documents and students' experiential knowledge into a domain-specific knowledge base
31	P6	Chinese International students	普通名词不应大写 International。	Chinese international students
32	P6	the technology ... is supposed to be used	语气不确定、被动冗长。	the system uses semantic retrieval and large language models
33	P6	Besides, the ability to have multi-turn interactions ... is also provided	Besides 偏口语，句子被动。	The system also supports natural-language, multi-turn interaction.
34	P6	as the result of the case study, one will be able to find	冠词错误且 one 生硬。	As a result, users will be able to retrieve
35	P6	academic schedule, supervisors' contacts, the processes of the application procedure	名词数和搭配不自然。	academic schedules, supervisors' contact details, application procedures
36	P6	the problem of hallucinations is solved	绝对化结论，且尚无结果章节支撑。	the risk of hallucination is reduced
37	P11	FTSM ... Fakulti Teknologi & Sains Maklumat	与封面马来文名称不一致。	Fakulti Teknologi dan Sains Maklumat

Chapter I: Introduction

No.	页	原文/位置	问题	建议修改
38	P12	a surge of relevance of the intelligent question answering systems	搭配错误且冠词过多。	a surge in the relevance of intelligent question-answering systems
39	P12	improve the information access and communication within the different domains	information access 通常不加 the; different 冗余。	improve information access and communication across domains
40	P12	in particular domain-based environment	缺冠词，domain-based environment 生硬。	in a specific domain
41	P12	students need to get accurate information	get 偏口语。	students need to obtain accurate information
42	P12	manual searching of information from numerous...	名词化且搭配不自然。	manually searching numerous web pages, notices, and documents
43	P13	suggests designing and implementing the ... system designed for	designed 重复; research suggests 语气也弱。	proposes the design and implementation of a ... system for
44	P13	integration of external knowledge into RAG system	缺冠词。	the integration of external knowledge into a RAG system

No.	页	原文/位置	问题	建议修改
45	P13	are included into the architecture	搭配错误。	are included in the architecture
46	P13	this research will be aimed at designing	冗长。	this research aims to design
47	P13	Technology , Universiti	逗号前有多余空格。	Technology, Universiti
48	P13	has resulted in the gradual increase in international student populations	冠词/数表达不自然。	has resulted in a gradual increase in the international student population
49	P13	one of the major international groups of students	重复 students。	one of the largest international student groups
50	P13	allocation of supervisors	搭配不自然。	supervisor assignment
51	P13	these data are not formalized and structured	experiential knowledge 通常不可数。	this knowledge is not formally documented or structured
52	P13	large language models' abilities	表达生硬。	the capabilities of large language models
53	P13	RAG will allow retrieving	allow 用法错误。	RAG will enable the retrieval of / will allow the system to retrieve
54	P14	have not been fine-tuned based on any knowledge source of institutional documents	搭配错误。	have not been fine-tuned on institutional documents or other faculty-specific sources
55	P14	Faculty guidelines	非正式专名不应大写。	faculty guidelines
56	P14	high precision and factual accuracy is a must	主谓不一致且偏口语。	high precision and factual accuracy are essential
57	P14	previous research shows that work ... has primarily paid attention to	research/work 重复且搭配错误。	previous studies have primarily focused on
58	P14	students at universities who are natives of China	冗长且不自然。	Chinese international university students
59	P14	Especially, there is little research	句首连接词不自然。	In particular, little research
60	P14	the problem addressed in the current paper is related to	冗长, paper 与 thesis 不一致。	This study addresses
61	P15	from the student side	中式表达。	for students / from students' perspective
62	P15	relevance of answer retrieval in the multilingual setting of the university question answering	语义不清。	relevance of retrieved evidence and generated answers in a multilingual university setting
63	P15	speed of retrieving information and the efficiency of using the API	指标表达不够明确。	retrieval latency and API usage efficiency
64	P15	The goal... / The objective... / The aim...	三个目标结构不平行。	统一为 To design..., To develop..., To evaluate...

No.	页	原文/位置	问题	建议修改
65	P15	effectiveness and relevance of the generated answers	effectiveness 含义模糊。	accuracy, relevance, and contextual consistency of generated answers
66	P15	assess accuracy and usability of the system	缺冠词。	assess the accuracy and usability of the system
67	P16	issues regarding faculty members and students	范围表达不清。	academic and student-service matters
68	P16	especially to international students	介词错误。	especially for international students
69	P16	With this respect	固定搭配错误。	In this respect
70	P16	the use of prompt containing system prompt	缺冠词/复数且重复 prompt。	the use of a prompt containing system instructions
71	P16	allows increasing answer accuracy	搭配错误。	helps increase answer accuracy
72	P16	applied in designing question answering system for university information service	缺冠词且复合定语需连字符。	applied to designing a question-answering system for university information services
73	P16	Through transformation of documents	缺冠词。	Through the transformation of documents
74	P17	query response system / query-response	术语不自然。	question-answering system
75	P17	the university and its clients	clients 不符合学生服务语境。	the university and its users/students
76	P17	subjects – undergraduate administration ... visa guide	破折号和词语选择不当。	areas: undergraduate administration, course scheduling, university services, visa guidance, and student life
77	P17	one needs to mention the following issues	主观且冗长。	The study covers the following components
78	P17	without any additions to it including open-ended dialogues outside of standard knowledge area	语法和逻辑不清。	and will exclude open-ended dialogue outside the defined knowledge domains
79	P17	RAG system including ... is utilized in this work	缺冠词，主语过长，被动生硬。	This study uses a RAG system that combines vector search with large-language-model response generation.
80	P17	large scale deployment	复合形容词需连字符。	large-scale deployment
81	P17	This thesis paper consists of five chapters	与当前目录只有三章不一致。	按 P1 提交要求改写，或补齐/更新目录与后续章节。

Chapter II: Literature Review

No.	页	原文/位置	问题	建议修改
-----	---	-------	----	------

No.	页	原文/位置	问题	建议修改
82	P18	useful in helping with accessing information	搭配生硬。	useful in helping users access information
83	P18	answering questions of the users	表达不自然。	answering user questions
84	P18	The study by Saha & Saha (2024)	叙述性引用不应使用 & (取决于格式, 但全文也不统一)。	Saha and Saha (2024)
85	P19	Malaysian higher educational institutions	固定搭配错误。	Malaysian higher education institutions
86	P19	availability ... requires knowledge of more than one language and platform	逻辑不清: availability 不会要求知识。	accessing this information often requires navigating multiple languages and platforms
87	P19	impact ... on the work of students	work 指代不合适。	impact ... on students' academic adjustment and daily activities
88	P19	GPT-4 can provide impressive conversational skills: understand...	冒号后结构不平衡。	GPT-4 demonstrates strong conversational capabilities: it can understand...
89	P19	the wide range of LLM's abilities	所有格/单复数错误。	the wide range of LLM capabilities / LLMs' capabilities
90	P19	Researches claim	research 不可数; researches 不适用于此处。	Research indicates / Studies suggest
91	P20	A retrieval of relevant data is performed by the RAGs	不自然且 RAGs 用法错误。	RAG systems retrieve relevant data from an updatable external database
92	P20	models. (Lewis et al., 2020).	引用前多余句号; 此问题在 P20 多次出现。	models (Lewis et al., 2020).
93	P20	accuracy of model's question-answering performance	缺冠词且语义重复。	the model's question-answering accuracy
94	P20	loading it as cue words for the model	cue words 不准确。	providing the retrieved content as context to the model
95	P20	It allows enhancing ... accuracy and professionalism	allow 用法错误; professionalism 不适合回答质量。	This improves the accuracy and domain specificity of the answers
96	P20	two common types of retrieval such as	既说 two types 又用 such as, 结构冲突。	two common retrieval methods: BM25 sparse retrieval and dense retrieval
97	P20	based on semantic similarities	通常用不可数。	based on semantic similarity
98	P20	facilitate the process of generation of an answer	名词化过重。	facilitate answer generation

No.	页	原文/位置	问题	建议修改
99	P20	RAG can ... improve ... but it depends	it 指代不清。	RAG can improve...; however, its performance depends on retrieval and context selection.
100	P20	search materials	术语不专业。	retrieved evidence / retrieved documents
101	P21	Intelligent Question Answering Systems in Education	该二级标题大小写与其他全大写标题不一致。	按统一标题样式改为全大写或统一为 Title Case。
102	P21	provide help with learning, feedback, administrative queries, and provision of information	并列结构不平行。	support learning, provide feedback, answer administrative queries, and deliver academic information
103	P21	in the case of narrow pre-defined domain	缺冠词且表达生硬。	within a narrowly defined domain
104	P21	ambiguity of intentions	术语不自然。	ambiguous user intent
105	P21	There were several studies that indicated	时态/结构冗长。	Several studies have indicated
106	P21	presentation of the answer by Unimib Assistant	搭配不自然。	presentation of answers provided by the Unimib Assistant
107	P21	unworkable links	词语不准确。	broken or non-functional links
108	P21	As seen, these results	口语化。	These results
109	P22	most of reported university chatbots	缺冠词。	most reported university chatbots
110	P22	resources in another one	one 多余。	resources in another language
111	P22	a conversational artificial intelligence	AI 在此不可数。	conversational artificial intelligence / a conversational AI system
112	P22	among the criteria ... is the possibility	主谓/逻辑生硬。	one accessibility criterion is the ability
113	P22	It is possible due to	It 指代不清。	This capability is enabled by
114	P22	questions formulated by Malaysian students	与研究对象“中国国际学生”不一致。	questions submitted by students in Malaysia / Chinese international students
115	P22	enable comparing documents	搭配错误。	enable comparison of documents
116	P22	whether they were created in English	文本通常写成某种语言。	whether they were written in English
117	P23	The recent research demonstrated	冠词不自然。	Recent research has demonstrated
118	P23	improving cross-lingual search for information retrieval accuracy and factuality	修饰关系混乱。	improving the accuracy and factual grounding of cross-lingual information retrieval

No.	页	原文/位置	问题	建议修改
119	P23	the document written in Malay or English	应为复数。	documents written in Malay or English
120	P23	Qwen3-Max native	词序错误。	native Qwen3-Max
121	P23	knowledge bases (Gao et al., 2023)	段末缺句号。	knowledge bases (Gao et al., 2023).
122	P24	RAG-based Systems	标题大小写不统一。	RAG-Based Systems
123	P24	Very high / Lower	表内比较结论缺少判定依据或来源说明。	增加 “Source: Author's comparison based on...” 或明确评价标准。
124	P25	international Chinese students' studying at the Malaysian universities	所有格和冠词错误。	Chinese international students studying at Malaysian universities
125	P25	too few works	论文语境建议用 studies。	too few studies
126	P25	Secondly	与 First 不平行。	Second
127	P25	successful operations in trilingual interaction	搭配不自然。	successful operation in trilingual settings
128	P25	there exist significant gaps	冗长。	significant gaps remain
129	P25	heterogeneous sources' integration	所有格表达生硬。	the integration of heterogeneous sources
130	P25	rely on the external retrieval	冠词多余。	rely on external retrieval

Chapter III: Methodology

No.	页	原文/位置	问题	建议修改
131	P27	there arises a need for the development	冗长。	there is a growing need to develop
132	P27	cannot cater to such information needs of students that require	关系从句指代不清。	cannot meet students' need for immediate information about
133	P27	Retrieval Augmented Generation	缺连字符。	Retrieval-Augmented Generation
134	P27	RAGs retrieve	RAGs 用法不统一。	RAG systems retrieve
135	P27	ensures contextual grounding and prevents hallucinations	绝对化。	improves contextual grounding and reduces the risk of hallucination

No.	页	原文/位置	问题	建议修改
136	P27	Studies in recent times have proven	口语且 proven 过强。	Recent studies have demonstrated
137	P28	a specialized RAG designed specifically for serving FTSM, UKM, the Faculty...	重复且机构关系不清。	a specialized RAG system designed for FTSM at UKM
138	P28	multilinguism	拼写错误。	multilingualism
139	P28	applications of RAGs on campuses	RAGs 用法不统一。	campus RAG applications / RAG systems on campuses
140	P28	The rest of the chapter has been structured	时态冗长。	The remainder of the chapter is structured
141	P28	text embedding using DashScope model	缺冠词。	text embedding using the DashScope model
142	P28	doing Traditional to Simplified Chinese conversion	口语化。	converting Traditional Chinese to Simplified Chinese
143	P28	synonyms substitution	单复数错误。	synonym substitution
144	P28	Section 3.6 talks about	偏口语。	Section 3.6 describes
145	P28	The first boundary represents the users' interaction ... forwarding ... taking care...	句子过长，分词结构主语不清。	拆成三句，分别说明 UI、Application Service 和 Conversation Storage 的职责。
146	P28	requests' validation	不自然的所有格。	request validation
147	P28	stored to the Conversation Storage	介词错误。	stored in conversation storage
148	P29	uses vector database and knowledge base	缺冠词。	uses the vector database and knowledge base
149	P29	knowledge base updates are stored to the Conversation Storage	介词错误，且知识库更新是否应存入会话存储需核实。	stored in the appropriate data store；核对架构逻辑。
150	P29	In reality, the Application Service is implemented..., Langchain..., Vector Database..., and LLM...	逗号拼接多个独立句，且大小写不统一。	拆句；改为 In the implementation...; LangChain; vector database; the LLM。
151	P29	Tongyi Qwen retrieved via DashScope API	retrieved 用词错误。	Qwen3-Max accessed through the DashScope API
152	P29	described in sections 3.4 and 3.6 accordingly	引用具体章节应大写；accordingly 用法不自然。	described in Sections 3.4 and 3.6, respectively
153	P29	Figure 3.1 caption	图题使用普通正文样式，和其他图题的 Caption 样式不一致。	统一使用 Caption 样式并保持图题编号字段。

No.	页	原文/位置	问题	建议修改
154	P30	five consecutive sub-stages ... will be saved	substages 拼写形式和时态需统一。	five consecutive substages ... are stored (或 will be stored, 按项目状态统一)
155	P30	The input format ... is one of four – TXT, PDF, PNG, and JPG	表达生硬, 破折号用法不当。	The pipeline supports four input formats: TXT, PDF, PNG, and JPG.
156	P30	to see whether a SourceDocument metadata object needs to be created	口语且逻辑不清。	to determine whether a SourceDocument metadata object should be created
157	P30	parameters like	正式写作建议。	fields such as
158	P30	hashing is a suggested best practice	suggested 语气和因果关系弱。	hash-based duplicate detection is a common practice
159	P30	The obtained texts pass the filter	搭配错误。	The extracted text is passed to
160	P30	does not exceed configured chunk_size with an overlapping of configured chunk_overlap values	语法错误。	does not exceed the configured chunk_size and overlaps adjacent chunks by the configured chunk_overlap
161	P30	starts cutting large chunks of text	偏口语。	first splits text using larger structural separators
162	P30	only if it is required	冗长。	only when necessary
163	P30	diverse corporate documents	研究对象是高校文件, corporate 不合适。	diverse institutional documents
164	P31	using DashScope text-embedding-v4 model	缺冠词。	using the DashScope text-embedding-v4 model
165	P31	top retrieval efficiency in benchmark tests	表达不自然且结论过强。	strong retrieval performance in benchmark evaluations
166	P31	possibility to tune task instructions	搭配错误。	ability to configure task instructions
167	P31	the most versatile model of all in DashScope API library	口语化且绝对化。	a suitable model available through the DashScope API
168	P31	Obtained embeddings	缺冠词。	The resulting embeddings
169	P32	assistant for students at a multilingual institution, like UKM	介词和举例表达不自然。	assistant for students in a multilingual institution such as UKM
170	P32	generate inconsistently embedded vectors with poor alignment	搭配不自然。	produce embeddings that are poorly aligned with the stored chunk vectors
171	P32	extra whitespaces	whitespace 通常不可数。	extra whitespace
172	P32	converts Traditional Chinese into Simplified Chinese	更自然的表达。	converts text from Traditional Chinese to Simplified Chinese

No.	页	原文/位置	问题	建议修改
173	P32	render semantically similar queries to have low alignment	语法错误。	cause semantically similar queries to have low embedding alignment
174	P32	Firstly / Secondly	与其他章节 First/Second 不统一。	First / Second
175	P32	supervisor can be replaced with penyelia or 导师	扩展并非一定是替换。	the query can be expanded to include penyelia and 导师
176	P32	knowledge domains like visas and permits	like 偏口语。	knowledge domains such as visas and permits
177	P32	research suggesting expanding a user's query	结构生硬。	research recommending that user queries be expanded
178	P33-P34	Figure 3.3	3.5 节的 Agent 与 hybrid retrieval workflow 并不在 Figure 3.3。	分别改为 Figure 3.4(a) 和 Figure 3.4(b)。
179	P33	erroneous answers about programmatic issues can negatively mislead the users	programmatic 含义错误; negatively mislead 重复。	incorrect answers about programme-related matters can mislead users
180	P33	Agent Initialization and Tool Decision.	以正文粗体句开头, 未使用正式子标题样式。	若为 3.5 的子节, 设为 3.5.1 并使用统一 Heading 样式; 否则去掉标题式句号。
181	P33	makes the agent work under the ReAct approach	搭配不自然。	enables the agent to operate according to the ReAct framework
182	P33	conducts a ReAct-based tool decision / in case there is a need	表达生硬。	decides whether to invoke a tool using the ReAct framework / when domain knowledge is required
183	P36	Both the simulated context and query	simulated 很可能为误词。	Both the retrieved context and the query
184	P36	institutionalized response without any hallucinations	institutionalized 用词错误且绝对化。	institution-grounded response with a reduced risk of hallucination
185	P36	a Source Summary document is attached that consists of	结构生硬。	a source summary accompanies the response and lists
186	P36	students can validate their answers	their answers 指代错误。	students can verify the generated answers
187	P36	FastAPI Backend / Frontend Display / Conversation History Storage	普通组件名大小写过度且不统一。	FastAPI backend / frontend / conversation history storage, 除非图中定义为正式组件名。
188	P37	"What do I need to apply for the Master's program?".	问号后又加句号。	"What do I need to apply for the Master's programme?"
189	P37	extra embeddings generation	名词搭配错误。	additional embedding generation
190	P37	uses the Semantic Cache component	普通组件名不必大写。	uses a semantic-cache component

No.	页	原文/位置	问题	建议修改
191	P37	previous solutions match ... via the surface form	previous solutions 指代不清; 介词不自然。	conventional caches match queries based on surface forms
192	P37	The algorithm of the cache component	搭配不自然。	The cache algorithm
193	P37	generates an embedding vector out of it with the use of	冗长。	generates a query embedding using
194	P37	cosine similarity ... ranging from 0 to 1 ... same content	技术表述过度简化; cosine similarity 一般可为 -1 到 1, 具体范围取决于模型/归一化。	说明本系统实际返回的范围; 将 same content 改为 similar semantic meaning。
195	P37	finds the most similar pair of vectors	系统是查询向量与缓存向量比较, 不是任意向量对。	identifies the cached vector most similar to the query vector
196	P37	it is referred to as cache hit / cache miss occurs	缺冠词。	this is referred to as a cache hit / a cache miss occurs
197	P37	get added ... minimize chances ... make hit rate significantly low	口语/冠词/搭配问题。	are added ... minimize the risk ... significantly reduce the hit rate
198	P38	assigned with Time-To-Live expiration period	介词和大小写不统一。	assigned a time-to-live (TTL) period
199	P38	do not become outdated in time	语义不通。	are not served after they become outdated
200	P38	maximum cache entry size constraint ... limit was exceeded ... items got deleted	实际描述的是条目数量, 不是单条大小; 时态也不统一。	a maximum number of cache entries; if the limit is exceeded, the least-recently-used entries are removed
201	P38	These restrictions guarantee	guarantee 过强。	These constraints help maintain
202	P38	The effects ... are obvious	主观、口语。	The component reduces
203	P38	amount of API calls	可数名词。	number of API calls
204	P38	/api/cache/stats endpoint is provided	缺冠词。	the /api/cache/stats endpoint provides
205	P38	The entrance point	固定表达错误。	The entry point
206	P38	opens up the locally hosted web service	口语。	starts/exposes the locally hosted web service
207	P39	capability of handling ... allows serving	搭配生硬。	ability to handle ... allows the application to serve
208	P39	via POST /api/chat endpoint	缺冠词。	via the POST /api/chat endpoint

No.	页	原文/位置	问题	建议修改
209	P39	responds with the StreamingResponse providing	结构生硬。	returns a StreamingResponse that delivers
210	P39	SSE is a standard of the WHATWG	搭配错误。	SSE is defined in the WHATWG HTML Living Standard
211	P39	through the unidirectional HTTP connection	冠词不当。	through a unidirectional HTTP connection
212	P39	handles the chat message: invokes ... as a part of one single	冒号后缺明确主语; one single 重复。	handles each chat message by invoking... as part of a single request-processing flow
213	P39	Agent/ holds	实际项目目录为小写 agent/, 且全文路径大小写应严格一致。	agent/ contains
214	P40	Integration with DashScope API	缺冠词。	Integration with the DashScope API
215	P40	Embedding model is fixed	缺冠词。	The embedding model is fixed
216	P40	models names	名词形式错误。	model names
217	P40	through CHAT_MODEL_NAME environment variable	缺冠词。	through the CHAT_MODEL_NAME environment variable
218	P40	via Settings Page	普通页面名大小写不一致。	via the Settings page
219	P40	stored in data/... directory	多处目录名前缺 the; id 建议写 ID。	stored in the data/... directory; ID
220	P40	created_at time / updated_at time	time 重复。	created_at timestamp / updated_at timestamp
221	P40	each entry ... having a similarity threshold ... TTL ... limit	悬垂修饰; 这些是缓存配置, 不是每条记录的字段。	The cache is configured with a similarity threshold of 0.92, a seven-day TTL, and a limit of 500 entries.
222	P40	with collection named ftsm_rag_agent	缺冠词。	with a collection named ftsm_rag_agent
223	P40	was consciously chosen	不自然。	was deliberately chosen
224	P40	complying with the privacy requirements	绝对化且缺少具体标准。	which helps the system meet local data-handling requirements
225	P40	knowledge base trained anew	搭配错误。	the knowledge base is retrained
226	P41	provides / started / was outlined / describes	同一总结段时态跳变。	统一使用过去时总结本章, 或统一使用现在时描述论文结构。
227	P41	the vector database, knowledge base, and conversation storage	并列冠词不统一。	the vector database, the knowledge base, and conversation storage

No.	页	原文/位置	问题	建议修改
228	P41	semantic diversification by expanding the query to its synonyms	搭配不自然。	semantic expansion using domain-specific synonyms
229	P41	factually correct and institutionally verified answers	缺少实验章节支撑的绝对结论。	better-grounded answers that can be checked against institutional sources
230	P41	the stored answers returned	缺谓语。	the stored answers are returned
231	P41	the necessity to ensure..., multilingual ... capabilities, as well as efficient performance	并列结构不平行。	ensuring factual grounding, supporting multilingual queries, and maintaining efficiency

References

No.	页	原文/位置	问题	建议修改
232	P42-P45	All entries use Normal style	没有悬挂缩进，连续条目视觉密度高。	按 UKM 模板应用统一 Reference style 和 hanging indent。
233	P42-P45	pp. 1877-1901 / pp. 758–759 / pp. 333–389	页码范围连接号混用。	统一使用学院要求的连字符或 en dash。
234	P42-P45	Body citations use both & and and	正文与参考文献作者连接方式不统一。	按一种引用体系统一正文与文末格式。
235	P42	Faculty of Information Science and Technology (FTSM), UKM (2024)	该条目在正文中未找到对应引用。	若确实未使用则删除；若用于机构背景或数据来源，在相应正文处补引。
236	P42-P45	Title capitalization	论文题名、网页题名和期刊信息的大小写规则看起来不统一。	按 UKM 指定 Harvard 样式统一 sentence case/title case；原始专名保持不变。
237	P42-P45	URLs and accessed dates	格式总体完整，但网页、arXiv、DOI 的呈现方式不完全一致。	统一 DOI/URL 顺序、Available at 和 Accessed 日期格式。

处理顺序建议

- 1. 更新目录、图表目录和交叉引用，删除 P26 的斜杠与 P10 的空 Pictures 栏目。

2. 确定项目状态：已完成就统一过去/现在时；P1 方案就统一将来时，并处理 Chapter 4/5 的说明。
3. 统一引用体系、术语大小写、缩略语和 programme/program 的英式英语规则。
4. 按逐页清单修句，最后在 Word 中执行 Ctrl+A 后按 F9 更新全部字段。
5. 重新检查目录页码、图表编号和参考文献悬挂缩进。

本报告共列出 237 个具体或全局问题。专有名词、作者姓名和代码标识未按普通拼写错误处理。