

tte_power package documentation

Ron Keizer
University of California, San Francisco

May 24, 2013

Introduction

This R module implements a power calculation for time-to-event (TTE) analyses, using trial simulations. The module is implemented to study perform an evaluation of power for a clinical trial implemented by the Bill & Melinda Gates Foundation. In this trial, it is studied whether the use of different types of hormonal contraception (HC) increased the hazard rate of seroconversion (becoming HIV⁺). There is some evidence that HC in fact may increase the seroconversion hazard, although reports so far are underpowered and inconclusive. Therefore, a clinical trial is intended to be implemented to provide conclusive evidence whether HC increased the hazard or not.

In this document the implementation of the power analysis engine will be explained using the trial described above as motivating example. The implementation of this module is aimed to be as generic and flexible as possible, and can be used for other clinical trial settings that are evaluated using TTE outcomes.

Methods

There are four *designs* to be defined: *patient*, *enrollment*, *trial*, and *power*. These are all defined using a specific function, which will generate R list objects.

Patient Specifies the patient hazard rates (assuming constant):

hazard_event The rate at which the event of interest is occurring

hazard_dropout The dropout rate

hazard_switch The rate at which patients switch to a different arm

Enrollment Specifies the expected enrollment model

Trial Specifies the trial design, e.g. the number of arms, and the patients characteristics in each arm.

Power Specifies the power analysis, and e.g. the statistical test to be used.

Simulating a trial

Running a power analysis

Conclusion

References