

JLUFE
2021 (Feb-July)

Spring

Final Assignment Report

JILIN UNIVERSITY OF FINANCE AND ECONOMICS

Department of College of Managment Science and Information Engineering

BSc in Information management and information system

(2021)

Final Assignment: Part 01

21/06/2021

MODULE: Data Mining

Submitted by: Jony(郑永健) [0314021805410](#) (1854)

QQ: [2464304928](#)

Github ID: zhengyongjian123

Instructions:

1. I have added tips and required learning resources for each question, which helps you to solve the exercise.
2. Finish the assignment on your **OWN** (**Any student find copying/sharing from classmates or internet will get '0' points!!!**)
3. **Accept this assignment** from the [Github Clasroom link \(https://classroom.github.com/a/yFXO50A4\)](https://classroom.github.com/a/yFXO50A4)
This will create private repository of the assignment in your Github account.
4. In your repository Clone -> Download ZIP in your computer.
5. Change your: **Major, Name, Student number, Class number, QQ number and GitHub ID**
6. Once you finish the Assignment [convert your .ipynb file into PDF \(https://github.com/milaan9/91_Python_Tips/blob/main/000_Convert_Jupyter_Notebook_to_PDF.ipynb\)](https://github.com/milaan9/91_Python_Tips/blob/main/000_Convert_Jupyter_Notebook_to_PDF.ipynb)
(both .pynb and .pdf file will be required!)
7. Create Folder name "**Solution**" and copy your 3 files:
 - A. Your Jupyter Notebook file (.ipynb).
 - B. Your PDF converted file (.pdf).
 - C. **.zip** file containing both .ipynb and .pdf files and name your .zip file as your student number and name.
For example: **0318021907632 Milan(米兰).zip**
8. Finally, in your repository Add files -> upload files upload the "**Solution**" folder and Commit changes .

Python Assignment 01

Question 1:

Write a python program that generates a list containing only common elements between the two lists (without duplicates). Make sure your program works on two lists of different sizes.

Expected Output:

```
List 1: [0, 2, 4, 6, 12, 13, 14, 18, 20, 24, 25, 26, 27]
List 2: [0, 4, 7, 9, 10, 11, 13, 14, 17, 18, 20, 33, 39]
List of common elements are: [0, 4, 13, 14, 18, 20]
```

For extra points:

1. Generate the two list randomly to test this
2. Generate each list in one line of Python.

In [1]:

```
# Solution 1:
import random
list1=random.sample(range(1,50),15)
list2=random.sample(range(1,50),13)
samel=[]
for i in range(15):
    for j in range(13):
        if list1[i]==list2[j]:
            samel.append(list1[i])
list1.sort()
list2.sort()
samel.sort()
print('List 1: ',list1)
print('List 2: ',list2)
print('List of common elements are: ',samel)
```

```
List 1: [2, 3, 6, 11, 12, 14, 15, 20, 24, 25, 34, 36, 41, 47, 48]
List 2: [12, 13, 15, 16, 19, 22, 26, 28, 30, 39, 42, 46, 49]
List of common elements are: [12, 15]
```

Question 2:

Write a python program to find the gravitational force acting between two objects.

$$F = G \frac{m_1 m_2}{r^2}$$

Expected Output:

```
Enter the first mass (m1): 5000000
Enter the second mass (m2): 900000
Enter the distance between the centres of the masses (N): 30
Hence, the Gravitational Force is: 0.33 N
```

In [2]:

```
# Solution 2:
import math
m1=input('Enter the first mass (m1):')
m2=input('Enter the second mass (m2):')
N=input('Enter the distance between the centres of the masses (N):')
G=6.67e-11
outputt=G*int(m1)*int(m2)/int(N)/int(N)
print('Hence, the Gravitational Force is: {:.2f}N'.format(outputt))
```

Enter the first mass (m1):5000000
Enter the second mass (m2):900000
Enter the distance between the centres of the masses (N):30
Hence, the Gravitational Force is: 0.33N

Question 3:

Write a python program that generates a new list that contains only even elements from the randomly generated list.

Expected Output:

Randomly generated list: [64, 63, 90, 13, 38, 27, 19, 51, 97, 32, 18, 75]
List of even elements: [64, 90, 38, 32, 18]

In [3]:

```
# Solution 3:
import random
randlist3=random.sample(range(1,100),15)
outlist3=[]
for item3 in randlist3:
    if item3%2==0:
        outlist3.append(item3)
print('Randomly generated list: ',randlist3)
print('List of even elements: ',outlist3)
```

Randomly generated list: [39, 85, 16, 69, 27, 48, 55, 36, 40, 22, 1, 13, 23, 28, 4
9]
List of even elements: [16, 48, 36, 40, 22, 28]

Question 4:

Write a python program to check if a substring is present in a given string.

Expected Output:

```
Enter string: Hello world
Enter word: world
Substring in string!
```

In [4]:

```
# Solution 4:
str41=input('Enter string: ')
str42=input('Enter word: ')
if str42 in str41:
    print('Substring in string!')
else:
    print('Substring not in string!')
```

```
Enter string: Hello world
Enter word: world
Substring in string!
```

Question 5:

Write a python program that asks the user last 2 digit of (your) student number and generates Fibonacci series.

Expected Output:

```
How many numbers that generates?: 12
Fibonacci series:
[1, 1, 2, 3, 5, 8, 13, 21, 34, 55, 89, 144]
```

In [5]:

```
# Solution 5:
studennum=123457812
ddd=studennum%100
print('How many numbers that generates?:', ddd)
n1 = 1
n2 = 1
count = 2
nterms=ddd
print('Fibonacci series:')
if nterms <= 0:
    print("error:00")
elif nterms == 1:
    print(n1)
else:
    print(n1, ",", n2, end=" , ")
    while count < nterms:
        nth = n1 + n2
        print(nth, end=" , ")
        n1 = n2
        n2 = nth
        count += 1
```

How many numbers that generates?: 12
Fibonacci series:
1 , 1 , 2 , 3 , 5 , 8 , 13 , 21 , 34 , 55 , 89 , 144 ,

Question 6:

Write a python program using function that generates a new list that contains all the elements of the first list and removing all the duplicates.

Expected Output:

```
List: [1, 2, 3, 4, 3, 2, 1]
Result List using loop: [1, 2, 3, 4]
Result List using sets: [1, 2, 3, 4]
```

For extra points:

1. Generate the result using two different functions using:
 - one using a loop and constructing a list
 - sets

In [6]:

```
# Solution 6:
list6=[1,2,3,4,5,6,7,8,7,6,5,4]
list6l=[]
set6=set(list6)
for item6 in list6:
    if item6 not in list6l:
        list6l.append(item6)
print('List: ',list6)
print('Result List using loop: ',list6l)
print('Result List using sets: ',set6)
```

```
List: [1, 2, 3, 4, 5, 6, 7, 8, 7, 6, 5, 4]
Result List using loop: [1, 2, 3, 4, 5, 6, 7, 8]
Result List using sets: {1, 2, 3, 4, 5, 6, 7, 8}
```

Question 7:

Write a python program using functions that asks the user for a string containing multiple words and print back to the user the same string, except with the words in reverse order.

Expected Output:

```
Please enter a sentence: My name is Milaan
The reverse sentence is: Milaan is name My
```

In [7]:

```
# Solution 7:
sen = input('Please enter a sentence: ').split()
print('The reverse sentence is:', ' '.join(sen[::-1]))
```

```
Please enter a sentence: My name is Milaan
The reverse sentence is: Milaan is name My
```

Question 8:

Write a python program using function that encrypts a given input with these steps:

Input: "apple"

- Step 1: Reverse the input: "elppa"
- Step 2: Replace all vowels using the following chart:

```
a => 0
e => 1
i => 2
o => 2
u => 3
# 1lpp0
```

- Step 3: Add "aca" to the end of the word: "1lpp0aca"

Expected Output:

```
Word:  apple
Encrypted word: 1lpp0aca
```

More Examples:

```
encrypt("banana") → "0n0n0baca"
encrypt("karaca") → "0c0r0kaca"
encrypt("burak") → "k0r3baca"
encrypt("alpaca") → "0c0pl0aca"
```

In [8]:

```
# Solution 8:
word8=input(' Word: ')
word8=word8.replace('a','0')
word8=word8.replace('e','1')
word8=word8.replace('i','2')
word8=word8.replace('o','2')
word8=word8.replace('u','3')
word8=word8+'aca'
print(' Encrypted word: ',word8)
```

```
Word:  apple
Encrypted word:  0ppllaca
```

Question 9:

Write a python program using function that takes a number num and returns its length.

Expected Output:

```
Enter number: 963969
Total digits in given number:  6
```

In [9]:

```
# Solution 9:
num9=input('Enter number:')
print('Total digits in given number: ', len(str(num9)))
```

Enter number:963969

Total digits in given number: 6

Question 10:

Write a python program using function that takes a string and returns the number (count) of vowels contained within it.

Expected Output:

Enter string: Celebration

Total vowels in the string: 5

Identified vowels are: ['e', 'e', 'a', 'i', 'o']

More examples:

count_vowels("Palm") → 1

count_vowels("Prediction") → 4

In [11]:

```
# Solution 10:
dict10={'a':0,'e':0,'i':0,'o':0,'u':0}
vowels=[]
str10=input('Enter string: ')
for i in range(len(str10)):
    if str10[i] in dict10.keys():
        vowels.append(str10[i])
        dict10[str10[i]]+=1
print('Total vowels in the string: ', sum(dict10.values()))
print('Identified vowels are: ', vowels)
```

Enter string: Celebration

Total vowels in the string: 5

Identified vowels are: ['e', 'e', 'a', 'i', 'o']

Question 11:

Write a python program to draw pattern as below:

Expected Output:


```

-----
|   |   |   |   |
-----
|   |   |   |   |
-----
|   |   |   |   |
-----

```

For extra point:

- 1. Generate solution by asking the user what size game board they want to draw, and draw it for them to the screen using Python's print statement.

Expected Output:

```

Enter the size of board you want to draw: 4
-----
|   |   |   |   |
-----
|   |   |   |   |
-----
|   |   |   |   |
-----
|   |   |   |   |
-----

```

In [12]:

```
# Solution 11:
n11=input('Enter the size of board you want to draw:')
n11=int(n11)
for i in range(2*n11+1):
    if i%2==0:
        for j in range(n11):
            print(' ---',end='')
            if j==n11-1:
                print('')
    else:
        for j in range(n11+1):
            print(' | ',end='')
            if j==n11:
                print('')
```

Enter the size of board you want to draw:6

```
-----
|   |   |   |   |   |   |
-----
|   |   |   |   |   |   |
-----
|   |   |   |   |   |   |
-----
|   |   |   |   |   |   |
-----
|   |   |   |   |   |   |
-----
|   |   |   |   |   |   |
-----
```

Question 12:

Write a python program to ask user for a string and then perform following operations:

1. Calculate the num of digits
2. Calculate the num of characters
3. Calculate the num of vowels
4. Calculate the num of lowercase letters
5. replace ' ' with '_' in the string
6. Print and Store the ouput to 'output.txt' file.

Expected Output:

```
Enter string: Hello World 123
Output printed in 'output.txt'
```

Expected Output in output.txt:

The entered string is: Hello World 123
 The number of digits is: 3
 The number of characters is: 15
 The number of vowels is: 3
 The number of lowercase letters is: 8
 The modified string is: Hello_World_123

In [13]:

```
# Solution 12:
f = open('output.txt', 'w')
str12=input('Enter string: ')
kgs12=0
vol2=0
vo='aeiou'
xx12=0
xx='qwertyuiopasdfghjklzxcvbnm'
for i in range(len(str12)):
    if str12[i]==' ':
        kgs12+=1
    if str12[i] in vo:
        vol2+=1
    if str12[i] in xx:
        xx12+=1
str121=str12.replace(' ','_')
log12='The entered string is:'+str12+'The number of digits is: '+str(kgs12+1)+'\n'+ 'The number of cl
log12=log12+'The number of lowercase letters is: '+str(xx12)+'\n'+ 'The modified string is: '+str121
f.write(log12)
f.close()
print('Output printed in\'output.txt\')
```

Enter string: Hello World 123
 Output printed in 'output.txt'

Question 13:

Write a python program using function that takes as input three variables from user, and returns the largest of the three. Do this without using the Python `max()` function!

Expected Output:

Please enter three integers separated by comma: 12, 66, 31
 The maximum value is: 66

In [14]:

```
# Solution 13:
print('Please enter three integers separated by comma:', end='')
a13, b13, c13 = map(int, input().split(','))
max13 = a13
if b13 > max13:
    max13 = b13
if c13 > max13:
    max13 = c13
print('The maximum value is:', max13)
```

Please enter three integers separated by comma:12,66,31
The maximum value is: 66

Question 14:

Write a python program where user, will have a number in head between 0 and 100. The program will guess a number, and you, the user, will say whether it is too "high", too "low", or your number. Also, in the end program should print out how many guesses it took to get your number.

Expected Output:

```
Guess a number between 0 and 100 and tell whether high or low when prompted!
My guess is 50. Is that high, low or same? low
My guess is 75. Is that high, low or same? low
My guess is 88. Is that high, low or same? low
My guess is 94. Is that high, low or same? low
My guess is 97. Is that high, low or same? low
My guess is 99. Is that high, low or same? same
Congrats to me! I guessed it in 6 tries.
```

In [15]:

```
# Solution 14:
import random
print('Guess a number between 0 and 100 and tell whether high or low when prompted!')
min14=0
max14=100
count14=0
ans=''
while ans!='same':
    guess=random.randint(min14,max14)
    count14+=1
    ans=input('My guess is {}. Is that high, low or same? '.format(guess))
    if ans=='same':
        print('Congrats to me! I guessed it in {} tries.'.format(count14))
    elif ans=='low':
        min14=guess
    elif ans=='high':
        max14=guess
```

```
Guess a number between 0 and 100 and tell whether high or low when prompted!
My guess is 82. Is that high, low or same? high
My guess is 64. Is that high, low or same? low
My guess is 66. Is that high, low or same? low
My guess is 81. Is that high, low or same? high
My guess is 70. Is that high, low or same? same
Congrats to me! I guessed it in 5 tries.
```

Question 15:

Write a python program using function that takes an list(ordered) of numbers (from smallest to largest) and another number. The function decides whether or not the given number is inside the list and returns (then prints) an appropriate boolean.

Hint: Use binary search.

Expected Output:

```
List: [2, 4, 6, 8, 10]
Find '5': False
Find '10': True
Find '-1': False
Find '2': True
```

For extra point:

1. Generate list randomly and select he number randomly to be search from the list.

In [16]:

```

# Solution 15:
import random
def bs (list15, l, r, x):
    if r >= l:
        mid = int((l + (r - l)/2))
        if list15[mid] == x:
            return mid
        elif list15[mid] > x:
            return bs(list15, l, mid-1, x)
        else:
            return bs(list15, mid+1, r, x)
    else:
        return -1
list15=random.sample(range(1,20),15)
list15.sort()
print('List: ',list15)
def find(list15,x):
    result = bs(list15, 0, len(list15)-1, x)
    if result==-1:
        print('Find \'{}\': '.format(x), 'False')
    else:
        print('Find \'{}\': '.format(x), 'True')
find(list15,5)
find(list15,10)
find(list15,-1)
find(list15,2)

```

```

List:  [1, 2, 3, 4, 5, 6, 7, 8, 11, 12, 14, 15, 16, 17, 18]
Find '5': True
Find '10': False
Find '-1': False
Find '2': True

```

Question 16:

Write a python program to generate password. Be creative with how you generate passwords - strong passwords have a mix of lowercase letters, uppercase letters, numbers, and symbols. The passwords should be random, generating a new password every time the user asks for a new password. Include your code in a main method.

Expected Output:

```

Please choose strong or weak:
strong
password: 6|Av.0T^9
do you want a new password? y/n
n

```

For extra points:

1. Ask the user if they want password to be strong(9 characters) or weak(6 characters)?

In [17]:

```

# Solution 16:
import random

def main():
    def password(length):
        pw = ''
        characters = "ABCDEFGHIJKLMNOPQRSTUVWXYZ" + "abcdefghijklmnopqrstuvwxyz" + "1234567890" + "!@#$%^&*~.,_"
        for i in range(length):
            pw = pw + random.choice(characters)
        return pw
    con='y'
    while(con=='y'):
        str = input("Please choose strong or weak:")
        if(str=='strong'):
            while True:
                p=password(9)
                if ((set(list(p)).intersection(set(list("ABCDEFGHIJKLMNOPQRSTUVWXYZ")))!=None) and
                    (set(list(p)).intersection(set(list("abcdefghijklmnopqrstuvwxyz")))!=None) and
                    (set(list(p)).intersection(set(list("1234567890")))!=None) and
                    (set(list(p)).intersection(set(list("!@#$%^&*~.,_"))!=None)):
                    break
            else:
                p=password(6)
        print(p)
        print("do you want a new password? y/n")
        con=input()
    main()

```

```

Please choose strong or weak:strong
u%KEP4lsU
do you want a new password? y/n
y
Please choose strong or weak:weak
qRN%Qc
do you want a new password? y/n
n

```

Question 17:

Write a python program using function that picks a random word from a list of words from the [dictionary](https://github.com/milaan9/92_Python_Assignments/blob/main/sowpods.txt). (https://github.com/milaan9/92_Python_Assignments/blob/main/sowpods.txt). Each line in the file contains a single word.

Hint: use the Python random library for picking a random word.

Expected Output:

Random word: POTENTIATING

In [18]:

```
# Solution 17:
import random
import linecache
def getword():
    count1 = len(open('sowpods.txt', 'r').readlines())
    hs = random.randrange(1, count1, 1)
    word=linecache.getline('sowpods.txt', hs)
    word=word.strip('\n')
    return word
word=getword()
print("Random word:" + word)
```

Random word:ABACS

Question 18:

Write a python program where a text(.txt) file is given [nameslist.txt](https://github.com/milaan9/92_Python_Assignments/blob/main/nameslist.txt) (https://github.com/milaan9/92_Python_Assignments/blob/main/nameslist.txt) that contains list of a bunch of names, count how many of each name there are in the file, and print out the results to the screen.

Expected Output:

```
{'Darth': 31, 'Luke': 15, 'Leia': 54}
```

For extra point:

1. Instead of using the [nameslist.txt](https://github.com/milaan9/92_Python_Assignments/blob/main/nameslist.txt) (https://github.com/milaan9/92_Python_Assignments/blob/main/nameslist.txt) file from above (or instead of, if you want the challenge), take this [SUN_Database.txt](https://github.com/milaan9/92_Python_Assignments/blob/main/SUN_Database.txt) (https://github.com/milaan9/92_Python_Assignments/blob/main/SUN_Database.txt) file, and count how many of each "category" of each image there are. This text file is actually a list of files corresponding to the SUN database scene recognition database, and lists the file directory hierarchy for the images. Once you take a look at the first line or two of the file, it will be clear which part represents the scene category.

Expected Output:

```
abbey: 50
airplane_cabin: 50
airport_terminal: 50
alley: 50
amphitheater: 50
...
...
...
wrestling_ring: 50
yard: 50
youth_hostel: 50
```


In [19]:

```
# Solution 18:
data18=open('nameslist.txt','r')
dict18={}
for line in data18.readlines():
    line=line.strip('\n')
    if line not in dict18.keys():
        dict18[line]=1
    else:
        dict18[line]+=1
dict18
```

Out[19]:

```
{'Darth': 31, 'Luke': 15, 'Leia': 54}
```

Question 19:

Write a python program where two .txt files are given that have lists of numbers in them, find the numbers that are overlapping. One '[primenumbers1_1000.txt](https://github.com/milaan9/92_Python_Assignments/blob/main/primenumbers1_1000.txt)' (https://github.com/milaan9/92_Python_Assignments/blob/main/primenumbers1_1000.txt) file has a list of all prime numbers under 1000, and the other '[happynumbers1_1000.txt](https://github.com/milaan9/92_Python_Assignments/blob/main/happynumbers1_1000.txt)' (https://github.com/milaan9/92_Python_Assignments/blob/main/happynumbers1_1000.txt) file has a list of [happy numbers](https://en.wikipedia.org/wiki/Happy_number) (https://en.wikipedia.org/wiki/Happy_number) up to 1000.

Expected Output:

The list of overlapping numbers:

```
[7, 13, 19, 23, 31, 79, 97, 103, 109, 139, 167, 193, 239, 263, 293, 313, 331, 367, 379, 383, 397, 409, 487, 563, 617, 653, 673, 683, 709, 739, 761, 863, 881, 907, 937]
```

For extra point:

1. Generate solution with functions using list comprehensions

In [20]:

```
# Solution 19:
data1=open('happynumbers1_1000.txt','r')
data2=open('primenumbers1_1000.txt','r')
list191=[]
list192=[]
list193=[]
for line in data1.readlines():
    line=line.strip('\n')
    line=int(line)
    list191.append(line)
for line in data2.readlines():
    line=line.strip('\n')
    line=int(line)
    list192.append(line)
for i in range(len(list191)):
    for j in range(len(list192)):
        if list191[i]==list192[j]:
            list193.append(list191[i])
print('The list of overlapping numbers:')
print(list193)
```

The list of overlapping numbers:

[7, 13, 19, 23, 31, 79, 97, 103, 109, 139, 167, 193, 239, 263, 293, 313, 331, 367, 379, 383, 397, 409, 487, 563, 617, 653, 673, 683, 709, 739, 761, 863, 881, 907, 937]

Question 20:

Create a function that takes a string as an argument and returns the Morse code equivalent.

For example:

encode_morse("HELP ME !") → "... . .-.. .--. -- . -.-.--"

Expected Output:

```
Enter a sentence: I love
.. -. - -- ...- .
Enter morse code: .--. -.- -- .... --- -.
PYTHON
```

This dictionary can be used for coding:

```

char_to_dots = {
    'A': '.-',    'B': '-...',  'C': '-.-.',  'D': '-..',   'E': '.',      'F': '..-',
    'G': '--.',   'H': '....',  'I': '...',   'J': '.---',  'K': '-.-',    'L': '.-.',
    'M': '--',    'N': '-.',   'O': '---',   'P': '.--.',  'Q': '--.-',   'R': '.-.',
    'S': '...',   'T': '-.',    'U': '..-',   'V': '...-',  'W': '-.-',    'X': '-.-',
    'Y': '-.-',   'Z': '--..',

    '0': '-----', '1': '.-----', '2': '..---', '3': '...--', '4': '....-',
    '5': '.....',  '6': '-....',  '7': '--...', '8': '---..',  '9': '----.',

    ' ': ' ',      '&': '.-...',  "'": '.-----', '@': '.--.-.',  ')': '-.-.-',
    '(': '-.-.-',  ':': '---...', ',': '--.-.-', '=': '-...-',  '!': '-.-.-',
    '.': '.-..-',  '-': '-....-', '+': '.-.-.',  '"': '.-.-.-',  '?': '..-.-',
    '/': '-.-.-'
}

```

In [21]:

```

# Solution 20:
char_to_dots = {
    'A': '.-', 'B': '-...', 'C': '-.-.', 'D': '-..', 'E': '.', 'F': '..-',
    'G': '--.', 'H': '....', 'I': '...', 'J': '.---', 'K': '-.-', 'L': '-..',
    'M': '--', 'N': '-.', 'O': '---', 'P': '.--', 'Q': '--.-', 'R': '.-',
    'S': '...', 'T': '-', 'U': '..-', 'V': '...-', 'W': '.--', 'X': '-.-',
    'Y': '-.-', 'Z': '--..',

    '0': '-----', '1': '.-----', '2': '..-----', '3': '...--', '4': '....-',
    '5': '.....', '6': '-.....', '7': '--...', '8': '---..', '9': '----.',

    ' ': ' ', '&': '.-.-.-', '"': '.----', '@': '.-.-.-', ')': '-.-.-',
    '(': '-.-.-', ':': '--.-.-', ',': '-.-.-', '=': '-.-.-', '!': '-.-.-',
    '.': '.-.-.-', '-': '-.-.-.-', '+': '.-.-.-', '"': '.-.-.-', '?': '..-.-.-',
    '/': '-.-.-'
}

dots_to_char=dict([(i,j) for (j,i) in char_to_dots.items()])
def encode_morse(str):
    str=str.upper()
    morse=''
    for i in str:
        morse+=char_to_dots[i]
        if(i!=str[-1]):
            morse+=' '
    print(morse)
def decode(str1):
    asd=str1.split(' ')
    for i in asd:
        print(dots_to_char[i],end='')
sent20=input('Enter a sentence: ')
encode_morse(sent20)
sent21=input('Enter morse code: ')
decode(sent21)

```

Enter a sentence: I Love

.. -.-. --- ...-

Enter morse code: .--. -.- -- - --- -.

PYTHON

In []: