Qheadache, Version 1.0 [1]

Software Requirements Specification [2]

draft A

September 29, 2003 [3]

Jean-Philippe Brossat [4]

Index [1]

1 Introduction....3 [2]
1.1 Purpose....3
1.2 Scope....3
1.3 Definitions, Acronyms, and Abbreviations....3
1.4 References....3
1.5 SRS Document Overview....4
2 GENERAL DESCRIPTION....4
2.1 Product Perspective....4
2.1.1 User Interfaces....4
2.1.2 Hardware Interfaces....4
2.1.3 Software Interfaces....4
2.1.4 Communications Interfaces....4
2.1.5 Memory Constraints....4
2.1.6 Site Adaptation Requirements....4
2.2 Product Functions....5
2.2.1 Undo et Redo Actions....5
2.2.2 Time passed to play....5
2.2.3 Count of action number....5
2.2.4 Score....5
2.2.5 Score windows....5
2.3 User Characteristics....5
2.4 Start Up Requirements....5
2.5 Apportioning of Requirements....5
3 SPECIFIC REQUIREMENTS....5
3.1 External Interfaces....5
3.1.1 User Interfaces....6
3.1.1.1 Introduction....6
3.1.1.2 Main window....6
3.1.2 Software Interfaces....6
3.1.3 Communications Interfaces....6
3.2 Functional Requirements....6
3.2.1 Actions....6
3.2.1.1 Presentation of the board....6
3.2.1.2 Block selection....7
3.2.1.3 Block deselection....7
3.2.1.4 Block movement....7
3.2.1.5 Undo Action....8
3.2.1.6 Redo Action....8
3.2.2 End of the game management....9
3.2.2.1 End of the game....9
3.2.2.2 Finish Windows with Statistics....9

3.2.2.3 Simple Finish Windows....10
3.2.3 Statistics Management....10
3.2.3.1 Player Statistics management....10
3.2.3.2 Game Statistics management....10
3.2.3.3 Statistics erasing....11
3.2.3.4 Statistic Window....11
3.2.4 File management....12
3.2.4.1 Open game....12
3.2.4.2 Save game....12
3.2.4.3 Save game as....13
3.2.4.4 Exit....13
3.2.5 Menu bar....14
3.2.5.1 Game menu....14
3.2.5.2 Action menu....14
3.2.5.3 Statisctis menu....15
3.2.5.4 Help menu....15
3.3 Performance Requirements....15
3.4 Software System Attributes....15

1Introduction

1.1Purpose

This specifications establishes the requirements for the product named Qheadache. The intended audience is the analyst, programmer and tester of Qheadache.

1.2Scope

The product is a computerized game that displays an interface used to solve a specific headache.

1.3Definitions, Acronyms, and Abbreviations

Not applicable.

1.4References

Not applicable.

1.5SRS Document Overview 1

The remaining sections of this document provide a general description, including 2 characteristics of the users of this project, the product' hardware, and the functional and data requirements of the product. General description of the project is discussed in section 2 of this document. Section 2 gives the functional requirements, data requirements and constraints and assumptions made while designing the game. It also gives the user viewpoint of product use. Section 3 gives the specific requirements of the product. Section 3.0 also discusses the external interface requirements and gives detailed description of functional requirements.

2GENERAL DESCRIPTION 3

2.1Product Perspective 4

2.1.1User Interfaces 5

The product runs as a stand-alone application. 6

Its user interface uses menus, graphics and sounds. 7

2.1.2Hardware Interfaces 8

The product requires the use of a keyboard and a mouse to interface with the 9 user. It requires a graphical display of at least 800*600 resolution.

2.1.3Software Interfaces 10

The product uses the Qt graphical library. It must run with all the operating 11 systems that Qt supports.

2.1.4Communications Interfaces 12

Not applicable. 13

2.1.5Memory Constraints 14

Not applicable. 15

2.1.6Site Adaptation Requirements 16

Not applicable. 17

2.2Product Functions 1

2.2.1Undo et Redo Actions. 2

The user must undo and redo its last thousand actions. 3

2.2.2Time passed to play. 4

The product must count and display the time that the user uses to play. 5

2.2.3Count of action number. 6

The product must count and display the number of the user' action. 7

2.2.4Score. 8

The product must record the score (time and number of counts) of a play 9
associated with the name of a user.

2.2.5Score window. 10

The product must display a window with all the player' scores. 11

2.3User Characteristics 12

No qualification is necessary. 13

2.4Start Up Requirements 14

Not applicable. 15

2.5Apportioning of Requirements 16

Not applicable. 17

3SPECIFIC REQUIREMENTS 18

3.1External Interfaces 19

The product generally requires a mouse and a keyboard for input. Other pointing 20
and input devices are allowable, provided they provide similar functions to a
mouse and keyboard, namely the ability to move a cursor onscreen to select
buttons and the ability to type names.

The product uses menus, graphics and sounds. The hardware and operating 21

system must provide an 800x600 screen resolution. Sound is not required to play the game.

3.1.1User Interfaces

3.1.1.1 Introduction

The users consist of anyone who wants to play a simple game who knows how to operate a computer, with a beginning level player starting at age 8, up through an advanced level player who could be an adult.

3.1.1.2Main window

The main window shall provide the following parts :

- A board, see chapter 3.2.1.1.
- a menu bar, see chapter 3.2.5.

3.1.2Software Interfaces

Not applicable.

3.1.3 Communications Interfaces

Not applicable.

3.2Functional Requirements

3.2.1Actions.

3.2.1.1Presentation of the board.

The board is a rectangular zone where the user could move some blocks. Let x be the mesure unit. The height of the board game is 5x, its width is 4x : x can' t be less than 50 pixels and greater than 100 pixels. The blocks are separated by a marge of 0.1x.

There are four square blocks with a side of x.

There are four rectangular blocks with the following dimensions : a height of 2x and a width of x.

There is one block with the following dimensions : a height of x and a width of

2x. 1

There is one square block with a side of 2x. 2

The board is black and the blocks are yellow. 3

3.2.1.2Block selection 4

3.2.1.2.1Description 5

See above chapter 3.2.1.1. 6

3.2.1.2.2Input 7

Left-clicked down on a block. 8

3.2.1.2.3Processing 9

The game state becomes "Block deplacement". 10

3.2.1.2.4Output 11

None. 12

3.2.1.3Block deselection 13

3.2.1.3.1Description 14

See above chapter 3.2.1.1. 15

3.2.1.3.2Input 16

Left-clicked up on a selected block. 17

3.2.1.3.3Processing 18

The game state becomes "Block selection". 19

3.2.1.3.4Output 20

None. 21

3.2.1.4Block movement 22

3.2.1.4.1Description 23

See above chapter 3.2.1.1. 24

3.2.1.4.2Input 25

Mouse movement during the "Block movement" state. 26

3.2.1.4.3Processing 1

The selected block follows the mouse movement without overlapp the other blocks and exit of the game zone. The selected block can' t move near other blocks at least 0.05x from the others blocks. 2

3.2.1.4.4Output 3

None. 4

3.2.1.5Undo Action 5

3.2.1.5.1Descritption 6

The user can cancel a movement. 7

3.2.1.5.2Input 8

Menu selection. 9

3.2.1.5.3Processing 10

The game displays the block positions at the places where they were before the last movement. This action is consider like a movement. The "undo" action is unvailable if there was no previous movement. 11

3.2.1.5.4Output 12

New game board display. 13

3.2.1.6Redo Action 14

3.2.1.6.1Descritption 15

The user can redo a movement that has been canceled. 16

3.2.1.6.2Input 17

Menu selection. 18

3.2.1.6.3Processing 19

The game displays the block positions at the places where they were before the last movement was canceled. This action is consider like a movement. The redo action is unvailable, if the previous action wasn' t a "undo" action. 20

3.2.1.6.4Output 21

New game board display. 22

3.2.2End of the game management 1

3.2.2.1End of the game 2

3.2.2.1.1Description 3

How the user finishs the game. 4

3.2.2.1.2Input 5

The great square is moved at the bottom of the board. 6

3.2.2.1.3Processing 7

All the player statistics are freezed. 8

3.2.2.1.4Outputs 9

If the number of block movements of the current player is lower than the highest number of block movement recorded in the statistic file, the The "Finish Window with Statistcs" is displayed, see chapter 3.2.2.2. If not the "Simple finish Window" is displayed, see chapter 3.2.2.3. 10

3.2.2.2Finish Window with Statistics. 11

3.2.2.2.1Description 12

The Finish Window with Statisctis contains a the following text : "You win ! Enter your name : ", an Edit Box that can contain 20 characters and a pushbutton with the label "OK". 13

3.2.2.2.2Input 14

The games is over, see chapter 3.2.2.1. 15

3.2.2.2.3Processing 16

The player clicks on the pushbutton "OK". The player statistics are recorded in the statistic file of the software, according to the requirement of the chapter 3.2.3.2. 17

3.2.2.2.4Outputs 18

The "finish" window is closed. The statistic window is displayed, see chapter 3.2.3.4. 19

3.2.2.3Simple Finish Window 1

3.2.2.3.1Description 2

The Simple Finish Window contains a the following text : "You win !" and a pushbutton with the label "OK". 3

3.2.2.3.2Input 4

The games is over, see chapter 3.2.2.1. 5

3.2.2.3.3Processing 6

The player clicks on the pushbutton "OK". 7

3.2.2.3.4Outputs 8

The Simple Finish Window is closed. The statistic window is displayed, see chapter 3.2.3.4. 9

3.2.3Statistics Management. 10

3.2.3.1Player Statistics management 11

3.2.3.1.1Desciption 12

The following statistics are recorded during the game : 13

- number of block movements since the start. 14
- time since the start. 15

3.2.3.1.2Input 16

A block movement. 17

3.2.3.1.3Processing 18

The number of block movement in incremented of 1. The difference of time of the block movement and the previous recorded time is recorded. 19

3.2.3.1.4Output 20

None. 21

3.2.3.2Game Statistics management 22

3.2.3.2.1Desciption 23

The game statistics is composed of 10 player statistics. 24

3.2.3.2.2Input 1

The Finish Window with Statistics is completed by the player, see chapter 3.2.2.2. 2

3.2.3.2.3Processing 3

The statistics of the player (its name, the block movement number, the time passed to solve the headache) is recorded in the statistic file. If 10 player statistics are already recorded, the player statistics of the file with the greatest number of block movements is erased. 4

3.2.3.2.4Output 5

If the file was correctly updated, there is no ouput. If not, like wrong pemissions or disk full, an error message is displayed. 6

3.2.3.3Statistics erasing 7

3.2.3.3.1Descritption 8

The user could erase all the statistics. 9

3.2.3.3.2Input 10

Menu selection. 11

3.2.3.3.3Processing 12

The data stored in the statistic file are erased. 13

3.2.3.3.4Output 14

If the file was correctly updated, there is no ouput. If not, like wrong pemissions or disk full, an error message is displayed. 15

3.2.3.4Statistic Window. 16

3.2.3.4.1Descritption 17

The Player Statistics Window is composed of a listbox of 10 lines. Each line is composed of the name of a player, the number of block movement, the time used by the player to solve the headache. 18

This statistcs are read from the statistic file of the game. 19

3.2.3.4.2Input 20

End of the game (see chapter 3.2.2.1) or menu selection. 21

3.2.3.4.3Processing 1

Window display. 2

3.2.3.4.4Output 3

None. 4

3.2.4File management 5

3.2.4.1Open game 6

3.2.4.1.1Description 7

Open a previous saved game. 8

3.2.4.1.2Input 9

Menu selection. 10

3.2.4.1.3Processing 11

A dialog box is open : the user could choose a file that contains all the data of the game previously saved. 12

3.2.4.1.4Ouput 13

The board game is re-draw according to the file data. The player statistics are set to the player statistics of the file data. 14

3.2.4.2Save game 15

3.2.4.2.1Description 16

Save the current game. 17

3.2.4.2.2Input 18

Menu selection. 19

3.2.4.2.3Processing 20

If the game was never saved, the processing is identiqual to the action "Save as...". 21

If not, the following internal data are saved into the previous file that was used to to save the the game : the current positions of the blocks, their last 10000 previous positions, the number of the previous movements and the time passed by the user to solve the headache.

3.2.4.2.4Ouput 1

None. 2

3.2.4.3Save game as 3

3.2.4.3.1Description 4

Save the current game. 5

3.2.4.3.2Input 6

Menu selection. 7

3.2.4.3.3Processing 8

A dialog box is open : the user could choose a file that will contain all the data of the current game. Next, the following internal data are saved into the file : the current positions of the blocks, their previous positions, the number of the previous movements and the time passed by the user to solve the headache. 9

3.2.4.3.4Ouput 10

None. 11

3.2.4.4Exit 12

3.2.4.4.1Description 13

Stop the game 14

3.2.4.4.2Input 15

Menu selection. 16

3.2.4.4.3Processing 17

If the game is not saved, a dialog box is displayed that asks to the player if he wants to save the game. Two choices are possible : "Yes" and "No". If "Yes" is selected, the action "Save" is processed and the main window disappeared. If "No" is selected, the main window disappeared. 18

3.2.4.4.4Ouput 19

None. 20

3.2.5Menu bar 1

3.2.5.1Game menu 2

3.2.5.1.1Description 3

Contains "Open game ...", "Save Game ...", "Save Game As..." and "Exit". In this order. 4

3.2.5.1.2Input 5

Menu selection. 6

3.2.5.1.3Processing 7

Action in question is performed : 8

- "Open game ..." -> action "Open game", see chapter 3.2.4.1. 9
- "Save Game ..." -> action "Save Game", see chapter 3.2.4.2. 10
- "Save Game As ..." -> action "Save game as", see chapter 3.2.4.3. 11
- "Exit" -> action "Exit", see chapter 3.2.4.4. 12

3.2.5.1.4Output 13

Menu disappears. Requirements of the action determines the continuation. 14

3.2.5.2Action menu 15

3.2.5.2.1Description 16

Contains "Undo" and "Redo". In this order. The menu selection is unvailable if the associated action is unvailable. 17

3.2.5.2.2Inputs 18

Menu selection. 19

3.2.5.2.3Processing 20

Action in question is performed : 21

- "Undo" -> action "Undo", see chapter 3.2.1.5. 22
- "Redo" -> action "Redo", see chapter 3.2.1.6. 23

3.2.5.2.4Outputs 24

Menu disappears. Requirements of the action determines the continuation. 25

3.2.5.3Statisctis menu 1

3.2.5.3.1Description 2

Contains "Display" and "Erase". In this order. 3

3.2.5.3.2Inputs 4

Menu selection. 5

3.2.5.3.3Processing 6

Action in question is performed : 7

- "Display" -> displays the statistic window, see chapter 3.2.3.4. 8
- "Erase" -> erase the statistics, see chapter 3.2.3.3. 9

3.2.5.3.4Outputs 10

Menu disappears. Requirements of the action determines the continuation. 11

3.2.5.4Help menu 12

3.2.5.4.1Description 13

Contains "About". 14

3.2.5.4.2Inputs 15

Menu selection. 16

3.2.5.4.3Processing 17

"About Window" is displayed. The "About Windows" is composed of the following text "Qheadache 1.0 by Jean-Philippe Brossat jp_brossat@yahoo.fr" 18

3.2.5.4.4Outputs 19

Menu disappears. Requirements of the action determines the continuation. 20

3.3Performance Requirements 21

There can be only one user per machine. 22

3.4Software System Attributes 23

The software must be portable to the Windows OS. 24