

US011416742B2

(12) United States Patent

Sung et al.

(54) AUDIO SIGNAL ENCODING METHOD AND APPARATUS AND AUDIO SIGNAL DECODING METHOD AND APPARATUS USING PSYCHOACOUSTIC-BASED WEIGHTED ERROR FUNCTION

(71) Applicants: Electronics and Telecommunications
Research Institute, Daejeon (KR);
THE TRUSTEES OF INDIANA
UNIVERSITY, Bloomington, IN (US)

(72) Inventors: Jongmo Sung, Daejeon (KR); Minje Kim, Bloomington, IN (US); Aswin Sivaraman, Bloomington, IN (US); Kai Zhen, Bloomington, IN (US)

(73) Assignees: Electronics and Telecommunications
Research Institute, Daejeon (KR);
THE TRUSTEES OF INDIANA
UNIVERSITY, Bloomington, IN (US)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35 U.S.C. 154(b) by 1016 days.

(21) Appl. No.: 16/122,708

(22) Filed: Sep. 5, 2018

(65) Prior Publication Data

US 2019/0164052 A1 May 30, 2019

Related U.S. Application Data

(60) Provisional application No. 62/590,488, filed on Nov. 24, 2017.

(30) Foreign Application Priority Data

Dec. 15, 2017 (KR) 10-2017-0173405

(51) Int. Cl. G06N 3/08 (2006.01) G10L 19/008 (2013.01) (Continued) (10) Patent No.: US 11,416,742 B2

(45) **Date of Patent:** Aug. 16, 2022

(56) References Cited

U.S. PATENT DOCUMENTS

6,035,177 A *	3/2000	Moses H04H 20/31				
		380/252				
7,921,007 B2*	4/2011	Van de Par G10L 21/038				
		704/229				
(Continued)						

OTHER PUBLICATIONS


Liu et al., A Perceptually-Weighted Deep Neural Network for Monaural Speech Enhancement in Various Background Noise Conditions, 2017 25th European Signal Processing Conference (EUSIPCO), Aug. 28, 2017, pp. 1-5, IEEE, Kos, Greece.

Primary Examiner — Olisa Anwah (74) Attorney, Agent, or Firm — William Park & Associates Ltd.

(57) ABSTRACT

Provided is a training method of a neural network that is applied to an audio signal encoding method using an audio signal encoding apparatus, the training method including generating a masking threshold of a first audio signal before training is performed, calculating a weight matrix to be applied to a frequency component of the first audio signal based on the masking threshold, generating a weighted error function obtained by correcting a preset error function using the weight matrix, and generating a second audio signal by applying a parameter learned using the weighted error function to the first audio signal.

7 Claims, 11 Drawing Sheets



US 11,416,742 B2 Page 2

(51)	Int. Cl.	
	G10L 19/032	(2013.01)
	G10L 25/30	(2013.01)
	G10L 25/69	(2013.01)

(56) References Cited

U.S. PATENT DOCUMENTS

8.588.427	B2 *	11/2013	Uhle H04R 5/04
0,500,12		11/2015	
			381/17
10,043,527	B1 *	8/2018	Gurijala G10L 19/018
2003/0115042	A1*	6/2003	Chen G10L 25/69
			704/E19.002
2004/0002050	4 4 10	1/2004	
2004/0002859	Al*	1/2004	
			704/229
2008/0082328	A1	4/2008	Lee
2009/0089049		4/2009	Moon G10L 19/035
2009/0009049	/X.I	4/2009	
			704/E19.001
2010/0076769	A1	3/2010	Yu
2011/0026724	A1*	2/2011	Doclo G10K 11/17854
			381/71.8
2011/0110020	414	5/2011	
2011/0119039	A1*	5/2011	Grancharov G10L 25/69
			703/2
2012/0020415	A1*	1/2012	Yang H04N 17/004
			375/E7.279
2012/0022051	4 4 4	1/2012	
2012/0023051	Al*	1/2012	Pishehvar G06N 3/049
			706/21
2012/0093341	A1	4/2012	Kim et al.
2015/0003625		1/2015	Uhle et al.
2016/0078880		3/2016	Avendano et al.
2016/0247502	A1	8/2016	Park et al.
2020/0234720	A1*	7/2020	Sung G10L 19/0017
2020/0329330	A1*	10/2020	Mitchell H04R 29/007
2020/032330	7.7.1	10/2020	WIRCHCH 11041C 25/00/

^{*} cited by examiner

FIG. 1

