RN Installation (Mac)

Terminal on Mac

Open a terminal to start installing the below software. You will need sudo permission to execute administrator tasks.

Installing Brew

Check if you have brew installed: `brew -v`

If it is not installed, use the below command:

```
/bin/bash -c "$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/HEAD/install.sh)"
```

Installing Node

To install node:

```
brew install node@22
```

```
echo 'export PATH="/opt/homebrew/opt/node@22/bin:$PATH"' >> ~/.zshrc
```

Installing Java

```
brew install --cask zulu@17
```

Restart Terminal and try the below commands to verify:

```
node -v
```

```
javac -version
```

Make sure that you do not get any errors.

Install Android Studio (From ChatGPT but verified to be correct)

Course chat

🚀Step-by-step: Install latest Android Studio (Windows)
1️⃣Download installer

Go to the official page:

👉https://developer.android.com/studio

Or direct download:
👉https://redirector.gvt1.com/edgedl/android/studio/install/latest/android-studio-setup.exe

2️⃣Run installer

Double-click .exe
Click Next → Next → Install
Keep defaults:
✅Android Studio
✅Android Virtual Device (AVD)

👉Don’t change install location (reduces errors)

3️⃣First launch setup

When opening Android Studio:

Choose Standard
Select theme (any)
Accept the licence
Let it download:
Android SDK
Build tools

Emulator

👉This step may take 10–20 minutes

4️⃣Install required SDK (IMPORTANT)

Open:

More Actions → SDK Manager

Ensure:

✅Android 14 (API 34)
Edit: Click on show package details. Under Android 14 → select Google APIs Intel x86_64 Atom system Image.
✅Android SDK Platform
✅Android SDK Build-Tools (already installed)
✅Android Emulator (already installed)
✅Platform Tools (already installed)
✅Select Android SDK Command-line Tools

5️⃣Set environment variables (critical for React Native)
Open a new terminal. Open `nano ~/.zshrc`
Add the following lines:

```
export ANDROID_HOME=$HOME/Library/Android/sdk
export ANDROID_SDK_ROOT=$ANDROID_HOME

export PATH=$PATH:$ANDROID_HOME/platform-tools
export PATH=$PATH:$ANDROID_HOME/emulator
export PATH=$PATH:$ANDROID_HOME/cmdline-tools/latest/bin
```

```
export JAVA_HOME=$(/usr/libexec/java_home -v 17)
export PATH=$PATH:$JAVA_HOME/bin
```

Close the file using ctrl +x and choosing Yes.

Check if everything works

```
node -v; java -version; adb --version; echo $ANDROID_HOME
```

You should not see any errors.

Installing React Native and initializing project folder

```
npx @react-native-community/cli init MyApp
```

Click on N (No) for installing cocoapods.

Starting the emulator

In android studio, More Actions → Virtual Device Manager → Choose Pixel 6 → Choose Android 14 → Accept default options → start the device

Running react native

```
cd MyApp
npm run android
```

It will take several minutes for this to complete. However, the second time you run, it will take less time.

During Development

You have to make code changes → It automatically reflects on the phone

If you shutdown your computer, next time you boot, go to MyApp project folder → `npm run android`