





Entropic gateway · N = 256 · T_N = 320 t.u.

n_steps = 12,800,000 · h = 2.5e-05 · B = N n_steps = 3.277e+09 walker-steps · complete seeds: ABF 32/32, ABF+FR 32/32

Mean-force error $e_{F'}$ vs budget fraction u



— ABF (n = 32) interquartile range —□— mid threshold EM bias of F' at h (bin averages, analytic vs EM-consistent; NOT the $e_{F'}$ floor)
— ABF+FR (n = 32) strict threshold —△— loose threshold —·— zero-noise floor (hard lower bound of the error)

Line = median across seeds; band = interquartile range (25th-75th percentile) across seeds. Metrics are the frozen SCIENTIFIC_PLAN section-4 quantities, unsmoothed.

Markers: first save after which the seed-MEDIAN curve stays at or below the threshold at every later save (persistent crossing of the median curve; the per-seed tau statistics are in summary.json). Censored thresholds have no marker; 'cens. a | b' next to each threshold = seeds whose own tau is censored (never persistently met by $u = 1$), ABF | ABF+FR.

Errors on the eval window [-1.5, 1.5] (151 grid nodes; $e_{F'}$ function space on the Gauss-Legendre sub-grid); $\Gamma = M / (C + 1)$.

$e_{F'}$ has a deterministic zero-noise floor 0.03227 (the within-bin variation of F'_{ref} , steep at the gate): $e_{F'}^2 = \text{RMS}(\Gamma - \text{bin-averaged } F'_{ref})^2 + \text{floor}^2$ for EVERY estimate, so a threshold below the floor is unreachable by construction (strict); 'both censored' there is not a tie. The shaded band is the EM bias of F' (0.00081), not the floor.

eqb_plot_config/2 · config_gateway_production.json · 2026-10-10 08:08 UTC