


Ethane/LTA 300 K · N = 2 · T_N = 30720 t.u.

$n_steps = 153,600,000$ · $h = 0.0002$ · $B = N n_steps = 3.072e+08$ walker-steps · complete seeds: ABF 16/16, ABF+FR 16/16

Seed-averaged instantaneous CV density vs budget fraction u



Identical diverging colour scale for every panel (and every N): blue = below the uniform target, grey = at target, red = above; clipped at 4x. Displayed on 36 CV bins (5 production bins each). Columns = the 200 uniform budget saves $u = k/200$.

Each column pools only $N \times seeds = 32$ walkers over 36 cells (one walker = $1.1 \times$ uniform), so the map is necessarily speckled; read it for where the population sits, not for cell-level values.

Small N ($N = 2$, i.e. ≤ 4): each seed contributes only 2 walkers to an instantaneous histogram, so instantaneous marginals are necessarily discrete ($TV_inst \text{ floor } E_N[TV] = 0.892$).

Dashed horizontal guides: $|\phi| = 0.791$ rad (window $|z| < 1.5 \text{ \AA}$) and $|\phi| = 2.109$ rad (cage $|z| > 4 \text{ \AA}$).

eqb_plot_config/2 · config lta_300K_production.json · 2026-10-10 09:46 UTC