


ethane/LTA 300 K: convergence curves on the normalised budget axis, selected N

Equal total budget per arm per seed: $B = N \times n_steps = 3.072e+08$ walker-steps at every N ($h = 0.0002$, $T_N = B \cdot h / N$); 16 seeds per (N, method). Common axes per row; every column spends the same B.



ethane/LTA 300 K · S7_convergence_selected_N · status: all planned (N, seed, method) complete · FR is not defined at N = 1 (ABF only, by design) · LTA N < 50: FR uses the finite-N cap extension $\max(1, \text{floor}(0.02 \cdot N))$.
Selected N: largest planned N; the middle of the sorted planned ladder (index $\text{len}/2$); the smallest N with an FR arm; N = 1 -- chosen from the PLAN, independent of the data (duplicates dropped).
Lines: median over seeds at every save (24 log-spaced $u < 5e-3$, the 200 uniform u , physical checkpoints); bands: IQR. Grey lines (labelled at the right): frozen thresholds (dotted strict, dashed mid, dash-dot loose; TV_half solid) and the far-state target / 1/2 target.
Source results/equal_budget_v2/lta_T300/analysis/summary.json (generated 2026-10-10T07:06:16Z, eqb_metrics/2, 10000 bootstrap resamples); plot_synthesis/2.