

Amendment E-A3 (ITE 300 K): equal budget B = 5.12×10⁸ production force evaluations, ABF at K1–K1024 and ABF + FR stopped online by R1 at K8–K1024
K1024 × T50 t.u.; saves every 1.28·10⁶ FE
K256 × T200 t.u.; saves every 1.28·10⁶ FE
K64 × T800 t.u.; saves every 1.28·10⁶ FE
K16 × T3200 t.u.; saves every 1.28·10⁶ FE
K8 × T6400 t.u.; saves every 8·10⁴ FE (1 t.u.)
K4 × T12800 t.u.; saves every 4·10⁴ FE (1 t.u.)
K1 × T51200 t.u.; saves every 1·10⁴ FE (1 t.u.)
ABF
ABF + FR (R1)
e_F (kJ/mol): median, 25–75 %
production force evaluations (10⁸)
frontier K1–K1024 (unpaired across K): best ABF ABF_K1, best FR FR_K16
best FR / best ABF 1.10: fixed selection [0.75, 1.51], nested [0.87, 1.43] → UNRESOLVED
median per-seed geometric-mean sustained τ (10⁸ force evals), 95 % CI
replica allocation K (T = B / K)
same-K paired speedup (fixed K; 16 paired seeds each; FR-faster seed count in brackets)
paired S_geo = τ_ABF / τ_FR (95 % CI)
1.67 (16/16)
1.31 (13/16)
1.11 (9/16)
0.93 (7/16)
1.03 (8/16)
K1024 (C1)
K256 (EA_R1)
K64 (EB64)
K16 (EB16)
K8 (EB8)
the bracket: ratio of medians, smaller K / larger K (> 1 resolved = smaller K dearer)
cost ratio of adjacent allocations (95 % CI) ABF circles, FR squares
K1/K4
K4/K8
K8/K16
K16/K64
K64/K256
K256/K1024